



Air Quality Index on Feb 04, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	195	PM _{2.5}	1
2	Alwar	Moderate	108	PM _{2.5}	1
3	Amaravati	Moderate	148	PM _{2.5}	1
4	Ambala	Moderate	156	PM _{2.5}	1
5	Amritsar	Moderate	135	PM _{2.5}	1
6	Aurangabad	Satisfactory	91	OZONE	1
7	Bahadurgarh	Moderate	191	PM ₁₀	1
8	Bathinda	Satisfactory	90	PM ₁₀	1
9	Bengaluru	Satisfactory	67	PM ₁₀ , NO ₂ , PM _{2.5}	9
10	Bhiwadi	Poor	256	PM _{2.5}	1
11	Bhiwani	Moderate	105	PM _{2.5}	1
12	Bulandshahr	Very Poor	322	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ajmer, Asanol, Baghpat, Ballabgarh, Brajrajnagar, Dewas, Durgapur, Faridabad, Fatehabad, Gaya, Greater_Noida, Hubballi, Ratlam, Solapur, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 04, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Chandrapur	Moderate	102	PM _{2.5}	2
14	Chennai	Satisfactory	88	PM _{2.5} , OZONE	3
15	Chikkaballapur	Satisfactory	61	PM ₁₀	1
16	Damoh	Poor	219	PM _{2.5}	1
17	Delhi	Poor	288	PM _{2.5}	35
18	Dharuhera	Poor	257	PM _{2.5}	1
19	Ghaziabad	Very Poor	358	PM _{2.5}	1
20	Gurugram	Poor	209	PM _{2.5}	2
21	Haldia	Moderate	152	PM ₁₀	1
22	Hapur	Poor	284	PM _{2.5}	1
23	Hisar	Poor	258	PM _{2.5}	1
24	Howrah	Poor	262	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ajmer, Asanol, Baghpat, Ballabgarh, Brajrajnagar, Dewas, Durgapur, Faridabad, Fatehabad, Gaya, Greater_Noida, Hubballi, Ratlam, Solapur, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 04, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Hyderabad	Moderate	116	PM _{2.5} , PM ₁₀	5
26	Jaipur	Moderate	115	PM ₁₀	2
27	Jalandhar	Moderate	153	PM _{2.5}	1
28	Jodhpur	Moderate	161	PM _{2.5}	1
29	Jorapokhar	Moderate	170	PM ₁₀	1
30	Kalaburgi	Moderate	102	PM ₁₀	1
31	Kanpur	Poor	294	PM _{2.5}	1
32	Karnal	Moderate	139	PM _{2.5}	1
33	Khanna	Satisfactory	71	PM _{2.5}	1
34	Kolkata	Very Poor	306	PM _{2.5}	2
35	Kota	Moderate	173	PM _{2.5}	1
36	Kurushketra	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ajmer, Asanol, Baghpat, Ballabgarh, Brajrajnagar, Dewas, Durgapur, Faridabad, Fatehabad, Gaya, Greater_Noida, Hubballi, Ratlam, Solapur, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 04, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Lucknow	Poor	244	PM _{2.5}	4
38	Ludhiana	Satisfactory	78	PM ₁₀	1
39	Mandi Gobindgarh	Moderate	149	PM _{2.5}	1
40	Mandideep	Moderate	164	PM ₁₀	1
41	Manesar	Poor	256	PM _{2.5}	1
42	Moradabad	Very Poor	348	PM _{2.5}	1
43	Mumbai	Moderate	197	PM ₁₀	1
44	Muzaffarnagar	Very Poor	328	PM _{2.5}	1
45	Muzaffarpur	Poor	271	PM _{2.5}	1
46	Nagpur	Moderate	137	OZONE	1
47	Nashik	Satisfactory	83	PM _{2.5}	1
48	Navi Mumbai	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ajmer, Asanol, Baghpat, Ballabgarh, Brajrajnagar, Dewas, Durgapur, Faridabad, Fatehabad, Gaya, Greater_Noida, Hubballi, Ratlam, Solapur, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 04, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Noida	Very Poor	316	PM _{2.5}	2
50	Pali	Moderate	129	PM _{2.5}	1
51	Palwal	Moderate	170	PM _{2.5}	1
52	Panchkula	Moderate	106	PM _{2.5}	1
53	Panipat	Poor	214	PM _{2.5}	1
54	Patiala	Satisfactory	60	PM ₁₀	1
55	Patna	Very Poor	307	PM _{2.5}	1
56	Pithampur	Moderate	170	PM _{2.5}	1
57	Pune	Moderate	140	PM _{2.5}	1
58	Rajamahendravaram	Moderate	177	OZONE	1
59	Rohtak	Moderate	123	PM _{2.5}	1
60	Rupnagar	Moderate	120	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ajmer, Asanol, Baghpat, Ballabgarh, Brajrajnagar, Dewas, Durgapur, Faridabad, Fatehabad, Gaya, Greater_Noida, Hubballi, Ratlam, Solapur, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 04, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Satna	Moderate	114	PM ₁₀	1
62	Siliguri	Poor	291	PM _{2.5}	1
63	Singrauli	Very Poor	323	PM _{2.5}	1
64	Sirsa	Poor	269	PM _{2.5}	1
65	Sonipat	Moderate	189	PM _{2.5}	1
66	Talcher	Very Poor	328	PM ₁₀	1
67	Thane	Poor	222	PM _{2.5}	1
68	Thiruvananthapuram	Satisfactory	85	PM _{2.5}	1
69	Udaipur	Moderate	194	PM _{2.5}	1
70	Ujjain	Poor	271	PM _{2.5}	1
71	Varanasi	Very Poor	354	PM _{2.5}	1
72	Vijayawada	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ajmer, Asanol, Baghpat, Ballabgarh, Brajrajnagar, Dewas, Durgapur, Faridabad, Fatehabad, Gaya, Greater_Noida, Hubballi, Ratlam, Solapur, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 04, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Visakhapatnam	Moderate	130	PM _{2.5}	1
74	Yamunanagar	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ajmer, Asanol, Baghpat, Ballabgarh, Brajrajnagar, Dewas, Durgapur, Faridabad, Fatehabad, Gaya, Greater_Noida, Hubballi, Ratlam, Solapur, Tirupati as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.