


**Help or query please contact:**

**Sh. A. Sudhakar : +91 8800326699 [asudhakar.cpcb@nic.in](mailto:asudhakar.cpcb@nic.in)**


**Sh. Aditya Sharma : +91 9911328120 [aditya.cpcb@nic.in](mailto:aditya.cpcb@nic.in)**

**Steps for Registration in CPCB Industry Registration Portal**

**New User Sign Up**




## New User Confirmation Page



The screenshot shows a web browser window with the URL [assetlogiciq.com/signup](https://assetlogiciq.com/signup). The page features the CPCB logo and the text "Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi 110032, India". Below this, there is a registration form with three input fields: "Name", "Email Id", and "Phone". A green "Register" button is positioned below the form. A confirmation message at the bottom of the form states, "A confirmation mail has sent to your email id." The browser's taskbar at the bottom shows several open applications, including "RTDMS - Google...", "SPCB", "Computer", "MoM with SPCB...", and "Registration Por...". The system clock indicates the time is 11:13 AM on 31-Jul-15.

## Link Verification – E-mail Received



The screenshot displays an email interface in a browser window. The email is from [logiciq@logicladder.com](mailto:logiciq@logicladder.com) and is titled "Please activate your new account." The email body contains the following text: "Please contact admin at [cems.cpcb@nic.in](mailto:cems.cpcb@nic.in). If the above information is incorrect. Visit this url to activate your account: <https://assetlogiciq.com/setPassword?code=d766aea8aed447f3a886f18fc1e8a4a3>". It also includes a disclaimer: "By activating your account you will authorize us to send alarm and transaction messages by email and SMS to you. This will include sending messages to your DND registered mobile number from IoEYE. You also undertake that you will not complain to any third party about these SMS being unsolicited. We confirm that only official SMS messages from CPCB will only be sent." and an unsubscribe instruction: "If you want to unsubscribe from CPCB list, please write to [cems.cpcb@nic.in](mailto:cems.cpcb@nic.in)." The email interface shows a "COMPOSE" button, a search bar, and a list of contacts on the left. The system clock at the bottom right indicates the time is 11:13 AM on 31-Jul-15.

## Continuing In Browser

**Your connection is not private**

Attackers might be trying to steal your information from **assetlogiciq.com** (for example, passwords, messages, or credit cards). NET:ERR\_CERT\_AUTHORITY\_INVALID

Automatically report details of possible security incidents to Google. [Privacy policy](#)


**Click** → [hide advanced](#) [Back to safety](#)

This server could not prove that it is **assetlogiciq.com**; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection.

**Click** → [Proceed to assetlogiciq.com \(unsafe\)](#)

## Setting Password

**Please Set a Password**

  
Central Pollution Control Board  
Parivesh Bhawan, East Arjun Nagar,  
Delhi 110032, India

Password

Re-enter Password

[Set Password](#)

## Data Entry

Best viewed in Firefox/Chrome

Register Industry Details

Welcome Kavitha, 31st Jul 2015 11:16:46 (logout)

Industry Category\*

State\*

Use Industry Code ([Check industry code](#))  
If your industry name is not present in the list please do not use industry code option

Industry Code

Industry Name\*

Address\*

City\*


Pin code\*

Data Submitted to SPCB  Data Submitted to CPCB

Whether bank guarantee provide by industry

Online continuous effluent monitoring system provided by unit

Online continuous emission monitoring system provided by unit



## Alert Before Final Submission of Information

The page at https://assetlogiciq.com says:

Please check the information submitted before submission. Information provided cannot be edited once submitted. Additional emission/effluent system can be added post submission

OK Cancel

Parameter   
Fluoride  
SO2  
Cl2  
HCL

PM    Is Certified System

Emission Monitoring System Details [Add](#)

Emission Monitoring System


Latitude  Longitude

Process  [Add More](#)

Parameter   
HCL  
Ammonia  
CO

PM     Is Certified System

Field marked by \* are mandatory. Fill all mandatory fields to enable submit



Online continuous effluent monitoring system provided by unit

**Effluent Monitoring System Details** [Add](#)

**Effluent Monitoring System Name\***

ETP 1

**Latitude**

20.556

**Longitude**

70.218

**Process**

Caustic soda|Plant

[Add More](#)

[Add Parameter](#)

pH

D3245

Hach

DHR Holding

53

Is Certified System

TUV

203.145.138.170:8

150.107.240.38:80

[Remove -](#)

Flow

BHA45V

Forbes

Forbes Marshal

IFS4000

Is Certified System

TUV

203.145.138.170:8

150.107.240.38:80

[Add More +](#)

[Remove -](#)

Effluent Monitoring Data after Filled-in

Online continuous emission monitoring system provided by unit

**Emission Monitoring System Details** [Add](#)

**Emission Monitoring System Name\***

CEMS 1

**Latitude**

20.548

**Longitude**

70.216

**Process**

Chlorine Plant

[Add More](#)

**Add Parameter**

Cl2 ▼

A 276234

ESA

ESA

MIR9000BB

Is Certified System

TUV ▼

iseo.fr/gpcb

iseo.fr/cpcb

[Remove -](#)

HCl ▼

537850

Thermo Fisher

Thermo Fisher

15i

Is Certified System

TUV ▼

Thermo.com/ospct

i://182.71.166.202/

[Add More +](#)

[Remove -](#)

Field marked by \* are mandatory.Fill all mandatory fields to enable submit

[Save](#)

[Submit](#)

[PRINT](#)

Emission Monitoring Data after Filled-in