



## Air Quality Index on Jan 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	374	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	163	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	119	PM <sub>10</sub>	1
4	Alwar	Satisfactory	92	PM <sub>2.5</sub>	1
5	Amaravati	Poor	279	PM <sub>2.5</sub>	1
6	Asanol	Poor	219	PM <sub>2.5</sub>	1
7	Aurangabad	Moderate	167	OZONE	1
8	Baghpat	Very Poor	377	PM <sub>2.5</sub>	1
9	Bahadurgarh	Very Poor	329	PM <sub>2.5</sub>	1
10	Bathinda	Moderate	118	PM <sub>10</sub>	1
11	Bengaluru	Moderate	135	OZONE, PM <sub>2.5</sub> , PM <sub>10</sub>	6
12	Bhiwadi	Very Poor	357	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwani	Moderate	185	PM <sub>2.5</sub>	1
14	Brajrajnagar	Poor	211	PM <sub>2.5</sub>	1
15	Bulandshahr	Very Poor	375	PM <sub>2.5</sub>	1
16	Chandrapur	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	2
17	Chennai	Moderate	178	PM <sub>2.5</sub>	3
18	Chikkaballapur	Satisfactory	91	PM <sub>10</sub>	1
19	Damoh	Moderate	187	PM <sub>10</sub>	1
20	Delhi	Very Poor	371	PM <sub>2.5</sub> , PM <sub>10</sub>	36
21	Dewas	Moderate	130	PM <sub>10</sub>	1
22	Durgapur	Moderate	134	PM <sub>10</sub>	1
23	Faridabad	Very Poor	367	PM <sub>2.5</sub>	1
24	Gaya	Very Poor	398	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ghaziabad	Severe	404	PM <sub>2.5</sub>	1
26	Greater_Noida	Very Poor	384	PM <sub>2.5</sub>	1
27	Gurugram	Very Poor	309	PM <sub>2.5</sub>	1
28	Haldia	Moderate	163	PM <sub>10</sub>	1
29	Hapur	Very Poor	375	PM <sub>2.5</sub>	1
30	Howrah	Very Poor	324	PM <sub>2.5</sub>	2
31	Hubballi	Moderate	160	PM <sub>2.5</sub>	1
32	Hyderabad	Moderate	152	PM <sub>2.5</sub>	5
33	Jaipur	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	2
34	Jalandhar	Moderate	118	PM <sub>2.5</sub>	1
35	Jodhpur	Poor	300	PM <sub>2.5</sub>	1
36	Jorapokhar	Poor	213	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Kalaburgi	Poor	206	PM <sub>2.5</sub>	1
38	Kanpur	Severe	406	PM <sub>2.5</sub>	1
39	Khanna	Moderate	124	PM <sub>10</sub>	1
40	Kolkata	Very Poor	363	PM <sub>2.5</sub>	2
41	Kota	Moderate	126	PM <sub>10</sub>	1
42	Kurushketra	Very Poor	315	PM <sub>2.5</sub>	1
43	Lucknow	Very Poor	322	PM <sub>2.5</sub>	4
44	Ludhiana	Moderate	191	PM <sub>10</sub>	1
45	Mandi Gobindgarh	Moderate	189	NO <sub>2</sub>	1
46	Mandideep	Moderate	168	PM <sub>10</sub>	1
47	Manesar	Very Poor	318	PM <sub>2.5</sub>	1
48	Moradabad	Very Poor	347	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Mumbai	Poor	212	PM <sub>10</sub>	1
50	Muzaffarnagar	Very Poor	378	PM <sub>2.5</sub>	1
51	Muzaffarpur	Very Poor	397	PM <sub>2.5</sub>	1
52	Nagpur	Poor	218	PM <sub>2.5</sub>	1
53	Nashik	Moderate	198	OZONE	1
54	Navi Mumbai	Poor	206	PM <sub>10</sub>	1
55	Noida	Very Poor	362	PM <sub>2.5</sub>	2
56	Pali	Moderate	149	PM <sub>2.5</sub>	1
57	Palwal	Poor	294	PM <sub>2.5</sub>	1
58	Panchkula	Moderate	127	OZONE	1
59	Panipat	Very Poor	312	PM <sub>2.5</sub>	1
60	Patiala	Poor	208	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Patna	Severe	421	PM <sub>2.5</sub>	1
62	Pithampur	Moderate	148	PM <sub>10</sub>	1
63	Pune	Poor	251	PM <sub>2.5</sub>	1
64	Rajamahendravaram	Poor	281	PM <sub>2.5</sub>	1
65	Ratlam	Moderate	126	PM <sub>10</sub>	1
66	Rohtak	Moderate	121	PM <sub>2.5</sub>	1
67	Rupnagar	Moderate	146	PM <sub>2.5</sub>	1
68	Satna	Moderate	107	CO	1
69	Siliguri	Poor	263	PM <sub>2.5</sub>	1
70	Singrauli	Poor	294	PM <sub>2.5</sub>	1
71	Sonipat	Very Poor	301	PM <sub>2.5</sub>	1
72	Talcher	Very Poor	305	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 11, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Thiruvananthapuram	Moderate	158	OZONE	1
74	Tirupati	Moderate	107	PM <sub>2.5</sub>	1
75	Udaipur	Poor	246	PM <sub>10</sub>	1
76	Ujjain	Poor	243	PM <sub>2.5</sub>	1
77	Varanasi	Very Poor	382	PM <sub>2.5</sub>	1
78	Vijayawada	Satisfactory	73	PM <sub>10</sub>	1
79	Yamunanagar	Very Poor	349	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.