



## Air Quality Index on Jan 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	377	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	131	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	120	PM <sub>10</sub>	1
4	Alwar	Satisfactory	98	PM <sub>2.5</sub>	1
5	Amaravati	Poor	246	PM <sub>2.5</sub>	1
6	Asanol	Poor	256	PM <sub>2.5</sub>	1
7	Aurangabad	Moderate	180	OZONE	1
8	Baghpat	Severe	404	PM <sub>2.5</sub>	1
9	Bahadurgarh	Severe	437	PM <sub>2.5</sub>	1
10	Bathinda	Moderate	115	PM <sub>10</sub>	1
11	Bengaluru	Moderate	133	OZONE, PM <sub>2.5</sub> , PM <sub>10</sub>	9
12	Bhiwadi	Very Poor	352	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gurugram, Nagpur, Palwal, Patiala, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwani	Moderate	175	PM <sub>2.5</sub>	1
14	Brajrajnagar	Poor	276	PM <sub>2.5</sub>	1
15	Bulandshahr	Severe	403	PM <sub>2.5</sub>	1
16	Chandrapur	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	2
17	Chennai	Moderate	158	PM <sub>2.5</sub>	3
18	Chikkaballapur	Moderate	110	PM <sub>2.5</sub>	1
19	Damoh	Moderate	162	PM <sub>10</sub>	1
20	Delhi	Severe	423	PM <sub>2.5</sub> , PM <sub>10</sub>	34
21	Dewas	Moderate	126	PM <sub>10</sub>	1
22	Durgapur	Satisfactory	57	CO	1
23	Faridabad	Severe	417	PM <sub>2.5</sub>	1
24	Gaya	Severe	401	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gurugram, Nagpur, Palwal, Patiala, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ghaziabad	Severe	437	PM <sub>2.5</sub>	1
26	Greater_Noida	Severe	425	PM <sub>2.5</sub>	1
27	Haldia	Moderate	178	PM <sub>10</sub>	1
28	Hapur	Severe	402	PM <sub>2.5</sub>	1
29	Howrah	Very Poor	339	PM <sub>2.5</sub>	1
30	Hubballi	Moderate	176	PM <sub>2.5</sub>	1
31	Hyderabad	Moderate	158	PM <sub>2.5</sub>	5
32	Jaipur	Moderate	139	PM <sub>2.5</sub> , OZONE	3
33	Jalandhar	Moderate	152	PM <sub>2.5</sub>	1
34	Jodhpur	Poor	220	PM <sub>2.5</sub>	1
35	Jorapokhar	Poor	207	PM <sub>10</sub>	1
36	Kalaburgi	Moderate	196	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gurugram, Nagpur, Palwal, Patiala, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Kanpur	Severe	418	PM <sub>2.5</sub>	1
38	Khanna	Moderate	128	PM <sub>10</sub>	1
39	Kolkata	Severe	402	PM <sub>2.5</sub>	2
40	Kota	Moderate	173	PM <sub>2.5</sub>	1
41	Kurushketra	Very Poor	302	PM <sub>2.5</sub>	1
42	Lucknow	Very Poor	330	PM <sub>2.5</sub>	4
43	Ludhiana	Moderate	192	PM <sub>10</sub>	1
44	Mandi Gobindgarh	Moderate	118	PM <sub>10</sub>	1
45	Mandideep	Moderate	139	PM <sub>10</sub>	1
46	Manesar	Very Poor	337	PM <sub>2.5</sub>	1
47	Moradabad	Very Poor	360	PM <sub>2.5</sub>	1
48	Mumbai	Moderate	200	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gurugram, Nagpur, Palwal, Patiala, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Muzaffarnagar	Very Poor	378	PM <sub>2.5</sub>	1
50	Muzaffarpur	Severe	420	PM <sub>2.5</sub>	1
51	Nashik	Moderate	152	OZONE	1
52	Navi Mumbai	Poor	215	PM <sub>10</sub>	1
53	Noida	Severe	441	PM <sub>2.5</sub>	2
54	Pali	Moderate	137	PM <sub>10</sub>	1
55	Panchkula	Moderate	144	PM <sub>2.5</sub>	1
56	Panipat	Very Poor	307	PM <sub>2.5</sub>	1
57	Patna	Severe	406	PM <sub>2.5</sub>	1
58	Pithampur	Moderate	136	PM <sub>10</sub>	1
59	Pune	Poor	212	PM <sub>2.5</sub>	1
60	Rajamahendravaram	Poor	253	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gurugram, Nagpur, Palwal, Patiala, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ratlam	Moderate	120	PM <sub>10</sub>	1
62	Rohtak	Moderate	127	PM <sub>2.5</sub>	1
63	Rupnagar	Moderate	171	PM <sub>2.5</sub>	1
64	Satna	Moderate	154	PM <sub>10</sub>	1
65	Siliguri	Poor	234	PM <sub>2.5</sub>	1
66	Singrauli	Very Poor	330	PM <sub>2.5</sub>	1
67	Sonipat	Very Poor	392	PM <sub>2.5</sub>	1
68	Talcher	Poor	282	PM <sub>2.5</sub>	1
69	Thiruvananthapuram	Moderate	134	PM <sub>2.5</sub>	1
70	Tirupati	Moderate	129	PM <sub>2.5</sub>	1
71	Udaipur	Poor	215	PM <sub>10</sub>	1
72	Ujjain	Moderate	188	OZONE	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gurugram, Nagpur, Palwal, Patiala, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Varanasi	Very Poor	342	PM <sub>2.5</sub>	1
74	Vijayawada	Satisfactory	81	PM <sub>10</sub>	1
75	Yamunanagar	Very Poor	341	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gurugram, Nagpur, Palwal, Patiala, Solapur, Thane, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.