



## Air Quality Index on Jan 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	310	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	144	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	144	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	65	PM <sub>2.5</sub>	1
5	Amaravati	Poor	261	PM <sub>2.5</sub>	1
6	Amritsar	Satisfactory	79	PM <sub>10</sub>	1
7	Asanol	Very Poor	303	PM <sub>2.5</sub>	1
8	Aurangabad	Moderate	160	OZONE	1
9	Baghpat	Poor	230	PM <sub>2.5</sub>	1
10	Bahadurgarh	Poor	253	PM <sub>2.5</sub>	1
11	Bathinda	Satisfactory	58	PM <sub>2.5</sub>	1
12	Bengaluru	Moderate	108	OZONE, PM <sub>2.5</sub> , PM <sub>10</sub>	9

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Palwal, Panipat, Patna, Solapur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Poor	281	PM <sub>2.5</sub>	1
14	Bhiwani	Satisfactory	94	PM <sub>10</sub>	1
15	Brajrajnagar	Very Poor	333	PM <sub>2.5</sub>	1
16	Bulandshahr	Poor	268	PM <sub>2.5</sub>	1
17	Chandrapur	Satisfactory	96	PM <sub>10</sub>	1
18	Chennai	Moderate	122	PM <sub>2.5</sub>	2
19	Chikkaballapur	Satisfactory	91	PM <sub>10</sub>	1
20	Damoh	Very Poor	314	PM <sub>2.5</sub>	1
21	Delhi	Poor	247	PM <sub>2.5</sub> , PM <sub>10</sub>	33
22	Dewas	Moderate	184	PM <sub>2.5</sub>	1
23	Durgapur	Moderate	161	PM <sub>10</sub>	1
24	Faridabad	Poor	256	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Palwal, Panipat, Patna, Solapur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ghaziabad	Poor	245	PM <sub>2.5</sub>	1
26	Greater_Noida	Poor	255	PM <sub>2.5</sub>	1
27	Gurugram	Poor	221	PM <sub>2.5</sub>	1
28	Haldia	Moderate	173	PM <sub>10</sub>	1
29	Hapur	Poor	257	PM <sub>2.5</sub>	1
30	Howrah	Very Poor	339	PM <sub>2.5</sub>	1
31	Hubballi	Moderate	124	PM <sub>10</sub>	1
32	Hyderabad	Moderate	147	PM <sub>2.5</sub>	5
33	Jaipur	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	3
34	Jalandhar	Satisfactory	66	PM <sub>2.5</sub>	1
35	Jodhpur	Moderate	165	PM <sub>2.5</sub>	1
36	Jorapokhar	Poor	288	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Palwal, Panipat, Patna, Solapur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Kalaburgi	Moderate	141	PM <sub>2.5</sub>	1
38	Kanpur	Very Poor	346	PM <sub>2.5</sub>	1
39	Khanna	Satisfactory	51	PM <sub>10</sub>	1
40	Kolkata	Severe	402	PM <sub>2.5</sub>	2
41	Kota	Moderate	177	PM <sub>2.5</sub>	1
42	Kurushketra	Moderate	130	PM <sub>2.5</sub>	1
43	Lucknow	Very Poor	303	PM <sub>2.5</sub>	3
44	Ludhiana	Satisfactory	74	PM <sub>10</sub>	1
45	Mandi Gobindgarh	Satisfactory	87	PM <sub>10</sub>	1
46	Mandideep	Poor	269	PM <sub>2.5</sub>	1
47	Manesar	Moderate	190	PM <sub>2.5</sub>	1
48	Moradabad	Poor	234	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Palwal, Panipat, Patna, Solapur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Mumbai	Moderate	163	PM <sub>10</sub>	1
50	Muzaffarnagar	Poor	226	PM <sub>2.5</sub>	1
51	Muzaffarpur	Severe	401	PM <sub>2.5</sub>	1
52	Nagpur	Poor	210	PM <sub>2.5</sub>	1
53	Nashik	Moderate	177	OZONE	1
54	Navi Mumbai	Moderate	139	PM <sub>10</sub>	1
55	Noida	Poor	236	PM <sub>2.5</sub>	2
56	Pali	Moderate	197	PM <sub>2.5</sub>	1
57	Panchkula	Moderate	122	PM <sub>2.5</sub>	1
58	Patiala	Satisfactory	52	PM <sub>10</sub>	1
59	Pithampur	Moderate	159	PM <sub>2.5</sub>	1
60	Pune	Moderate	172	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Palwal, Panipat, Patna, Solapur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Rajamahendravaram	Very Poor	308	PM <sub>2.5</sub>	1
62	Ratlam	Moderate	171	PM <sub>2.5</sub>	1
63	Rohtak	Satisfactory	88	PM <sub>2.5</sub>	1
64	Rupnagar	Satisfactory	52	PM <sub>10</sub>	1
65	Satna	Poor	204	PM <sub>10</sub>	1
66	Siliguri	Poor	236	PM <sub>2.5</sub>	1
67	Singrauli	Very Poor	328	PM <sub>2.5</sub>	1
68	Sonipat	Poor	203	PM <sub>2.5</sub>	1
69	Talcher	Poor	285	PM <sub>2.5</sub>	1
70	Thane	Moderate	171	PM <sub>10</sub>	1
71	Thiruvananthapuram	Moderate	143	PM <sub>2.5</sub>	1
72	Tirupati	Moderate	190	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Palwal, Panipat, Patna, Solapur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Udaipur	Moderate	188	PM <sub>10</sub>	1
74	Ujjain	Moderate	182	PM <sub>2.5</sub>	1
75	Varanasi	Very Poor	341	PM <sub>2.5</sub>	1
76	Vijayawada	Satisfactory	82	PM <sub>2.5</sub>	1
77	Visakhapatnam	Very Poor	341	PM <sub>2.5</sub>	1
78	Yamunanagar	Moderate	127	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Palwal, Panipat, Patna, Solapur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.