

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	134	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	140	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	106	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	71	PM <sub>10</sub>	1
5	Amaravati	Poor	275	PM <sub>2.5</sub>	1
6	Asanol	Poor	230	PM <sub>2.5</sub>	1
7	Aurangabad	Satisfactory	96	OZONE	1
8	Baghpat	Poor	224	PM <sub>2.5</sub>	1
9	Bathinda	Satisfactory	77	со	1
10	Bengaluru	Moderate	105	OZONE, PM <sub>2.5</sub> , PM <sub>10</sub>	10
11	Bhiwadi	Poor	201	PM <sub>2.5</sub>	1
12	Bhiwani	Satisfactory	80	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bahadurgarh, Faridabad, Muzaffarpur, Solapur, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Brajrajnagar	Poor	232	PM <sub>2.5</sub>	1
14	Bulandshahr	Poor	276	PM <sub>2.5</sub>	1
15	Chandrapur	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	2
16	Chennai	Moderate	102	PM <sub>2.5</sub> , OZONE, CO	3
17	Chikkaballapur	Satisfactory	91	PM <sub>10</sub>	1
18	Damoh	Moderate	162	PM <sub>2.5</sub>	1
19	Delhi	Poor	237	PM <sub>10</sub> , PM <sub>2.5</sub>	36
20	Dewas	Moderate	155	PM <sub>2.5</sub>	1
21	Durgapur	Good	40	со	1
22	Gaya	Very Poor	327	PM <sub>2.5</sub>	1
23	Ghaziabad	Poor	249	PM <sub>2.5</sub>	1
24	Greater_Noida	Poor	226	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bahadurgarh, Faridabad, Muzaffarpur, Solapur, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Gurugram	Moderate	139	PM <sub>2.5</sub>	1
26	Haldia	Moderate	198	PM <sub>10</sub>	1
27	Hapur	Poor	250	PM <sub>2.5</sub>	1
28	Howrah	Very Poor	313	PM <sub>2.5</sub>	1
29	Hubballi	Satisfactory	93	PM <sub>10</sub>	1
30	Hyderabad	Moderate	148	PM <sub>2.5</sub>	5
31	Jaipur	Moderate	121	PM <sub>2.5</sub> , PM <sub>10</sub>	3
32	Jalandhar	Satisfactory	92	PM <sub>2.5</sub>	1
33	Jodhpur	Moderate	126	PM <sub>10</sub>	1
34	Jorapokhar	Moderate	141	PM <sub>10</sub>	1
35	Kalaburgi	Moderate	157	PM <sub>2.5</sub>	1
36	Kanpur	Moderate	170	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Bahadurgarh, Faridabad, Muzaffarpur, Solapur, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Khanna	Satisfactory	88	PM <sub>10</sub>	1
38	Kolkata	Very Poor	386	PM <sub>2.5</sub>	2
39	Kota	Moderate	125	PM <sub>2.5</sub>	1
40	Kurushketra	Moderate	115	PM <sub>2.5</sub>	1
41	Lucknow	Moderate	158	PM <sub>2.5</sub>	4
42	Ludhiana	Satisfactory	88	PM <sub>10</sub>	1
43	Mandi Gobindgarh	Poor	209	PM <sub>2.5</sub>	1
44	Mandideep	Poor	203	PM <sub>2.5</sub>	1
45	Manesar	Satisfactory	99	PM <sub>10</sub>	1
46	Moradabad	Poor	217	PM <sub>2.5</sub>	1
47	Mumbai	Moderate	163	PM <sub>10</sub>	1
48	Muzaffarnagar	Poor	218	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe Affects healthy people and seriously impacts those with existing disease		

- \* AQI is not calculated for today's bulletin for Amritsar, Bahadurgarh, Faridabad, Muzaffarpur, Solapur, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Nagpur	Moderate	168	PM <sub>2.5</sub>	1
50	Nashik	Moderate	179	OZONE	1
51	Navi Mumbai	Moderate	134	PM <sub>10</sub>	1
52	Noida	Poor	206	PM <sub>2.5</sub>	2
53	Pali	Moderate	117	PM <sub>10</sub>	1
54	Palwal	Moderate	112	PM <sub>2.5</sub>	1
55	Panchkula	Satisfactory	77	PM <sub>2.5</sub>	1
56	Panipat	Moderate	105	PM <sub>2.5</sub>	1
57	Patiala	Good	47	PM <sub>10</sub>	1
58	Patna	Poor	271	PM <sub>2.5</sub>	1
59	Pithampur	Moderate	179	PM <sub>2.5</sub>	1
60	Pune	Poor	241	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Bahadurgarh, Faridabad, Muzaffarpur, Solapur, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Rajamahendravaram	Poor	297	PM <sub>2.5</sub>	1
62	Ratlam	Moderate	173	PM <sub>2.5</sub>	1
63	Rohtak	Moderate	134	PM <sub>2.5</sub>	1
64	Rupnagar	Satisfactory	79	PM <sub>10</sub>	1
65	Satna	Satisfactory	95	СО	1
66	Siliguri	Poor	282	PM <sub>2.5</sub>	1
67	Singrauli	Moderate	189	PM <sub>2.5</sub>	1
68	Sonipat	Moderate	160	PM <sub>2.5</sub>	1
69	Talcher	Very Poor	302	PM <sub>10</sub>	1
70	Thane	Moderate	170	PM <sub>10</sub>	1
71	Thiruvananthapuram	Moderate	133	PM <sub>2.5</sub>	1
72	Tirupati	Satisfactory	89	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bahadurgarh, Faridabad, Muzaffarpur, Solapur, Vijayawada, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Udaipur	Moderate	187	PM <sub>2.5</sub>	1
74	Ujjain	Moderate	190	PM <sub>2.5</sub>	1
75	Varanasi	Moderate	197	PM <sub>2.5</sub>	1
76	Yamunanagar	Moderate	156	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

### Notes

\* AQI is not calculated for today's bulletin for Amritsar, Bahadurgarh, Faridabad, Muzaffarpur, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.