



## Air Quality Index on Jan 16, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	356	PM <sub>2.5</sub>	1
2	Ajmer	Moderate	154	PM <sub>2.5</sub>	1
3	Alwar	Satisfactory	98	PM <sub>10</sub>	1
4	Amaravati	Poor	262	PM <sub>2.5</sub>	1
5	Amritsar	Moderate	139	PM <sub>10</sub>	1
6	Asanol	Moderate	124	PM <sub>2.5</sub>	1
7	Aurangabad	Moderate	114	PM <sub>10</sub>	1
8	Baghpat	Very Poor	345	PM <sub>2.5</sub>	1
9	Bathinda	Moderate	106	CO	1
10	Bengaluru	Moderate	113	OZONE, PM <sub>2.5</sub>	9
11	Bhiwadi	Very Poor	315	PM <sub>2.5</sub>	1
12	Bhiwani	Moderate	126	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bahadurgarh, Nagpur, Rupnagar, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 16, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Brajrajnagar	Moderate	184	PM <sub>2.5</sub>	1
14	Bulandshahr	Very Poor	375	PM <sub>2.5</sub>	1
15	Chandrapur	Moderate	167	PM <sub>2.5</sub>	1
16	Chennai	Satisfactory	96	PM <sub>2.5</sub> , CO	3
17	Chikkaballapur	Satisfactory	100	PM <sub>2.5</sub>	1
18	Damoh	Moderate	153	PM <sub>2.5</sub>	1
19	Delhi	Very Poor	371	PM <sub>2.5</sub> , PM <sub>10</sub>	33
20	Dewas	Moderate	115	PM <sub>10</sub>	1
21	Durgapur	Good	49	CO	1
22	Faridabad	Very Poor	328	PM <sub>2.5</sub>	1
23	Gaya	Severe	404	PM <sub>2.5</sub>	1
24	Ghaziabad	Very Poor	384	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bahadurgarh, Nagpur, Rupnagar, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 16, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Greater_Noida	Very Poor	356	PM <sub>2.5</sub>	1
26	Gurugram	Very Poor	304	PM <sub>2.5</sub>	1
27	Haldia	Moderate	160	PM <sub>10</sub>	1
28	Hapur	Very Poor	362	PM <sub>2.5</sub>	1
29	Howrah	Poor	294	PM <sub>2.5</sub>	2
30	Hubballi	Moderate	106	PM <sub>10</sub>	1
31	Hyderabad	Moderate	154	PM <sub>2.5</sub>	5
32	Jaipur	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	3
33	Jalandhar	Moderate	102	PM <sub>2.5</sub>	1
34	Jodhpur	Poor	261	PM <sub>2.5</sub>	1
35	Jorapokhar	Moderate	137	PM <sub>10</sub>	1
36	Kalaburgi	Poor	203	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bahadurgarh, Nagpur, Rupnagar, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 16, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Kanpur	Very Poor	357	PM <sub>2.5</sub>	1
38	Khanna	Moderate	140	PM <sub>10</sub>	1
39	Kolkata	Very Poor	314	PM <sub>2.5</sub>	2
40	Kota	Moderate	152	PM <sub>2.5</sub>	1
41	Kurushketra	Poor	239	PM <sub>2.5</sub>	1
42	Lucknow	Very Poor	313	PM <sub>2.5</sub>	3
43	Ludhiana	Moderate	126	PM <sub>10</sub>	1
44	Mandi Gobindgarh	Moderate	166	PM <sub>10</sub>	1
45	Mandideep	Moderate	154	PM <sub>2.5</sub>	1
46	Manesar	Poor	271	PM <sub>2.5</sub>	1
47	Moradabad	Very Poor	351	PM <sub>2.5</sub>	1
48	Mumbai	Moderate	163	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bahadurgarh, Nagpur, Rupnagar, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 16, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Muzaffarnagar	Very Poor	338	PM <sub>2.5</sub>	1
50	Muzaffarpur	Very Poor	327	PM <sub>2.5</sub>	1
51	Nashik	Moderate	173	OZONE	1
52	Navi Mumbai	Moderate	134	PM <sub>10</sub>	1
53	Noida	Very Poor	356	PM <sub>2.5</sub>	2
54	Pali	Moderate	175	PM <sub>2.5</sub>	1
55	Palwal	Poor	232	PM <sub>2.5</sub>	1
56	Panchkula	Moderate	105	PM <sub>2.5</sub>	1
57	Panipat	Poor	226	PM <sub>2.5</sub>	1
58	Patiala	Good	49	PM <sub>2.5</sub>	1
59	Patna	Very Poor	326	PM <sub>2.5</sub>	1
60	Pithampur	Moderate	116	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bahadurgarh, Nagpur, Rupnagar, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 16, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Pune	Poor	223	PM <sub>2.5</sub>	1
62	Rajamahendravaram	Poor	257	PM <sub>2.5</sub>	1
63	Ratlam	Moderate	159	PM <sub>2.5</sub>	1
64	Rohtak	Moderate	170	PM <sub>2.5</sub>	1
65	Satna	Moderate	107	CO	1
66	Siliguri	Very Poor	319	PM <sub>2.5</sub>	1
67	Singrauli	Poor	280	PM <sub>10</sub>	1
68	Sonipat	Poor	295	PM <sub>2.5</sub>	1
69	Talcher	Very Poor	324	PM <sub>10</sub>	1
70	Thane	Moderate	170	PM <sub>10</sub>	1
71	Thiruvananthapuram	Moderate	158	PM <sub>2.5</sub>	1
72	Tirupati	Moderate	132	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bahadurgarh, Nagpur, Rupnagar, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 16, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Udaipur	Poor	222	PM <sub>10</sub>	1
74	Ujjain	Poor	228	PM <sub>2.5</sub>	1
75	Varanasi	Poor	249	PM <sub>2.5</sub>	1
76	Yamunanagar	Very Poor	302	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ahmedabad, Bahadurgarh, Nagpur, Rupnagar, Solapur, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.