



## Air Quality Index on Jan 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	387	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	282	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	135	PM <sub>2.5</sub>	1
4	Alwar	Moderate	130	PM <sub>2.5</sub>	1
5	Amaravati	Poor	256	PM <sub>2.5</sub>	1
6	Amritsar	Moderate	130	PM <sub>10</sub>	1
7	Asanol	Poor	230	PM <sub>2.5</sub>	1
8	Baghpat	Severe	409	PM <sub>2.5</sub>	1
9	Bahadurgarh	Severe	476	PM <sub>2.5</sub>	1
10	Bengaluru	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	9
11	Bhiwani	Poor	259	PM <sub>2.5</sub>	1
12	Brajrajnagar	Poor	208	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhiwadi, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bulandshahr	Severe	415	PM <sub>2.5</sub>	1
14	Chandrapur	Moderate	197	PM <sub>2.5</sub>	1
15	Chennai	Moderate	107	PM <sub>2.5</sub> , OZONE	3
16	Chikkaballapur	Moderate	184	PM <sub>2.5</sub>	1
17	Damoh	Moderate	177	PM <sub>10</sub>	1
18	Delhi	Severe	440	PM <sub>2.5</sub>	34
19	Dewas	Moderate	106	PM <sub>10</sub>	1
20	Durgapur	Moderate	180	PM <sub>10</sub>	1
21	Faridabad	Severe	450	PM <sub>2.5</sub>	1
22	Gaya	Very Poor	389	PM <sub>2.5</sub>	1
23	Ghaziabad	Severe	473	PM <sub>2.5</sub>	1
24	Greater_Noida	Severe	436	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhiwadi, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Gurugram	Very Poor	364	PM <sub>2.5</sub>	2
26	Haldia	Moderate	149	PM <sub>10</sub>	1
27	Hapur	Severe	434	PM <sub>2.5</sub>	1
28	Howrah	Very Poor	320	PM <sub>10</sub>	1
29	Hubballi	Moderate	137	PM <sub>2.5</sub>	1
30	Hyderabad	Moderate	146	PM <sub>2.5</sub>	5
31	Jaipur	Moderate	120	PM <sub>10</sub>	2
32	Jalandhar	Moderate	113	PM <sub>2.5</sub>	1
33	Jodhpur	Poor	254	PM <sub>2.5</sub>	1
34	Jorapokhar	Moderate	170	PM <sub>10</sub>	1
35	Kalaburgi	Moderate	195	PM <sub>2.5</sub>	1
36	Kanpur	Severe	420	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhiwadi, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Khanna	Moderate	109	PM <sub>10</sub>	1
38	Kolkata	Very Poor	340	PM <sub>2.5</sub>	2
39	Kota	Moderate	126	PM <sub>2.5</sub>	1
40	Kurushketra	Very Poor	339	PM <sub>2.5</sub>	1
41	Lucknow	Very Poor	389	PM <sub>2.5</sub>	4
42	Ludhiana	Poor	214	PM <sub>2.5</sub>	1
43	Mandi Gobindgarh	Moderate	120	NO <sub>2</sub>	1
44	Mandideep	Moderate	189	PM <sub>2.5</sub>	1
45	Manesar	Very Poor	357	PM <sub>2.5</sub>	1
46	Moradabad	Very Poor	387	PM <sub>2.5</sub>	1
47	Mumbai	Moderate	193	PM <sub>10</sub>	1
48	Muzaffarnagar	Severe	416	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhiwadi, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Muzaffarpur	Very Poor	381	PM <sub>2.5</sub>	1
50	Nagpur	Moderate	199	PM <sub>2.5</sub>	1
51	Nashik	Moderate	150	OZONE	1
52	Navi Mumbai	Moderate	162	PM <sub>10</sub>	1
53	Noida	Severe	440	PM <sub>2.5</sub> , PM <sub>10</sub>	2
54	Pali	Moderate	139	PM <sub>10</sub>	1
55	Palwal	Very Poor	360	PM <sub>2.5</sub>	1
56	Panchkula	Moderate	117	PM <sub>2.5</sub>	1
57	Panipat	Very Poor	370	PM <sub>2.5</sub>	1
58	Patiala	Satisfactory	78	PM <sub>2.5</sub>	1
59	Patna	Severe	427	PM <sub>2.5</sub>	1
60	Pithampur	Moderate	112	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhiwadi, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Pune	Poor	221	PM <sub>2.5</sub>	1
62	Rajamahendravaram	Poor	291	PM <sub>2.5</sub>	1
63	Ratlam	Moderate	162	PM <sub>10</sub>	1
64	Rohtak	Poor	205	PM <sub>2.5</sub>	1
65	Rupnagar	Moderate	192	PM <sub>2.5</sub>	1
66	Satna	Moderate	116	PM <sub>10</sub>	1
67	Siliguri	Poor	249	PM <sub>10</sub>	1
68	Singrauli	Very Poor	311	PM <sub>2.5</sub>	1
69	Solapur	Moderate	192	PM <sub>10</sub>	1
70	Sonipat	Very Poor	344	PM <sub>2.5</sub>	1
71	Talcher	Very Poor	343	PM <sub>10</sub>	1
72	Thane	Moderate	179	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhiwadi, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Thiruvananthapuram	Moderate	126	PM <sub>2.5</sub>	1
74	Tirupati	Moderate	134	PM <sub>2.5</sub>	1
75	Udaipur	Poor	206	PM <sub>10</sub>	1
76	Ujjain	Poor	221	PM <sub>2.5</sub>	1
77	Varanasi	Very Poor	325	PM <sub>2.5</sub>	1
78	Yamunanagar	Very Poor	333	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhiwadi, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.