



Air Quality Index on Jan 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	396	PM _{2.5}	1
2	Ahmedabad	Moderate	197	PM _{2.5}	1
3	Ajmer	Moderate	178	PM _{2.5}	1
4	Alwar	Moderate	140	PM _{2.5}	1
5	Amaravati	Poor	258	PM _{2.5}	1
6	Asanol	Poor	249	PM _{2.5}	1
7	Baghpat	Very Poor	375	PM _{2.5}	1
8	Bahadurgarh	Very Poor	332	PM _{2.5}	1
9	Bathinda	Satisfactory	79	PM ₁₀	1
10	Bengaluru	Moderate	152	PM _{2.5}	7
11	Bhiwadi	Very Poor	374	PM _{2.5}	1
12	Bhiwani	Poor	254	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bulandshahr, Nagpur, Navi Mumbai, Rupnagar, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Brajrajnagar	Poor	274	PM _{2.5}	1
14	Chandrapur	Moderate	148	PM _{2.5} , PM ₁₀	2
15	Chennai	Moderate	135	PM _{2.5}	3
16	Chikkaballapur	Moderate	196	PM ₁₀	1
17	Damoh	Moderate	156	PM ₁₀	1
18	Delhi	Very Poor	397	PM _{2.5}	29
19	Dewas	Moderate	111	PM ₁₀	1
20	Durgapur	Moderate	110	PM ₁₀	1
21	Faridabad	Very Poor	379	PM _{2.5}	1
22	Gaya	Very Poor	392	PM _{2.5}	1
23	Ghaziabad	Severe	412	PM _{2.5}	1
24	Greater_Noida	Severe	416	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bulandshahr, Nagpur, Navi Mumbai, Rupnagar, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Gurugram	Very Poor	347	PM _{2.5}	1
26	Haldia	Moderate	169	PM ₁₀	1
27	Hapur	Very Poor	393	PM _{2.5}	1
28	Howrah	Very Poor	322	PM _{2.5}	1
29	Hubballi	Moderate	111	PM ₁₀	1
30	Hyderabad	Moderate	146	PM _{2.5}	5
31	Jaipur	Moderate	185	PM _{2.5} , PM ₁₀	3
32	Jalandhar	Satisfactory	89	PM ₁₀	1
33	Jodhpur	Moderate	175	PM _{2.5}	1
34	Jorapokhar	Moderate	180	PM ₁₀	1
35	Kalaburgi	Moderate	163	PM _{2.5}	1
36	Kanpur	Very Poor	360	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bulandshahr, Nagpur, Navi Mumbai, Rupnagar, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Khanna	Moderate	105	PM ₁₀	1
38	Kolkata	Very Poor	364	PM _{2.5}	2
39	Kota	Moderate	179	PM _{2.5}	1
40	Kurushketra	Very Poor	313	PM _{2.5}	1
41	Lucknow	Very Poor	348	PM _{2.5}	4
42	Ludhiana	Moderate	112	PM _{2.5}	1
43	Mandi Gobindgarh	Poor	233	PM ₁₀	1
44	Mandideep	Moderate	142	PM ₁₀	1
45	Manesar	Very Poor	340	PM _{2.5}	1
46	Moradabad	Moderate	154	PM ₁₀	1
47	Mumbai	Poor	207	PM ₁₀	1
48	Muzaffarnagar	Very Poor	358	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bulandshahr, Nagpur, Navi Mumbai, Rupnagar, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Muzaffarpur	Very Poor	385	PM _{2.5}	1
50	Nashik	Moderate	181	OZONE	1
51	Noida	Severe	405	PM _{2.5}	1
52	Pali	Moderate	139	PM ₁₀	1
53	Palwal	Very Poor	321	PM _{2.5}	1
54	Panchkula	Moderate	118	PM _{2.5}	1
55	Panipat	Poor	291	PM _{2.5}	1
56	Patiala	Moderate	177	PM _{2.5}	1
57	Patna	Severe	444	PM _{2.5}	1
58	Pithampur	Moderate	122	PM ₁₀	1
59	Pune	Poor	216	PM _{2.5}	1
60	Rajamahendravaram	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bulandshahr, Nagpur, Navi Mumbai, Rupnagar, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ratlam	Moderate	133	PM _{2.5}	1
62	Rohtak	Satisfactory	75	PM _{2.5}	1
63	Satna	Moderate	170	PM ₁₀	1
64	Siliguri	Poor	229	PM ₁₀	1
65	Singrauli	Very Poor	329	PM ₁₀	1
66	Solapur	Moderate	188	PM ₁₀	1
67	Sonipat	Very Poor	343	PM _{2.5}	1
68	Thane	Moderate	184	PM ₁₀	1
69	Thiruvananthapuram	Moderate	134	PM _{2.5}	1
70	Tirupati	Moderate	189	PM _{2.5}	1
71	Udaipur	Poor	217	PM ₁₀	1
72	Ujjain	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bulandshahr, Nagpur, Navi Mumbai, Rupnagar, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Varanasi	Very Poor	323	PM _{2.5}	1
74	Vijayawada	Satisfactory	88	PM _{2.5}	1
75	Yamunanagar	Poor	299	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bulandshahr, Nagpur, Navi Mumbai, Rupnagar, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.