



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	162	PM <sub>2.5</sub>	1
2	Ajmer	Satisfactory	100	OZONE	1
3	Alwar	Satisfactory	76	PM <sub>10</sub>	1
4	Amaravati	Satisfactory	96	PM <sub>10</sub>	1
5	Ambala	Satisfactory	99	PM <sub>10</sub>	1
6	Amritsar	Moderate	148	PM <sub>2.5</sub>	1
7	Ankleshwar	Moderate	126	PM <sub>10</sub>	1
8	Asanol	Moderate	142	PM <sub>2.5</sub>	1
9	Aurangabad	Moderate	117	OZONE	1
10	Baghpat	Moderate	165	PM <sub>2.5</sub>	1
11	Bahadurgarh	Moderate	145	PM <sub>2.5</sub>	1
12	Bathinda	Satisfactory	90	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	104	OZONE, PM <sub>10</sub> , PM <sub>2.5</sub>	8
14	Bhiwadi	Poor	243	PM <sub>10</sub>	1
15	Bhiwani	Satisfactory	77	PM <sub>2.5</sub>	1
16	Brajrajnagar	Poor	219	PM <sub>2.5</sub>	1
17	Bulandshahr	Poor	267	OZONE	1
18	Chandrapur	Satisfactory	88	PM <sub>10</sub>	2
19	Chennai	Moderate	104	PM <sub>2.5</sub>	3
20	Chikkaballapur	Satisfactory	88	PM <sub>10</sub>	1
21	Damoh	Satisfactory	78	PM <sub>10</sub>	1
22	Delhi	Moderate	192	PM <sub>10</sub> , PM <sub>2.5</sub>	35
23	Dewas	Moderate	117	PM <sub>10</sub>	1
24	Dharuhera	Moderate	159	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Moderate	168	OZONE	1
26	Fatehabad	Moderate	135	PM <sub>10</sub>	1
27	GandhiNagar	Moderate	109	PM <sub>10</sub>	1
28	Gaya	Moderate	124	PM <sub>2.5</sub>	1
29	Ghaziabad	Poor	207	PM <sub>2.5</sub>	3
30	Greater_Noida	Poor	276	OZONE	1
31	Gurugram	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	2
32	Guwahati	Poor	214	PM <sub>2.5</sub>	1
33	Haldia	Satisfactory	82	PM <sub>10</sub>	1
34	Hapur	Moderate	132	PM <sub>10</sub>	1
35	Hisar	Moderate	118	PM <sub>2.5</sub>	1
36	Howrah	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hubballi	Moderate	107	PM <sub>10</sub>	1
38	Hyderabad	Satisfactory	95	PM <sub>10</sub> , PM <sub>2.5</sub>	5
39	Jaipur	Satisfactory	95	OZONE, PM <sub>10</sub>	3
40	Jalandhar	Moderate	178	PM <sub>10</sub>	1
41	Jind	Moderate	121	PM <sub>2.5</sub>	1
42	Jodhpur	Satisfactory	85	PM <sub>10</sub>	1
43	Jorapokhar	Moderate	115	PM <sub>2.5</sub>	1
44	Kaithal	Satisfactory	99	PM <sub>2.5</sub>	1
45	Kalaburgi	Moderate	118	PM <sub>2.5</sub>	1
46	Karnal	Satisfactory	99	PM <sub>10</sub>	1
47	Khanna	Satisfactory	69	PM <sub>10</sub>	1
48	Kolkata	Moderate	144	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kota	Moderate	118	PM <sub>10</sub>	1
50	Kurushketra	Moderate	103	OZONE	1
51	Loni_Dehat	Poor	213	PM <sub>2.5</sub>	1
52	Lucknow	Moderate	165	PM <sub>2.5</sub>	4
53	Ludhiana	Satisfactory	68	PM <sub>10</sub>	1
54	Maihar	Good	48	PM <sub>10</sub>	1
55	Mandi Gobindgarh	Moderate	185	PM <sub>10</sub>	1
56	Mandideep	Moderate	111	PM <sub>10</sub>	1
57	Mandikhera	Moderate	104	PM <sub>2.5</sub>	1
58	Manesar	Moderate	162	PM <sub>2.5</sub>	1
59	Moradabad	Moderate	159	OZONE	1
60	Mumbai	Moderate	126	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Muzaffarnagar	Moderate	162	PM <sub>2.5</sub>	1
62	Muzaffarpur	Moderate	160	OZONE	1
63	Nagpur	Moderate	125	OZONE	1
64	Narnaul	Moderate	142	PM <sub>2.5</sub>	1
65	Nashik	Moderate	155	OZONE	1
66	Navi Mumbai	Moderate	126	PM <sub>10</sub>	1
67	Noida	Moderate	182	PM <sub>2.5</sub>	2
68	Pali	Satisfactory	89	PM <sub>10</sub>	1
69	Palwal	Moderate	128	PM <sub>2.5</sub>	1
70	Panchkula	Satisfactory	75	PM <sub>2.5</sub>	1
71	Panipat	Moderate	110	PM <sub>10</sub>	1
72	Patiala	Moderate	114	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patna	Poor	262	OZONE	1
74	Pithampur	Moderate	126	PM <sub>10</sub>	1
75	Pune	Satisfactory	100	PM <sub>10</sub>	1
76	Rajamahendravaram	Satisfactory	85	PM <sub>10</sub>	1
77	Ratlam	Moderate	106	PM <sub>10</sub>	1
78	Rohtak	Satisfactory	95	PM <sub>2.5</sub>	1
79	Rupnagar	Moderate	116	PM <sub>2.5</sub>	1
80	Satna	Moderate	106	CO	1
81	Siliguri	Moderate	151	OZONE	1
82	Singrauli	Poor	211	PM <sub>10</sub>	1
83	Sirsa	Moderate	101	OZONE	1
84	Solapur	Moderate	115	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sonipat	Satisfactory	87	PM <sub>10</sub>	1
86	Thane	Moderate	149	PM <sub>10</sub>	1
87	Thiruvananthapuram	Satisfactory	93	PM <sub>10</sub>	1
88	Udaipur	Satisfactory	79	PM <sub>10</sub>	1
89	Ujjain	Moderate	161	OZONE	1
90	Vapi	Moderate	189	PM <sub>2.5</sub>	1
91	Varanasi	Poor	217	PM <sub>2.5</sub>	1
92	Vatva	Moderate	143	PM <sub>10</sub>	1
93	Vijayawada	Satisfactory	83	PM <sub>10</sub>	1
94	Visakhapatnam	Satisfactory	100	PM <sub>10</sub>	1
95	Yamunanagar	Moderate	155	OZONE	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Agra, Ballabgarh, Durgapur, Kanpur, Talcher, Tirupati as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.