



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	214	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	109	NO <sub>2</sub>	1
3	Ajmer	Moderate	114	OZONE	1
4	Amaravati	Satisfactory	72	PM <sub>10</sub>	1
5	Ambala	Moderate	111	PM <sub>10</sub>	1
6	Ankleshwar	Moderate	170	PM <sub>2.5</sub>	1
7	Aurangabad	Moderate	124	OZONE	1
8	Baghpat	Moderate	160	PM <sub>2.5</sub>	1
9	Bahadurgarh	Moderate	155	PM <sub>2.5</sub>	1
10	Bathinda	Moderate	107	PM <sub>10</sub>	1
11	Bengaluru	Moderate	128	OZONE, PM <sub>2.5</sub>	8
12	Bhiwadi	Poor	228	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwani	Satisfactory	93	PM <sub>2.5</sub>	1
14	Brajrajnagar	Moderate	109	CO	1
15	Bulandshahr	Poor	217	PM <sub>2.5</sub>	1
16	Chandrapur	Satisfactory	99	PM <sub>10</sub> , OZONE	2
17	Chennai	Satisfactory	70	PM <sub>2.5</sub>	3
18	Chikkaballapur	Satisfactory	83	PM <sub>10</sub>	1
19	Damoh	Satisfactory	69	PM <sub>2.5</sub>	1
20	Delhi	Moderate	196	PM <sub>10</sub> , PM <sub>2.5</sub>	36
21	Dewas	Moderate	111	PM <sub>10</sub>	1
22	Dharuhera	Moderate	174	PM <sub>2.5</sub>	1
23	Faridabad	Moderate	172	OZONE	1
24	Fatehabad	Moderate	165	OZONE	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Ghaziabad	Poor	228	OZONE, PM <sub>2.5</sub>	3
26	Greater_Noida	Poor	254	OZONE	1
27	Gurugram	Moderate	160	PM <sub>2.5</sub> , PM <sub>10</sub>	2
28	Guwahati	Poor	272	PM <sub>2.5</sub>	1
29	Haldia	Satisfactory	51	PM <sub>10</sub>	1
30	Hapur	Moderate	162	PM <sub>10</sub>	1
31	Hisar	Moderate	137	PM <sub>2.5</sub>	1
32	Howrah	Moderate	101	PM <sub>10</sub>	1
33	Hubballi	Moderate	116	PM <sub>10</sub>	1
34	Hyderabad	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	5
35	Jaipur	Moderate	103	OZONE, PM <sub>10</sub>	3
36	Jalandhar	Moderate	148	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jind	Moderate	152	PM <sub>2.5</sub>	1
38	Jodhpur	Satisfactory	91	PM <sub>10</sub>	1
39	Jorapokhar	Satisfactory	61	PM <sub>10</sub>	1
40	Kaithal	Moderate	112	PM <sub>2.5</sub>	1
41	Kalaburgi	Moderate	184	PM <sub>2.5</sub>	1
42	Karnal	Moderate	109	PM <sub>10</sub>	1
43	Khanna	Satisfactory	67	PM <sub>10</sub>	1
44	Kolkata	Satisfactory	98	PM <sub>2.5</sub>	2
45	Kota	Moderate	138	PM <sub>2.5</sub>	1
46	Kurushketra	Moderate	102	PM <sub>10</sub>	1
47	Loni_Dehat	Poor	218	PM <sub>2.5</sub>	1
48	Lucknow	Poor	241	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ludhiana	Satisfactory	68	PM <sub>10</sub>	1
50	Maihar	Satisfactory	57	PM <sub>2.5</sub>	1
51	Mandideep	Moderate	106	PM <sub>10</sub>	1
52	Mandikhera	Satisfactory	95	PM <sub>10</sub>	1
53	Manesar	Moderate	141	PM <sub>10</sub>	1
54	Moradabad	Moderate	198	PM <sub>2.5</sub>	1
55	Mumbai	Moderate	125	PM <sub>10</sub>	1
56	Muzaffarnagar	Moderate	186	PM <sub>2.5</sub>	1
57	Nagpur	Moderate	137	OZONE	1
58	Nashik	Moderate	116	OZONE	1
59	Navi Mumbai	Moderate	128	PM <sub>10</sub>	1
60	Noida	Moderate	185	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Pali	Satisfactory	86	PM <sub>10</sub>	1
62	Palwal	Moderate	133	PM <sub>2.5</sub>	1
63	Panchkula	Satisfactory	66	PM <sub>2.5</sub>	1
64	Panipat	Moderate	116	PM <sub>10</sub>	1
65	Patiala	Moderate	135	PM <sub>10</sub>	1
66	Patna	Moderate	178	OZONE	1
67	Pithampur	Moderate	116	PM <sub>10</sub>	1
68	Pune	Moderate	113	PM <sub>10</sub>	1
69	Rajamahendravaram	Satisfactory	64	PM <sub>10</sub>	1
70	Ratlam	Moderate	146	PM <sub>10</sub>	1
71	Rohtak	Moderate	124	PM <sub>2.5</sub>	1
72	Rupnagar	Moderate	143	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Satna	Moderate	110	CO	1
74	Singrauli	Moderate	104	PM <sub>2.5</sub>	1
75	Sirsa	Moderate	155	OZONE	1
76	Solapur	Moderate	115	PM <sub>10</sub>	1
77	Sonipat	Moderate	104	PM <sub>2.5</sub>	1
78	Thane	Moderate	142	PM <sub>10</sub>	1
79	Thiruvananthapuram	Satisfactory	77	OZONE	1
80	Udaipur	Satisfactory	64	PM <sub>10</sub>	1
81	Ujjain	Moderate	125	OZONE	1
82	Vapi	Satisfactory	71	CO	1
83	Varanasi	Poor	234	OZONE	1
84	Vatva	Moderate	115	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 18, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Yamunanagar	Moderate	118	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Alwar, Amritsar, Asanol, Ballabgarh, GandhiNagar, Gaya, Kanpur, Mandi Gobindgarh, Muzaffarpur, Narnaul, Siliguri, Talcher, Tirupati, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.