

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	229	PM _{2.5}	1
2	Ahmedabad	Moderate	169	PM _{2.5}	1
3	Ajmer	Moderate	101	OZONE	1
4	Alwar	Satisfactory	69	PM ₁₀	1
5	Amaravati	Satisfactory	53	PM ₁₀	1
6	Ambala	Moderate	106	PM ₁₀	1
7	Amritsar	Moderate	149	PM _{2.5}	1
8	Ankleshwar	Moderate	143	PM _{2.5}	1
9	Asanol	Moderate	104	PM _{2.5}	1
10	Aurangabad	Moderate	104	OZONE	1
11	Baghpat	Poor	208	PM _{2.5}	1
12	Bahadurgarh	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	273	PM _{2.5}	1
14	Bathinda	Moderate	136	PM ₁₀	1
15	Bengaluru	Moderate	117	OZONE, PM _{2.5} , PM ₁₀	8
16	Bhiwadi	Poor	248	PM ₁₀	1
17	Bhiwani	Moderate	115	PM _{2.5}	1
18	Brajrajnagar	Moderate	112	PM _{2.5}	1
19	Bulandshahr	Poor	278	OZONE	1
20	Chandrapur	Satisfactory	62	PM ₁₀	2
21	Chennai	Satisfactory	85	PM _{2.5}	3
22	Chikkaballapur	Satisfactory	79	PM ₁₀	1
23	Damoh	Satisfactory	84	PM ₁₀	1
24	Delhi	Poor	216	PM ₁₀ , PM _{2.5}	34

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	109	PM ₁₀	1
26	Dharuhera	Moderate	182	PM _{2.5}	1
27	Faridabad	Moderate	178	PM _{2.5}	1
28	Fatehabad	Moderate	148	PM ₁₀	1
29	Gaya	Poor	207	PM _{2.5}	1
30	Ghaziabad	Poor	243	PM _{2.5}	3
31	Greater_Noida	Poor	222	OZONE	1
32	Gurugram	Moderate	192	PM _{2.5} , PM ₁₀	2
33	Guwahati	Poor	225	PM _{2.5}	1
34	Haldia	Satisfactory	59	PM ₁₀	1
35	Hapur	Moderate	161	PM ₁₀	1
36	Hisar	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Satisfactory	100	PM ₁₀	1
38	Hyderabad	Satisfactory	70	PM ₁₀ , PM _{2.5}	6
39	Jaipur	Satisfactory	98	PM ₁₀ , OZONE	3
40	Jalandhar	Moderate	131	PM ₁₀	1
41	Jind	Moderate	139	PM _{2.5}	1
42	Jodhpur	Moderate	184	PM _{2.5}	1
43	Jorapokhar	Moderate	101	PM _{2.5}	1
44	Kaithal	Moderate	148	PM _{2.5}	1
45	Kalaburgi	Moderate	152	OZONE	1
46	Karnal	Moderate	122	PM ₁₀	1
47	Khanna	Satisfactory	69	PM ₁₀	1
48	Kolkata	Moderate	124	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kota	Moderate	138	PM _{2.5}	1
50	Kurushketra	Moderate	108	PM ₁₀	1
51	Loni_Dehat	Poor	234	PM ₁₀	1
52	Lucknow	Moderate	198	PM _{2.5}	3
53	Ludhiana	Satisfactory	71	PM ₁₀	1
54	Maihar	Satisfactory	57	PM ₁₀	1
55	Mandi Gobindgarh	Moderate	130	PM ₁₀	1
56	Mandideep	Moderate	131	PM ₁₀	1
57	Mandikhera	Moderate	107	PM ₁₀	1
58	Manesar	Moderate	146	PM _{2.5}	1
59	Moradabad	Moderate	199	PM _{2.5}	1
60	Mumbai	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Muzaffarnagar	Poor	206	PM _{2.5}	1
62	Muzaffarpur	Poor	249	PM _{2.5}	1
63	Nagpur	Moderate	110	OZONE	1
64	Narnaul	Moderate	152	PM _{2.5}	1
65	Nashik	Moderate	106	OZONE	1
66	Navi Mumbai	Moderate	141	PM ₁₀	1
67	Noida	Poor	204	PM _{2.5}	2
68	Pali	Moderate	108	PM ₁₀	1
69	Palwal	Moderate	143	PM _{2.5}	1
70	Panchkula	Satisfactory	64	PM _{2.5}	1
71	Panipat	Moderate	131	PM ₁₀	1
72	Patiala	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patna	Moderate	182	OZONE	1
74	Pithampur	Moderate	117	PM ₁₀	1
75	Pune	Moderate	125	PM ₁₀	1
76	Rajamahendravaram	Satisfactory	66	PM ₁₀	1
77	Ratlam	Moderate	126	PM ₁₀	1
78	Rohtak	Moderate	145	PM _{2.5}	1
79	Rupnagar	Moderate	127	PM ₁₀	1
80	Siliguri	Moderate	154	OZONE	1
81	Singrauli	Moderate	181	PM _{2.5}	1
82	Sirsa	Moderate	110	PM _{2.5}	1
83	Solapur	Poor	213	OZONE	1
84	Sonipat	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thane	Moderate	178	PM ₁₀	1
86	Thiruvananthapuram	Satisfactory	71	PM ₁₀	1
87	Udaipur	Satisfactory	82	PM ₁₀	1
88	Ujjain	Moderate	138	PM ₁₀	1
89	Vapi	Moderate	128	PM ₁₀	1
90	Varanasi	Poor	257	PM _{2.5}	1
91	Vatva	Moderate	143	PM _{2.5}	1
92	Vijayawada	Satisfactory	54	PM ₁₀	1
93	Visakhapatnam	Satisfactory	97	PM ₁₀	1
94	Yamunanagar	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for GandhiNagar, Hubballi, Kanpur, Satna, Talcher, Tirupati as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.