# Air Quality Index on Mar 21, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 1 | Agra | Moderate | 142 | $PM_{2.5}$ | 1 |
| 2 | Ahmedabad | Moderate | 139 | $PM_{2.5}$ | 1 |
| 3 | Ajmer | Moderate | 116 | $PM_{2.5}$ | 1 |
| 4 | Alwar | Satisfactory | 76 | $PM_{10}$ | 1 |
| 5 | Amaravati | Good | 48 | OZONE | 1 |
| 6 | Ambala | Moderate | 113 | $PM_{10}$ | 1 |
| 7 | Amritsar | Satisfactory | 68 | $PM_{2.5}$ | 1 |
| 8 | Ankleshwar | Satisfactory | 95 | $PM_{2.5}$ | 1 |
| 9 | Asanol | Moderate | 196 | $PM_{2.5}$ | 1 |
| 10 | Aurangabad | Satisfactory | 83 | $PM_{2.5}$ | 1 |
| 11 | Baghpat | Poor | 228 | $PM_{2.5}$ | 1 |
| 12 | Bahadurgarh | Moderate | 168 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|--|--|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

# Air Quality Index on Mar 21, 2019 @ 4 PM

## *(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 13 | Ballabgarh | Moderate | 149 | $PM_{2.5}$ | 1 |
| 14 | Bathinda | Satisfactory | 68 | $PM_{10}$ | 1 |
| 15 | Bengaluru | Moderate | 142 | OZONE, $PM_{2.5}$, $PM_{10}$ | 7 |
| 16 | Bhiwani | Satisfactory | 93 | $PM_{10}$ | 1 |
| 17 | Brajrajnagar | Moderate | 121 | $PM_{2.5}$ | 1 |
| 18 | Bulandshahr | Moderate | 163 | $PM_{2.5}$ | 1 |
| 19 | Chandrapur | Satisfactory | 65 | $PM_{10}$ | 2 |
| 20 | Chennai | Moderate | 117 | $PM_{2.5}$, CO | 3 |
| 21 | Chikkaballapur | Satisfactory | 90 | $PM_{10}$ | 1 |
| 22 | Damoh | Satisfactory | 76 | $PM_{10}$ | 1 |
| 23 | Delhi | Poor | 242 | $PM_{10}$, $PM_{2.5}$ | 27 |
| 24 | Dewas | Moderate | 116 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Bhiwadi, GandhiNagar, Gaya, Hubballi, Moradabad, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Mar 21, 2019 @ 4 PM

## *(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 25 | Dharuhera | Moderate | 167 | $PM_{2.5}$ | 1 |
| 26 | Faridabad | Poor | 201 | $PM_{2.5}$ | 1 |
| 27 | Fatehabad | Moderate | 112 | $PM_{10}$ | 1 |
| 28 | Ghaziabad | Poor | 214 | $PM_{2.5}$ | 2 |
| 29 | Greater_Noida | Moderate | 187 | $PM_{2.5}$ | 1 |
| 30 | Gurugram | Poor | 255 | $PM_{2.5}$ | 1 |
| 31 | Guwahati | Moderate | 148 | $PM_{2.5}$ | 1 |
| 32 | Haldia | Satisfactory | 55 | $PM_{10}$ | 1 |
| 33 | Hapur | Moderate | 132 | $PM_{10}$ | 1 |
| 34 | Hisar | Satisfactory | 99 | $PM_{10}$ | 1 |
| 35 | Howrah | Moderate | 119 | $PM_{2.5}$, $PM_{10}$ | 2 |
| 36 | Hyderabad | Satisfactory | 93 | $PM_{10}$, $PM_{2.5}$ | 5 |

## Possible Health Impacts

| | |
|--|--|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Bhiwadi, GandhiNagar, Gaya, Hubballi, Moradabad, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Mar 21, 2019 @ 4 PM

### *(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 37 | Jaipur | Moderate | 126 | $PM_{2.5}$, $PM_{10}$ | 3 |
| 38 | Jalandhar | Moderate | 131 | $PM_{10}$ | 1 |
| 39 | Jind | Moderate | 142 | $PM_{2.5}$ | 1 |
| 40 | Jodhpur | Moderate | 121 | $PM_{2.5}$ | 1 |
| 41 | Jorapokhar | Moderate | 187 | OZONE | 1 |
| 42 | Kaithal | Moderate | 131 | $PM_{2.5}$ | 1 |
| 43 | Kalaburgi | Moderate | 160 | OZONE | 1 |
| 44 | Kanpur | Moderate | 165 | $PM_{2.5}$ | 1 |
| 45 | Karnal | Moderate | 131 | $PM_{10}$ | 1 |
| 46 | Khanna | Good | 50 | $PM_{10}$ | 1 |
| 47 | Kolkata | Moderate | 130 | $PM_{2.5}$ | 2 |
| 48 | Kota | Satisfactory | 100 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Bhiwadi, GandhiNagar, Gaya, Hubballi, Moradabad, Vijayawada, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Mar 21, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 49 | Kurushketra | Moderate | 102 | $PM_{10}$ | 1 |
| 50 | Loni_Dehat | Poor | 253 | $PM_{2.5}$ | 1 |
| 51 | Lucknow | Poor | 207 | $PM_{2.5}$ | 4 |
| 52 | Ludhiana | Satisfactory | 96 | $PM_{2.5}$ | 1 |
| 53 | Maihar | Good | 46 | $PM_{2.5}$ | 1 |
| 54 | Mandi Gobindgarh | Satisfactory | 71 | $PM_{10}$ | 1 |
| 55 | Mandideep | Moderate | 145 | $PM_{10}$ | 1 |
| 56 | Mandikhera | Moderate | 120 | $PM_{10}$ | 1 |
| 57 | Manesar | Moderate | 174 | $PM_{2.5}$ | 1 |
| 58 | Mumbai | Satisfactory | 82 | $PM_{10}$ | 1 |
| 59 | Muzaffarnagar | Moderate | 144 | $PM_{2.5}$ | 1 |
| 60 | Muzaffarpur | Poor | 295 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Bhiwadi, GandhiNagar, Gaya, Hubballi, Moradabad, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Mar 21, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 61 | Nagpur | Moderate | 128 | OZONE | 1 |
| 62 | Narnaul | Moderate | 161 | $PM_{2.5}$ | 1 |
| 63 | Nashik | Satisfactory | 73 | OZONE | 1 |
| 64 | Navi Mumbai | Moderate | 103 | CO | 1 |
| 65 | Noida | Poor | 237 | $PM_{2.5}$ | 1 |
| 66 | Pali | Satisfactory | 94 | $PM_{10}$ | 1 |
| 67 | Palwal | Moderate | 170 | $PM_{2.5}$ | 1 |
| 68 | Panchkula | Satisfactory | 55 | $PM_{2.5}$ | 1 |
| 69 | Panipat | Satisfactory | 100 | $PM_{10}$ | 1 |
| 70 | Patiala | Moderate | 143 | $PM_{10}$ | 1 |
| 71 | Patna | Poor | 272 | $PM_{2.5}$ | 1 |
| 72 | Pithampur | Moderate | 106 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|--|--|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Bhiwadi, GandhiNagar, Gaya, Hubballi, Moradabad, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Mar 21, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 73 | Pune | Moderate | 101 | $PM_{10}$ | 1 |
| 74 | Rajamahendravaram | Satisfactory | 55 | OZONE | 1 |
| 75 | Ratlam | Satisfactory | 97 | $PM_{2.5}$ | 1 |
| 76 | Rohtak | Satisfactory | 83 | $PM_{2.5}$ | 1 |
| 77 | Rupnagar | Satisfactory | 67 | $PM_{10}$ | 1 |
| 78 | Satna | Satisfactory | 94 | $PM_{10}$ | 1 |
| 79 | Siliguri | Moderate | 189 | $PM_{2.5}$ | 1 |
| 80 | Singrauli | Poor | 208 | $PM_{10}$ | 1 |
| 81 | Sirsa | Satisfactory | 86 | OZONE | 1 |
| 82 | Solapur | Moderate | 120 | $PM_{10}$ | 1 |
| 83 | Sonipat | Moderate | 172 | $PM_{2.5}$ | 1 |
| 84 | Talcher | Moderate | 118 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Bhiwadi, GandhiNagar, Gaya, Hubballi, Moradabad, Vijayawada, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Mar 21, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 85 | Thane | Moderate | 132 | $PM_{10}$ | 1 |
| 86 | Thiruvananthapuram | Satisfactory | 72 | OZONE | 1 |
| 87 | Tirupati | Satisfactory | 77 | OZONE | 1 |
| 88 | Udaipur | Satisfactory | 52 | OZONE | 1 |
| 89 | Ujjain | Moderate | 129 | $PM_{10}$ | 1 |
| 90 | Vapi | Moderate | 160 | $PM_{2.5}$ | 1 |
| 91 | Varanasi | Very Poor | 338 | $PM_{10}$ | 1 |
| 92 | Vatva | Moderate | 107 | $PM_{10}$ | 1 |
| 93 | Yamunanagar | Moderate | 109 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Bhiwadi, GandhiNagar, Gaya, Hubballi, Moradabad, Vijayawada, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.