



भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)

PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 148]

नई दिल्ली, शुक्रवार, मार्च 30, 2012/चैत्र 10, 1934

No. 148]

NEW DELHI, FRIDAY, MARCH 30, 2012/CHAITRA 10, 1934

पर्यावरण और वन मंत्रालय

अधिसूचना

नई दिल्ली, 30 मार्च, 2012

सा.का.नि. 266(अ).—केन्द्रीय सरकार, पर्यावरण (संरक्षण) अधिनियम, 1986 (1986 का 29) की धारा 6 और धारा 25 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, पर्यावरण (संरक्षण) नियम, 1986 का और संशोधन करने के लिए निम्नलिखित नियम बनाती है, अर्थात:-

- (1) इन नियमों का संक्षिप्त नाम पर्यावरण (संरक्षण) (द्वितीय संशोधन) नियम, 2012 है।
(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।
- पर्यावरण (संरक्षण) नियम, 1986 की अनुसूची-1 में, "इलेक्ट्रोप्लेटिंग उद्योग" से सम्बन्धित क्रम संख्या 9 और उससे संबंधित प्रविष्टियों के स्थान पर निम्नलिखित संख्याक और प्रविष्टियां रखी जाएंगी, अर्थात् :-

क्र.सं.	उद्योग	पैरामीटर	मानक	
(1)	(2)	(3)	(4)	
"9.	इलेक्ट्रोप्लेटिंग, एनोडाइजिंग उद्योग	अ. बहिस्राव मानक		
		सान्द्रण सीमा मि.ग्रा./लीटर में, pH और तापमान को छोड़कर		
		(i) अनिवार्य पैरामीटर		
		pH	6.0 से 9.0	
		तापमान	प्रापक निकाय के परिवेशी तापमान से 5° सेंटीग्रेड से अधिक नहीं	
		तेल व ग्रीस	10	
		निलम्बित ठोस कण	100	
		कुल धातु	10	
ट्राइक्लोरोइथेन	0.1			
ट्राइक्लोरोइथाईलीन	0.1			

(1)	(2)	(3)	(4)
		(ii) प्रक्रिया के अनुरूप निर्धारित पैरामीटर	
		क. निकल व क्रोम प्लेटिंग	
		अमोनिकल नाईट्रोजन यथा N	50
		निकल यथा Ni	3
		हैक्जावैलेन्ट क्रोमियम, यथा Cr	0.1
		कुल क्रोमियम, यथा Cr	2
		सल्फाइड्स, यथा S	2
		सल्फेट्स, यथा SO ₄ ²⁻	400
		फास्फेट्स, यथा P	5
		ताँबा, यथा Cu	3
		ख. जिंक प्लेटिंग	
		साइनाइड्स, (यथा CN ⁻)	0.2
		अमोनिकल नाईट्रोजन यथा N	50
		कुल अवशिष्ट क्लोरीन, यथा Cl	1
		हैक्जावैलेन्ट क्रोमियम, यथा Cr	0.1
		कुल क्रोमियम, यथा Cr	2
		जिंक, यथा Zn	5
		सीसा, यथा Pb	0.1
		लोह, यथा Fe	3
		ग. कैडमियम प्लेटिंग	
		साइनाइड्स, (यथा CN ⁻)	0.2
		अमोनिकल नाईट्रोजन यथा N	50
		कुल अवशिष्ट क्लोरीन, यथा Cl	1
		हैक्जावैलेन्ट क्रोमियम, यथा Cr	0.1
		कुल क्रोमियम, यथा Cr	2
		कैडमियम, यथा Cd	2
		घ. ऐनोडाइजिंग	
		अमोनिकल नाईट्रोजन, यथा N	50
		कुल अवशिष्ट क्लोरीन, यथा Cl	1
		एलुमिनियम	5
		फ्लोराइड्स यथा F	15
		सल्फेट्स, यथा SO ₄ ²⁻	400
		फास्फेट्स, यथा P	5
		ड. ताँबा, टिन प्लेटिंग	
		साइनाइड्स, (यथा CN ⁻)	0.2
		ताँबा, यथा Cu	3
		टिन	2
		च. बहुमूल्य धातु प्लेटिंग	
		साइनाइड्स, (यथा CN ⁻)	0.2
		कुल अवशिष्ट क्लोरीन, यथा Cl	1
		चाँदी	1.2
		सोना	1.0

(1)	(2)	(3)	(4)
		आ. उत्सर्जन*	
		(i) अनिवार्य पैरामीटर	
		अम्ल मिस्ट (HCl & H ₂ SO ₄)**	50
		(ii) प्रक्रिया के अनुरूप निर्धारित पैरामीटर	
		क. निकल व क्रोमियम प्लेटिंग	
		निकल**	5
		हेक्सावैलेंट क्रोमियम**	0.5
		ख. जिंक, तॉबा व कैडमियम प्लेटिंग	
		सीसा**	10
		साइनाइड्स (यथा CN ⁻)**	5
		* कुल धातु की गणना बहिःस्त्राव में Zn+Cu+Ni+Al+Fe+Cr+Cd+Pb+Sn+Ag की संयुक्त सांद्रता से की जायेगी।	
		** विद्यमान इकाईयाँ तारांकित प्रदूषकों के मानकों का अनुपालन 1 जनवरी, 2013 तक सुनिश्चित करेंगी। तथापि नई इकाईयाँ मानकों का अनुपालन संयंत्र के प्रचालन की तिथि से करेंगी।	
		+ उत्सर्जन मानक उन इलेक्ट्रोप्लेटिंग इकाईयाँ पर लागू होंगे जिनकी जल की खपत कम से कम 5 घन मीटर/दिन है। ये इकाईयाँ अपने उत्सर्जन को, सतह से कम से कम 10 मीटर या इकाई के शेड/भवन से 3 मीटर, जो भी अधिक हो, ऊँचे चिमनी के माध्यम से	
		इ. वर्षा जल	
		टिप्पणः	
		(i) किसी इकाई (जिसके प्लाट का आकार कम से कम 200 वर्ग मीटर हो) के वर्षा जल को मार्जक जल, बहिःस्त्राव और/अथवा तलधुलाई अपजल के साथ मिलाने के लिये अनुमति नहीं दी जाएगी।	
		(ii) इकाई की अंतःसीमा के वर्षा जल को वर्षा के 10 मिनट की संग्रहण क्षमता (घंटे के औसत) के एच.डी.पी.ई. परत वाले गर्त के माध्यम से अलग नाली के द्वारा बहाया जाएगा।"	

[फा. सं. क्यू-15017/44/2009-सीपीडब्ल्यू]

रजनीश दुबे, संयुक्त सचिव

टिप्पणी : मूल नियम भारत के राजपत्र में सं. का.आ. 844(अ) दिनांक 19 नवम्बर, 1986 के द्वारा प्रकाशित किये गए थे और इसके पश्चात सं. का.आ.433 (अ), तारीख 18 अप्रैल 1987 और अभी हाल में: सा.का.नि. 512(अ) तारीख 9 जुलाई 2009: सा.का.नि. 543(अ) तारीख 22 जुलाई 2009: सा.का.नि. 595(अ) तारीख 21 अगस्त 2009: सा.का.नि. 794(अ) तारीख 4 नवम्बर 2009: सा.का.नि. 826(अ) तारीख 16 नवम्बर 2009: सा.का.नि. 01(अ) तारीख 1 जनवरी 2010: सा.का.नि. 61(अ) तारीख 5 फरवरी 2010: सा.का.नि. 485(अ) तारीख 9 जून 2010: सा.का.नि. 608(अ) तारीख 21 जुलाई 2010: सा.का.नि. 739(अ) तारीख 9 सितम्बर 2010 और सा.का.नि. 809(अ) तारीख 4 अक्टूबर 2010: सा.का.नि. 215(अ) तारीख 15 मार्च, 2011: सा.का.नि. 221(अ), तारीख 18 मार्च, 2011: सा.का.नि. 354(अ) तारीख, 02 मई, 2011: सा.का.नि. 424(अ), तारीख, 01 जून, 2011: सा.का.नि. 446(अ), 13 जून, 2011; सा.का.नि. 152(अ), 16 मार्च, 2012 के द्वारा संशोधित किए गए।

MINISTRY OF ENVIRONMENT AND FORESTS

NOTIFICATION

New Delhi, the 30th March, 2012

G.S.R. 266(E)—In exercise of the powers conferred by sections 6 and 25 of the Environment (Protection) Act, 1986 (29 of 1986), the Central Government hereby makes the following rules further to amend the Environment (Protection) Rules, 1986, namely:-

1. (1) These rules may be called the Environment (Protection) (Second Amendment) Rules, 2012.
- (2) They shall come into force on the date of their publication in the Official Gazette.
2. In the Environment (Protection) Rules, 1986, in Schedule I, for serial number 9 relating to "Electroplating Industry" and entries relating thereto, the following serial number and entries shall be substituted, namely:-

S. No.	Industry	Parameter	Standard	
(1)	(2)	(3)	(4)	
"9.	Electroplating, Anodizing Industry	A.- Effluent Standards		
		Limiting concentration in mg/l, except for pH and Temperature		
		(i) Compulsory Parameters		
		pH	6.0 to 9.0	
		Temperature	shall not exceed 5°C above the ambient temperature of the receiving body	
		Oil & Grease	10	
		Suspended Solids	100	
		Total Metal*	10	
		Trichloroethane	0.1	
		Trichloroethylene	0.1	
		(ii) Specific Parameter as per process		
		a. Nickel and Chrome plating		
		Ammonical Nitrogen, as N	50	
		Nickel, as Ni	3	
		Hexavalent Chromium, as Cr	0.1	
		Total Chromium, as Cr	2	
		Sulphides, as S	2	
		Sulphates, as SO ₄ ²⁻	400	
		Phosphates, as P	5	
		Copper as Cu	3	
b. Zinc plating				

(1)	(2)	(3)	(4)
		Cyanides, (as CN ⁻)	0.2
		Ammonical Nitrogen, as N	50
		Total Residual Chlorine, as Cl	1
		Hexavalent Chromium, as Cr	0.1
		Total Chromium, as Cr	2
		Zinc, as Zn	5
		Lead, as Pb	0.1
		Iron, as Fe	3
		c. Cadmium plating	
		Cyanides, (as CN ⁻)	0.2
		Ammonical Nitrogen, as N	50
		Total Residual Chlorine, as Cl	1
		Hexavalent Chromium, as Cr	0.1
		Total Chromium, as Cr	2
		Cadmium, as Cd	2
		d. Anodizing	
		Ammonical Nitrogen, as N	50
		Total Residual Chlorine, as Cl	1
		Aluminium	5
		Flourides, as F	15
		Sulphates, as SO ₄ ²⁻	400
		Phosphates, as P	5
		e. Copper, Tin plating	
		Cyanides, (as CN ⁻)	0.2
		Copper, as Cu	3
		Tin	2
		f. Precious Metal plating	
		Cyanides, (as CN ⁻)	0.2
		Total Residual Chlorine, as Cl	1
		B.- Emission Standards⁺	
		Limiting concentration in mg/m ³ , unless stated	
		(i) Compulsory parameters	
		Acid mist (HCl & H ₂ SO ₄)**	50
		(ii) Specific parameters as per process	
		a. Nickel & Chromium plating	
		Nickel**	5
		Hexavalent Chromium**	0.5
		b. Zinc, Copper or Cadmium plating	
		Lead**	10
		Cyanides, (Total)**	5
		* 'Total Metal' shall account for combined concentration of Zn+Cu+Ni+Al+Fe+Cr+Cd+Pb+Sn+Ag in the effluent.	
		+ Emission standards shall be applicable to electroplating units having water consumption atleast 5 m ³ /day. These units shall	

1171 GE/12-2

(1)	(2)	(3)	(4)
		<p>channelize their emission through a stack or chimney having height at least 10 metres above ground level or 3 metres above top of shed or building of the unit, whichever is more.</p> <p>** The existing units shall comply with the norms of asterisked pollutants by 1st January 2013. However, new units shall comply with the norms with effect from commissioning of plant.</p>	
		C. Stormwater	
		<p>Note:</p> <p>(i) Stormwater for a unit (having plot size atleast 200 square metres) shall not be allowed to mix with scrubber water, effluent and/or floor washings.</p> <p>(ii) Stormwater within the battery limits of a unit shall be channelized through separate drain/pipe passing through a High Density Polyethylene (HDPE) lined pit having holding capacity of ten minutes (hourly average) of rainfall."</p>	

[F.No. Q-15017/44/2009-CPW]
RAJNEESH DUBE, Jt. Secy.

Note:- The principal rules were published in the Gazette of India vide number S.O. 844 (E), 19th November, 1986; subsequently amended vide S.O. 433 (E), dated 18th April 1987; G.S.R. 512 (E), dated the 9th July, 2009; G.S.R. 543 (E), dated the 22nd July, 2009; G.S.R. 595 (E), dated the 21st August, 2009; G.S.R. 794 (E), dated the 4th November, 2009; G.S.R. 826 (E), dated the 16th November, 2009; G.S.R. 01 (E), dated the 1st January, 2010; G.S.R. 61 (E), dated 5th February, 2010; G.S.R. 485 (E), dated 9th June, 2010; G.S.R. 608 (E), dated 21st July, 2010; G.S.R. 739 (E), dated the 9th September, 2010; and G.S.R. 809(E), dated, 4th October, 2010, G.S.R. 215 (E), dated, the 15th March, 2011; G.S.R. 221(E), dated, the 18th March, 2011; G.S.R. 354 (E), dated, the 2nd May, 2011; G.S.R. 424 (E), dated, the 1st June, 2011; G.S.R. 446 (E), 13th June, 2011; and GSR 152 (E), dated the 16th March, 2012.