



## Air Quality Index on Jan 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	338	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	175	PM <sub>2.5</sub>	1
3	Alwar	Moderate	157	PM <sub>2.5</sub>	1
4	Amaravati	Poor	232	PM <sub>2.5</sub>	1
5	Amritsar	Good	45	PM <sub>10</sub>	1
6	Asanol	Poor	275	PM <sub>2.5</sub>	1
7	Baghpat	Very Poor	375	PM <sub>2.5</sub>	1
8	Bahadurgarh	Severe	401	PM <sub>2.5</sub>	1
9	Bathinda	Moderate	108	PM <sub>10</sub>	1
10	Bengaluru	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub> , OZONE	9
11	Bhiwadi	Very Poor	321	PM <sub>2.5</sub>	1
12	Bhiwani	Moderate	182	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ajmer, Aurangabad, Durgapur, Manesar, Sonipat, Thane, Ujjain, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Brajrajnagar	Poor	218	PM <sub>2.5</sub>	1
14	Bulandshahr	Very Poor	382	PM <sub>2.5</sub>	1
15	Chandrapur	Moderate	104	PM <sub>10</sub>	1
16	Chennai	Satisfactory	64	PM <sub>2.5</sub>	2
17	Chikkaballapur	Poor	207	PM <sub>10</sub>	1
18	Damoh	Moderate	189	PM <sub>10</sub>	1
19	Delhi	Severe	404	PM <sub>2.5</sub>	37
20	Dewas	Moderate	108	PM <sub>10</sub>	1
21	Faridabad	Severe	427	PM <sub>2.5</sub>	1
22	Gaya	Very Poor	385	PM <sub>2.5</sub>	1
23	Ghaziabad	Severe	441	PM <sub>2.5</sub>	1
24	Greater_Noida	Very Poor	383	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ajmer, Aurangabad, Durgapur, Manesar, Sonipat, Thane, Ujjain, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Gurugram	Poor	284	PM <sub>2.5</sub>	2
26	Haldia	Moderate	195	PM <sub>10</sub>	1
27	Hapur	Severe	402	PM <sub>2.5</sub>	1
28	Howrah	Very Poor	365	PM <sub>2.5</sub>	2
29	Hubballi	Satisfactory	99	PM <sub>10</sub>	1
30	Hyderabad	Moderate	152	PM <sub>2.5</sub>	5
31	Jaipur	Moderate	155	PM <sub>2.5</sub> , PM <sub>10</sub>	3
32	Jalandhar	Moderate	143	PM <sub>2.5</sub>	1
33	Jodhpur	Poor	286	PM <sub>2.5</sub>	1
34	Jorapokhar	Moderate	189	PM <sub>10</sub>	1
35	Kalaburgi	Moderate	174	PM <sub>2.5</sub>	1
36	Kanpur	Very Poor	392	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ajmer, Aurangabad, Durgapur, Manesar, Sonipat, Thane, Ujjain, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Khanna	Moderate	108	PM <sub>10</sub>	1
38	Kolkata	Very Poor	396	PM <sub>2.5</sub>	2
39	Kota	Moderate	145	PM <sub>2.5</sub>	1
40	Kurushketra	Poor	283	PM <sub>2.5</sub>	1
41	Lucknow	Very Poor	328	PM <sub>2.5</sub>	4
42	Ludhiana	Moderate	172	PM <sub>2.5</sub>	1
43	Mandi Gobindgarh	Moderate	114	PM <sub>10</sub>	1
44	Mandideep	Moderate	168	PM <sub>10</sub>	1
45	Moradabad	Very Poor	383	PM <sub>2.5</sub>	1
46	Mumbai	Poor	251	PM <sub>10</sub>	1
47	Muzaffarnagar	Very Poor	363	PM <sub>2.5</sub>	1
48	Muzaffarpur	Very Poor	397	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ajmer, Aurangabad, Durgapur, Manesar, Sonipat, Thane, Ujjain, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Nagpur	Moderate	150	OZONE	1
50	Nashik	Poor	210	OZONE	1
51	Navi Mumbai	Moderate	175	PM <sub>10</sub>	1
52	Noida	Severe	433	PM <sub>10</sub> , PM <sub>2.5</sub>	2
53	Pali	Moderate	159	PM <sub>10</sub>	1
54	Palwal	Very Poor	308	PM <sub>2.5</sub>	1
55	Panchkula	Satisfactory	100	PM <sub>2.5</sub>	1
56	Panipat	Poor	290	PM <sub>2.5</sub>	1
57	Patiala	Satisfactory	90	PM <sub>10</sub>	1
58	Patna	Severe	433	PM <sub>2.5</sub>	1
59	Pithampur	Satisfactory	85	PM <sub>10</sub>	1
60	Pune	Moderate	199	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ajmer, Aurangabad, Durgapur, Manesar, Sonipat, Thane, Ujjain, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Rajamahendravaram	Poor	242	PM <sub>2.5</sub>	1
62	Ratlam	Moderate	120	PM <sub>10</sub>	1
63	Rohtak	Moderate	148	PM <sub>2.5</sub>	1
64	Rupnagar	Moderate	151	PM <sub>2.5</sub>	1
65	Satna	Moderate	195	PM <sub>10</sub>	1
66	Siliguri	Poor	260	PM <sub>2.5</sub>	1
67	Singrauli	Very Poor	338	PM <sub>10</sub>	1
68	Solapur	Moderate	148	PM <sub>2.5</sub>	1
69	Talcher	Very Poor	331	PM <sub>10</sub>	1
70	Thiruvananthapuram	Moderate	162	PM <sub>2.5</sub>	1
71	Tirupati	Satisfactory	88	NO <sub>2</sub>	1
72	Udaipur	Moderate	184	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ajmer, Aurangabad, Durgapur, Manesar, Sonipat, Thane, Ujjain, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Jan 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Varanasi	Very Poor	322	PM <sub>2.5</sub>	1
74	Vijayawada	Satisfactory	86	PM <sub>10</sub>	1
75	Visakhapatnam	Poor	262	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Ajmer, Aurangabad, Durgapur, Manesar, Sonipat, Thane, Ujjain, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.