



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	228	PM _{2.5}	1
2	Ahmedabad	Moderate	124	PM _{2.5}	1
3	Ajmer	Satisfactory	73	PM ₁₀	1
4	Alwar	Satisfactory	100	PM ₁₀	1
5	Amaravati	Satisfactory	57	PM ₁₀	1
6	Ambala	Satisfactory	100	PM ₁₀	1
7	Amritsar	Satisfactory	88	PM ₁₀	1
8	Ankleshwar	Moderate	200	PM _{2.5}	1
9	Asanol	Poor	250	PM _{2.5}	1
10	Aurangabad	Satisfactory	76	OZONE	1
11	Baghpat	Poor	275	PM _{2.5}	1
12	Bahadurgarh	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	126	PM ₁₀	1
14	Bathinda	Satisfactory	100	PM ₁₀	1
15	Bengaluru	Satisfactory	77	CO, PM ₁₀ , PM _{2.5}	8
16	Bhiwadi	Poor	248	PM _{2.5}	1
17	Bhiwani	Moderate	119	PM _{2.5}	1
18	Brajrajnagar	Moderate	177	PM _{2.5}	1
19	Bulandshahr	Poor	214	PM _{2.5}	1
20	Chandrapur	Satisfactory	90	PM ₁₀ , PM _{2.5}	2
21	Chennai	Good	47	CO	3
22	Chikkaballapur	Satisfactory	61	PM ₁₀	1
23	Damoh	Moderate	136	PM ₁₀	1
24	Delhi	Poor	271	PM _{2.5}	30

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	81	PM ₁₀	1
26	Dharuhera	Poor	225	PM _{2.5}	1
27	Faridabad	Poor	245	PM _{2.5}	1
28	Fatehabad	Moderate	130	PM ₁₀	1
29	GandhiNagar	Satisfactory	94	PM ₁₀	1
30	Gaya	Very Poor	316	PM _{2.5}	1
31	Ghaziabad	Poor	257	PM _{2.5}	1
32	Greater_Noida	Poor	237	PM _{2.5}	1
33	Gurugram	Poor	235	PM _{2.5}	1
34	Guwahati	Moderate	130	PM _{2.5}	1
35	Haldia	Satisfactory	96	PM ₁₀	1
36	Hapur	Poor	215	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	237	PM _{2.5}	1
38	Howrah	Moderate	129	PM ₁₀	1
39	Hubballi	Moderate	113	PM ₁₀	1
40	Hyderabad	Satisfactory	82	NO ₂ , PM ₁₀ , PM _{2.5}	6
41	Jaipur	Moderate	114	PM _{2.5} , PM ₁₀	3
42	Jalandhar	Moderate	123	PM ₁₀	1
43	Jind	Poor	232	PM _{2.5}	1
44	Jodhpur	Satisfactory	99	PM ₁₀	1
45	Jorapokhar	Moderate	186	PM ₁₀	1
46	Kaithal	Poor	212	PM _{2.5}	1
47	Kalaburgi	Satisfactory	94	PM ₁₀	1
48	Kanpur	Poor	264	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Karnal	Moderate	190	PM _{2.5}	1
50	Khanna	Satisfactory	54	PM ₁₀	1
51	Kolkata	Poor	208	PM _{2.5}	2
52	Kota	Moderate	133	PM ₁₀	1
53	Kurushketra	Moderate	111	PM ₁₀	1
54	Lucknow	Very Poor	352	PM _{2.5}	3
55	Ludhiana	Satisfactory	99	PM ₁₀	1
56	Maihar	Moderate	103	PM ₁₀	1
57	Mandi Gobindgarh	Satisfactory	74	PM ₁₀	1
58	Mandideep	Moderate	182	PM ₁₀	1
59	Mandikhera	Moderate	168	PM _{2.5}	1
60	Manesar	Poor	219	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mumbai	Moderate	156	PM ₁₀	1
62	Muzaffarnagar	Moderate	156	PM ₁₀	1
63	Nagpur	Moderate	153	PM _{2.5}	1
64	Narnaul	Moderate	198	PM _{2.5}	1
65	Nashik	Moderate	160	OZONE	1
66	Navi Mumbai	Moderate	162	PM ₁₀	1
67	Noida	Poor	276	PM _{2.5}	1
68	Pali	Satisfactory	72	PM ₁₀	1
69	Palwal	Poor	206	PM _{2.5}	1
70	Panchkula	Satisfactory	60	OZONE	1
71	Panipat	Moderate	150	PM _{2.5}	1
72	Patiala	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patna	Very Poor	305	PM _{2.5}	1
74	Pithampur	Moderate	120	PM ₁₀	1
75	Pune	Moderate	162	PM _{2.5}	1
76	Rajamahendravaram	Satisfactory	60	PM ₁₀	1
77	Ratlam	Moderate	175	PM ₁₀	1
78	Rohtak	Moderate	183	PM _{2.5}	1
79	Rupnagar	Moderate	134	PM _{2.5}	1
80	Satna	Satisfactory	99	CO	1
81	Siliguri	Moderate	118	PM ₁₀	1
82	Singrauli	Poor	266	PM ₁₀	1
83	Sirsa	Moderate	185	PM _{2.5}	1
84	Solapur	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sonipat	Poor	238	PM _{2.5}	1
86	Talcher	Very Poor	349	PM ₁₀	1
87	Thane	Poor	222	PM _{2.5}	1
88	Thiruvananthapuram	Satisfactory	68	PM ₁₀	1
89	Tirupati	Satisfactory	64	PM ₁₀	1
90	Udaipur	Moderate	134	PM ₁₀	1
91	Ujjain	Moderate	121	PM ₁₀	1
92	Vapi	Poor	299	PM _{2.5}	1
93	Varanasi	Very Poor	310	PM _{2.5}	1
94	Vatva	Moderate	175	PM _{2.5}	1
95	Vijayawada	Good	50	PM ₁₀	1
96	Visakhapatnam	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 20, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yamunanagar	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Durgapur, Moradabad, Muzaffarpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.