

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	189	PM _{2.5}	1
2	Ahmedabad	Moderate	149	PM _{2.5}	1
3	Ajmer	Moderate	136	PM ₁₀	1
4	Alwar	Moderate	110	PM ₁₀	1
5	Ambala	Moderate	180	OZONE	1
6	Amritsar	Satisfactory	100	PM ₁₀	1
7	Ankleshwar	Satisfactory	78	PM ₁₀	1
8	Asanol	Moderate	129	PM ₁₀	1
9	Aurangabad	Satisfactory	68	PM ₁₀	1
10	Baghpat	Severe	405	PM ₁₀	1
11	Bahadurgarh	Very Poor	304	PM ₁₀	1
12	Ballabgarh	Severe	426	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	117	PM ₁₀	1
14	Bengaluru	Satisfactory	69	PM ₁₀ , PM _{2.5}	6
15	Bhiwani	Poor	299	PM _{2.5}	1
16	Bulandshahr	Severe	401	PM ₁₀	1
17	Chandrapur	Moderate	163	PM ₁₀	1
18	Chennai	Satisfactory	64	PM _{2.5}	2
19	Chikkaballapur	Satisfactory	94	PM ₁₀	1
20	Damoh	Satisfactory	69	PM ₁₀	1
21	Delhi	Very Poor	357	PM ₁₀	33
22	Dewas	Moderate	113	OZONE	1
23	Dharuhera	Poor	285	PM ₁₀	1
24	Durgapur	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Poor	255	OZONE	1
26	Fatehabad	Very Poor	363	PM ₁₀	1
27	GandhiNagar	Moderate	110	PM ₁₀	1
28	Gaya	Moderate	138	PM _{2.5}	1
29	Ghaziabad	Severe	435	PM ₁₀	3
30	Greater_Noida	Severe	409	PM ₁₀	1
31	Gurugram	Very Poor	334	PM ₁₀	1
32	Guwahati	Satisfactory	66	OZONE	1
33	Hapur	Severe	424	PM ₁₀	1
34	Hisar	Poor	275	PM ₁₀	1
35	Howrah	Moderate	114	PM ₁₀ , PM _{2.5}	2
36	Hyderabad	Moderate	133	PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Poor	215	PM ₁₀	3
38	Jalandhar	Moderate	136	PM ₁₀	1
39	Jind	Poor	258	PM _{2.5}	1
40	Jodhpur	Very Poor	346	PM _{2.5}	1
41	Jorapokhar	Moderate	142	PM ₁₀	1
42	Kaithal	Moderate	194	PM _{2.5}	1
43	Kanpur	Moderate	191	PM _{2.5}	1
44	Karnal	Poor	266	PM _{2.5}	1
45	Khanna	Satisfactory	71	PM ₁₀	1
46	Kolkata	Moderate	102	PM _{2.5}	1
47	Kota	Satisfactory	97	PM ₁₀	1
48	Kurukshetra	Moderate	154	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Severe	462	PM ₁₀	1
50	Lucknow	Moderate	165	PM _{2.5}	4
51	Ludhiana	Satisfactory	74	PM _{2.5}	1
52	Maihar	Moderate	130	PM ₁₀	1
53	Mandi Gobindgarh	Moderate	120	PM ₁₀	1
54	Mandideep	Poor	202	PM ₁₀	1
55	Mandikhera	Poor	202	PM ₁₀	1
56	Manesar	Poor	286	PM _{2.5}	1
57	Moradabad	Poor	268	PM ₁₀	1
58	Mumbai	Satisfactory	88	СО	1
59	Muzaffarnagar	Poor	223	PM _{2.5}	1
60	Muzaffarpur	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	or Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nagpur	Satisfactory	59	PM ₁₀	1
62	Narnaul	Moderate	198	PM _{2.5}	1
63	Nashik	Satisfactory	62	PM ₁₀	1
64	Navi Mumbai	Moderate	109	со	1
65	Noida	Very Poor	396	PM ₁₀	2
66	Pali	Moderate	155	PM ₁₀	1
67	Palwal	Very Poor	359	PM _{2.5}	1
68	Panchkula	Good	41	OZONE	1
69	Panipat	Poor	214	PM ₁₀	1
70	Patiala	Moderate	133	PM ₁₀	1
71	Patna	Poor	244	OZONE	1
72	Pithampur	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pune	Satisfactory	69	PM _{2.5}	1
74	Rajamahendravaram	Moderate	105	OZONE	1
75	Ratlam	Moderate	108	PM ₁₀	1
76	Rohtak	Very Poor	309	PM _{2.5}	1
77	Rupnagar	Moderate	185	PM _{2.5}	1
78	Satna	Satisfactory	96	PM ₁₀	1
79	Siliguri	Satisfactory	76	PM ₁₀	1
80	Singrauli	Poor	260	PM ₁₀	1
81	Sirsa	Poor	266	PM _{2.5}	1
82	Solapur	Satisfactory	93	OZONE	1
83	Sonipat	Very Poor	313	PM _{2.5}	1
84	Talcher	Moderate	192	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thane	Satisfactory	82	PM ₁₀	1
86	Thiruvananthapuram	Satisfactory	70	PM ₁₀	1
87	Tirupati	Satisfactory	61	PM ₁₀	1
88	Udaipur	Satisfactory	77	PM ₁₀	1
89	Ujjain	Moderate	113	OZONE	1
90	Vapi	Satisfactory	82	PM ₁₀	1
91	Varanasi	Very Poor	311	PM ₁₀	1
92	Vatva	Moderate	121	PM ₁₀	1
93	Visakhapatnam	Moderate	166	PM ₁₀	1
94	Yamunanagar	Poor	226	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Bhiwadi, Brajrajnagar, Kalaburagi, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.