


Help or query please contact:


Sh. Aditya Sharma : +91 9911328120 aditya.cpcb@nic.in

Steps for Registration in CPCB Industry Registration Portal

New User Sign Up




New User Confirmation Page



The screenshot shows a web browser window with the URL assetlogiciq.com/signup. The page features the CPCB logo and the following text: "Registration", "Central Pollution Control Board", "Parivesh Bhawan, East Arjun Nagar, Delhi 110032, India". Below this is a registration form with fields for "Name", "Email Id", and "Phone". A green "Register" button is present, and a note states "A confirmation mail has sent to your email id." The Windows taskbar at the bottom shows several open applications, including RTDMS, SPCB, and the registration page.

Link Verification – E-mail Received



The screenshot shows a Gmail inbox with an email from logiciq@logicladder.com received at 11:11 AM. The email subject is "Please activate your new account." The body text reads: "Please contact admin at cems.cpcb@nic.in. If the above information is incorrect. Visit this url to activate your account: <https://assetlogiciq.com/setPassword?code=d766aea8aed447f3a886f18fc1e8a4a3>". It also includes a disclaimer about DND registered mobile numbers and a link to unsubscribe. The Windows taskbar at the bottom shows the registration page and other applications.

Continuing In Browser

Your connection is not private

Attackers might be trying to steal your information from **assetlogiciq.com** (for example, passwords, messages, or credit cards). NET:ERR_CERT_AUTHORITY_INVALID

Automatically report details of possible security incidents to Google. [Privacy policy](#)


Click → [hide advanced](#) [Back to safety](#)

This server could not prove that it is **assetlogiciq.com**; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection.

Click → [Proceed to assetlogiciq.com \(unsafe\)](#)

Setting Password

Please Set a Password


Central Pollution Control Board
Parivesh Bhawan, East Arjun Nagar,
Delhi 110032, India

Password

Re-enter Password

[Set Password](#)

Data Entry

Best viewed in Firefox/Chrome

Register Industry Details

Welcome Kavitha, 31st Jul 2015 11:16:46 (logout)

Industry Category*

State*

Use Industry Code ([Check industry code](#))
If your industry name is not present in the list please do not use industry code option

Industry Code

Industry Name*

Address*

City*


Pin code*

Data Submitted to SPCB Data Submitted to CPCB

Whether bank guarantee provide by industry

Online continuous effluent monitoring system provided by unit

Online continuous emission monitoring system provided by unit



Alert Before Final Submission of Information

The page at https://assetlogiciq.com says:

Please check the information submitted before submission. Information provided cannot be edited once submitted. Additional emission/effluent system can be added post submission

OK Cancel

Parameter
Fluoride
SO2
Cl2
HCl

PM Is Certified System

Emission Monitoring System Details [Add](#)

Emission Monitoring System


Latitude Longitude

Process [Add More](#)

Parameter
HCl
Ammonia
CO

PM Is Certified System

Field marked by * are mandatory. Fill all mandatory fields to enable submit



Online continuous effluent monitoring system provided by unit

Effluent Monitoring System Details [Add](#)

Effluent Monitoring System Name*

ETP 1

Latitude

20.556

Longitude

70.218

Process

Caustic soda|Plant

[Add More](#)

[Add Parameter](#)

pH

D3245

Hach

DHR Holding

53

Is Certified System

TUV

203.145.138.170:8

150.107.240.38:80

[Remove -](#)

Flow

BHA45V

Forbes

Forbes Marshal

IFS4000

Is Certified System

TUV

203.145.138.170:8

150.107.240.38:80

[Add More +](#)

[Remove -](#)

Effluent Monitoring Data after Filled-in

Online continuous emission monitoring system provided by unit

Emission Monitoring System Details [Add](#)

Emission Monitoring System Name*

CEMS 1

Latitude

20.548

Longitude

70.216

Process

Chlorine Plant

[Add More](#)

Add Parameter

Cl2 ▼

A 276234

ESA

ESA

MIR9000BB

Is Certified System

TUV ▼

iseo.fr/gpcb

iseo.fr/cpcb

[Remove -](#)

HCl ▼

537850

Thermo Fisher

Thermo Fisher

15i

Is Certified System

TUV ▼

Thermo.com/ospct

i://182.71.166.202/

[Add More +](#)

[Remove -](#)

Field marked by * are mandatory.Fill all mandatory fields to enable submit

[Save](#)

[Submit](#)

[PRINT](#)

Emission Monitoring Data after Filled-in