

**Central Pollution Control Board**  
**Parivesh Bhawan, East Arjun Nagar**  
**Delhi – 110032**

No. B-29012/IPC-VI/2017-18/

July 20, 2017

21

**Office Order**

The response of industries are being received for revoking the closure directions which were issued either due to non installation of on-line monitoring system / non connectivity with CPCB server or due to non-compliance of notified discharge standards / by pass of effluent / operating the plant without valid consent. The procedure relating to revoking of closure direction has been reviewed. In order to reduce the time taken in revoking of closure direction the following procedure will be followed with immediate effect. **The request of revoking direction be processed immediately after receiving in the Division and in no case it should take more than 3 days.**

A. In case, closure direction issued to the industries due to non installation of online monitoring system / non connectivity with CPCB server:

1. Industry request for revoking closure direction should be supported by the following documents.
  - Self certificate (in original) complete in all respect (format available at CPCB website)
  - Valid consent to operate (in case of renewal pending, enclose the receipt of submission of renewal application alongwith the expired consent)
  - A copy of on-line Registration (at CPCB Registration Portal)
  - Snapshot of current on-line monitoring data
2. The concerned Division after ensuring that all the required documents are in order and after verification of connectivity of on-line monitoring system from IT Div, will put up the file for revocation of closure direction to the competent Authority.


B. In case, closure direction issued to the industries due to non-compliance of notified discharge standards or by pass of effluent or operating the plant without valid consent:

1. Industry request for revoking closure direction should be supported by the following documents.
  - An undertaking on stamp paper with duly notarised / signed by Oath Commissioner stating that they have complied all the directions issued



by the CPCB and in case, during verification by CPCB officials, if their plant is found non compliant, they accept to close down the industry immediately and to not operate till full compliance is achieved.

- Treated effluent analysis report / air emission report by the Laboratory recognized under the EPA, 1986.
  - Valid consent to operate (in case of renewal pending, enclose the receipt of submission of renewal application alongwith the expired consent)
2. In case of show cause notice or closure issued, if industry inform about compliance and having submitted the relevant documents, the revocation will not be on hold for re-inspection. In such cases, revocation will be issued and followed by surprise check to verify compliance. In case of non-compliance, closure order will follow immediately.
  3. The concerned Division after ensuring that all the required documents are in order will put up the file for revocation of closure direction to the competent Authority. In the revocation direction, it will be mentioned that if plant is found non compliant during subsequent verification, it shall be closed down immediately and shall not be operated unless full compliance with directions is achieved.
  4. The Concerned Division shall further ensure that compliance verification of such plants is carried out at the earliest.

  
(A. B. Akolkar) 21.7.4  
Member Secretary

**To:**

All concerned Officials

**Copy to:**

1. Guard File
2. PS to CCB: for kind information pl.
- ✓ 3. Div. Head- IT: for uploading on CPCB web site pl.