

Minutes of the 10th Meeting of the 3-Member Committee constituted to examine & recommend representations for revocation of closure direction notices issued by CPCB under section 5 of the Environment (Protection) Act, 1986, held on 19.01.2018 at CPCB, Delhi.

The 10th meeting of the 3-member Committee was held on 19.01.2018 at 4th Floor, CPCB, Delhi to examine & recommend the request received for revocation of Closure directions issued by CPCB under section 5 of the Environment (Protection) Act, 1986. The following members were present during the meeting;




1. **Shri A. Sudhakar**, Member Secretary, CPCB
2. **Shri Y.P. Singh**, Joint Director, MoEF & CC
3. **Shri Vivek Raj**, Sc. 'C', NMCG

Also in attendance: Shri C. B. Chourasia, Sc 'E', Dr. Prashant Singh, Sc. 'D' & Dr. Sarvesh Raj, Sc. 'C'. The deliberations held and the decisions taken are as under:

CONSIDERATION TO EXAMINE AND RECOMMEND FOR REVOCATION OF CLOSURE DIRECTIONS

Revocation proposal of 17 units (tannery-15, textile-01 and pulp & paper-1) was placed before the committee for consideration. Out of the 17 units, 10 units were recommended for revocation of closure direction while 6 units were not recommended. Proposal regarding one tannery unit was discussed but since the GPI is permanently closed, as per State Pollution Control Board, request to revoke the closure direction to start a meat processing with same name as the tannery unit was not in the purview of this committee. The industry wise observations of the committee for 17 units is placed at **Annexure-I**.

The meeting ended with thanks to the Chair.

Name	Committee	Signature
Shri A. Sudhakar Member Secretary, CPCB	Chairman	
Shri Y.P. Singh Joint Director, MoEF & CC	Member	
Shri Vivek Raj Sc. 'C', NMCG	Member	

Annexure - I: List of the GPIs considered for Revocation of Closure Direction issued u/s of 5 of the E(P) Act, 1986 in the 10th meeting of the Revokation committee on 19.01.2017

S.N.	Name of The unit	Sector	Reason for Closure	Reasons/ Criteria for revocation	Processed By	Representation Date	Recommended/ Not recommended	Remarks of the committee
1	Banwari Paper Mills Ltd. 4th KM stone, Ramnagar Road, Kashipur	Pulp & Paper	Non complying with prescribed effluent discharge standards	The Unit has intalled Triton Process, Aeration/Mixwe in the aeration tank. 20 Nos new diffusers added to improve the ETP efficiency. Feed Pump to DMP change from 35 Mtrs. Head/150 M3 Discharge to 40 Mtrs Head 180 M3 discharge. One more DMF is added so the total number of DMF is now two.	Dr. Prashant Singh, Sc. D	18.11.2017 05.12.2017 10.12.2017 14.12.2017	Recommended	i) The unit shall provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption of operation. ii) The CPCB will inspect the site randomly after 45 days of resumption of operation & may obtain samples.
2	Pashia tanners 8/5, B-2, Asarfabad Jajmau Kanpur UP	Tannery	OCEMS, Air consent & Hazardous waste Authorization.	Installed OCEMS, connected with the CPCB Server and submitted the application copy of HW. Unit has clarified about consent under Air Act.	Mr. C B Chourasia, Sc-E	07.12.2017	Recommended	The unit shall provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters for each week during first 30 days from the date of resumption of operation.
3	Leja Leather, 330/306, B (6), Bhalla Estate, Jajmau, Kanpur-208010, Uttar Pradesh	Tannery	For valid consent	The Unit has submitted the document as per office order dated 21.07.2017 and valid consent under Water Act 1974 as per Hon'ble NGT order joint inspection.	Mr. C B Chourasia, Sc-E	03.06.2017 and Nil dated	Recommended	i) The unit shall obtain valid consent to operate. ii) The unit shall provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption of operation.
4	Trade House (Formerly known as Saukat ki Tannery), No.8/5 B-1, Asharfabad, Jajmau, Distt- Kanpur UP	Tannery	General direction- 04.07.2017 for not having valid consent under Air and valid HWM. Closure direction - 24.08.2017 for non-compliance w.r.t. (TSS-1236 mg/l & Cr- 11.4mg/l) also not having valid consent under air and valid HWM	Unit submitted undertaking, valid water consent copy, HWM valid upto 20.04.2022 Separate drainage line made only for chromium water to be discharged directly into C.C.R.P. plant. For TSS additional pits to drainage line built so as to stop sludge which floats into the PETP plant. Additional blockage to drainage line provided. Housekeeping has been maintained.	Mr. C B Chourasia, Sc-E	11.09.2017, 11.10.2017, 08.12.2017 (email), 26.12.2017 (email)	Not recommended	i) The unit has not provided satisfactory answer regarding removal of Chromium. ii) The unit shall submit the adequacy report from CLRT/ NPC.
5	GBS Tannery, B-6, Site-II, Industrial Area, Unnao, UP	Tannery	Not having valid consent and Hazardous waste management	Submitted documents as per OO dated. 21-07-2017 and application copy of valid consent, awaited HWA	Mr. C B Chourasia, Sc-E	18.07.2017, 28.07.2017, 21.08.2017, 12.09.2017 & 20.12.2017	Not recommended	The unit has not complied with Closure Direction of CPCB for Hazardous Waste Authorisation.
6	Sallan Enterprises, Near Gujrat Tanners, Sanjay Nagar, Jajmau, Kanpur UP	Tannery	OCEMS, not having valid consent and install adequate ETP to achieve prescribed norms.	OCEMS installed and connected with the CPCB Server; submitted the application copy of valid consent, Upgraded ETP and submitted photographs of the same.	Mr. C B Chourasia, Sc-E	24.07.2017, 20.09.2017, 29.11.2017 & 22.12.2017	Not recommended	Adequacy report has not been submitted. So, ETP adequacy could not be ascertained.

20/01/17

G.P.

[Signature]

7	Overseas Tanning Corporation, 3-B A Block, Industrial Area, Jajmau, Kanpur UP	Tannery	For PETP not in operation, not having valid consent & Multiple discharges were observed.	Unit submitted documents as per office order 21.07.2017 and for PETP upgradation unit installed separate energy meter, separate chrome recovery plant, chemical dosing pump, temporary storage area of HW, New screen chambers for reducing TSS.	Mr. C B Chourasia, Sc-E	13.09.2017, 28.11.2017 & 21.12.2017	Not recommended	CPCB shall inspect the unit to verify the compliance of Closure Direction.
8	Nafees Leather Finishers (Fida Hussain Ki Tannery) 24-A, 175/158-A, Budhiya Ghat Jajmau Kanpur	Tannery	For PETP upgradation, not having valid consent & HWM	Unit upgraded the ETP and submitted the photographs of the same, Valid consent copy & copy of Hazardous waste management.	Mr. C B Chourasia, Sc-E	15.11.2017 & 20.12.2017	Recommended	i) The unit is recommended for revocation with treatment of effluent through batch process to deal with accidental release of Chromium. ii) A report, validated by government institute,
9	Allg Tannery, A-25, LTP, UPSIDC, Banther, Unnao UP.	Tannery	Self closed (direction to remain closed) Adequate arrangements for treated effluent, installs & connected OCEMS and not having valid consent	Installed OCEMS and connected to CPCB server, submitted application copy of valid consent, installed filter press and submitted the photo of the same.	Mr. C B Chourasia, Sc-E	15.11.2017, 06.12.2017, 18.12.2017 & 27.12.2017	Recommended	The unit shall provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption of operation.
10	Alpha Leather Industries, C-2B, Industrial Area, Bela, Distt- Muzaffarpur, Bihar	Tannery	OCEMS	Unit submitted affidavit that the unit changed its processing from leather tanning into meat processing. ETP facilities for treatment and reuse of waste water have been installed. Electro-mag. flow meter installed. Unit has taken permission from BIADA and applied to BSPOB to operate Frozen Meat unit.	Mr. C B Chourasia, Sc-E	29.09.2017, 14.11.2017, & 04.10.2017		i) Closure Direction was issued to the tannery unit for OCEMS which has now been closed permanently as per SPCB. ii) CPCB may take a view on applicability of OCEMS for meat processing unit.
11	Northern Tannery 150 FT Road, Jajmau, Kanpur UP	Tannery	Non-complying w.r.t. Total Chromium (6.67 mg/l), pH -5.69	Unit submitted the document as per O.O. dated 21.07.2017, ETP details and Photographs, application copy of Hazardous waste management, unit and report from CLRI.	Mr. C B Chourasia, Sc-E	02.11.2017	Recommended	i) In view of CLRI recommendation, the unit is recommended for revocation. ii) The unit to provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption of operation.
12	K.C. Tan, 101/87 Idgah Road, Wajidpur, Jajmau, Kanpur UP	Tannery	For OCEMS connectivity on CPCB portal, Air act, Hazardous waste management and CGWA.	Unit submitted the document as per O.O. dated 21.07.2017, Application copy of Hazardous waste, Installed OCEMS and connected with CPCB Portal, Photographs of dosing chemicals mixing system, dosing chemical drums ball-valve, photo of PETP and Sludge Drying Beds.	Mr. C B Chourasia, Sc-E	11.09.2017, 19.09.2017, 26.12.2017 & 17.01.2018	Recommended	i) The unit is recommended for revocation with subject to obtaining valid consent to operate & Hazardous Waste Authorisation. ii) The unit shall provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption
13	S.A. Tanning Industries, 38, 150 Feet Road, Jajmau, Kanpur UP	Tannery	Unit shall stabilize and optimise the performance of PETP	Unit submitted details of PETP upgradation i.e. increased depth of Settling tank and installed central feed well for better settling (to reduce TSS effluent)	Mr. C B Chourasia, Sc-E	17.07.2017 & 27.12.2017	Not recommended	The unit shall provide adequacy report of ETP from CLRI/IIT.

20000

[Signature]

[Signature]

14	King International Ltd., D-13, C-19, Site, Industrial Area, Unnao UP	Tannery	Non-Complying w.r.t. effluent discharge (Total Cr 6.29 mg/L against norms of 2.0 mg/L) & operating without CTO.	The unit has submitted the adequacy report of PETP, prepared by CLRI. The unit is improving the ETP to comply with the recommendation of CLRI as per adequacy report. The unit has submitted the copy of the letter submitted to UPPCB for renewal of the consent.	Mr. C B Chourasia, Sc-E	29.11.2017, 20.12.2017, 05.01.2018, 10.01.2018 & 15.01.2018	Recommended	i) In view of CLRI recommendation, the unit is recommended for revocation subject to valid consent to operate & Hazardous Waste Authorisation. E) The unit to provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption of operation.
15	Tajwar Hussain ki Tannery (Euro Asia Leather Ltd.), 101/87 B (A-1), Idgah Road, Wajidpur, Jajmau Kanpur UP	Tannery	1)-Non-compliance w.r.t. Total Chromium 2.76 mg/L (norm 2.0 mg/L). (2) - Not having valid CTO, Authorization under HoWM Rules.	The unit submitted affidavit, self certificate, TSDF membership for HoWM; PETP details with the unit sizes, photographs and drawing; CRP(chrome recovery plant) details with unit sizes, photographs and drawing; copy of application to CGWA. Copy of applied consent under Water Act and Air Act. The unit has installed OCEMS (online Flow meter) and provided connectivity with CPCB server. The unit has installed flow meter for measurement of water consumptions. The PETP and CRP scheme and sizes seems to be adequate considering the consented discharge (applied)	Mr. C B Chourasia, Sc-E	19.12.2017 and 06.01.2018.	Recommended	i) In view of CPCB observation regarding suitability at ETP system, the unit is recommended with condition that ETP should operate minimum 8 hr./day. ii) The unit shall provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption of operation. iii) A log book shall be maintained by the unit and submitted to SPCB.
16	Allied Leather finishers Pvt Ltd. F-27/28, Site-2 Industrial Area, Dahi Chowk	Tannery	Non-complying w.r.t. ETP standards, Upgradation and proper operation of the ETP, Stack height of DG set, Not having NOC	Unit has submitted the documents in compliance with requirement of the closure direction.	Mr. C B Chourasia, Sc-E	18.09.2017, 06.11.2017 & 27.11.2017, 01.12.2017 & 15.01.2018	Recommended	i) The unit is recommended for revocation with subject valid consent to operate & Hazardous Waste Authorisation. ii) The unit shall provide result of analysis of inlet and outlet samples of ETP from an EPA recognised laboratory for all notified parameters during first 30 days from the date of resumption of operation.
17	M/s Chawla Textile, 92-A, Dada Nagar, Kanpur-22, UP	Textile	1. Non-compliance w.r.t. Effluent discharged standards. 2. The unit does not have valid consent under Water Act, 1974.	1. The Unit has submitted the modification made in the ETP with photographs of ETP components. 2. The Unit has submitted copy of online consent to operate seeking for Consent to Operate under Water/Air Act. 3. The unit attached affidavit / undertaking the revised intended consent to operate under Water (Prevention & Control of Pollution), Act, 1974, the unit has applied for waste water generation quantity as domestic 0.5 KLD and process water 08 KLD.	Dr. Pankaj Kumar, Sc. D	08.12.2017	Not recommended	The unit shall provide adequacy report of ETP from CLRI/IIT.

25/01/18

G. P. D.