

Minutes of the 11th Meeting of the 3-Member Committee constituted to examine & recommend representations for revocation of closure direction notices issued by CPCB under section 5 of the Environment (Protection) Act, 1986, held on 21.02.2018 at CPCB, Delhi.

The 11th meeting of the 3-member Committee was held on 21.02.2018 at 4th Floor, CPCB, Delhi to examine & recommend the request received for revocation of Closure directions issued by CPCB under section 5 of the Environment (Protection) Act, 1986. The following members were present during the meeting;




1. **Shri A. Sudhakar**, Member Secretary, CPCB
2. **Shri R. M. Bhardwaj**, Additional Director, CPCB
3. **Dr. Hema Patel**, Project Officer, NMCG

Also in attendance: Dr.Pankaj Kumar, Sc. 'D', Dr.Firoz Ahmed, RA-I, Dr.Manoj Kr. Makhija, RA-I and Ms. Shraddha Lonarkar, RA-I. The deliberations held and the decisions taken are as under:

CONSIDERATION TO EXAMINE AND RECOMMEND FOR REVOCATION OF CLOSURE DIRECTIONS

Revocation proposal of 15 units (sugar -1 and textile-14) was placed before the committee for consideration. All the 15 units were recommended for revocation of closure direction. The industry wise observations of the committee for 15 units is placed at **Annexure-I**.

The meeting ended with thanks to the Chair.

Name	Committee	Signature
Shri A. Sudhakar Member Secretary, CPCB	Chairman	
Shri R. M. Bhardwaj Additional Director, CPCB	Member	
Dr. Hema Patel Project Officer, NMCG	Member	 15.03.2018

Annexure - I: List of the GPIs considered for Revocation of Closure Direction Issued u/s of 5 of the E(P) Act, 1986 in the 11th meeting of the Revocation committee on 21.02.2018

S. No.	Name of The unit	Sector	Closure date	Reason for Closure	Reasons/Criteria for revocation	Processed By	Date of Representation	Recommended/ Not recommended	Recommendation of the committee
1	M/s. Manoj Dyers, Ahmedpur, Phulwaria, Bhadohi- 221401, UP	Textile	15.05.2017 & 18.05.2017	1. ETP non-compliance 2. Non-installation of OCEMS.	1. Photographs and size of ETP submitted. 2. OCEMS connectivity provided. 3. Online flow meter and web camera installed at the final outlet of ETP	Dr. Pankaj Kumar	04.01.2018, 23.08.2017 & 30.11.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Compliance verification by SPCB to be done in 60 days of resumption of operation. 3. To start operation after obtaining valid consent from UJDCR
2	M/s Double AAR Industries, D-4, Site No. 4, Panki Industrial Area, Kanpur	Textile	15.06.2017	1. Effluent not conforming discharge standards. 2. OCEMS non-connectivity	1. The Unit complies with all the CPCB direction for revoke, except that the consent to operate under Water & Air Act for the unit has expired on 31.12.2017. 2. OCEMS compliance ensured. 3. Revoke may be issued with the directions that the unit will resume its operations only after obtaining valid consent to operate under Water & Air Act from UJDCR	Dr. Pankaj Kumar	22.09.2017, 08.09.2017, 03.07.2017, 30.11.2017, 14.12.2017 and 14.12.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to resume only after obtaining valid consent. 3. Compliance verification by SPCB within 60 days of resuming operation.
3	M/s Standard Niwar Mills, D-24, Site 1, Panki, Kanpur, Uttar Pradesh	Textile	02.06.2017 & 04.10.2017	1. OCEMS non-compliance 2. Effluent standards non-compliance	1. Unit has provided self certificate in which they have affirmed that they have complied with all the directions of CPCB. 3. Unit has installed electromagnetic flowmeter at raw water intake and final outlet of ETP. 4. The unit has applied for consent to operate under Air & Water Act [total effluent discharge in fresh application for 8.00 KLD (7.0 KLD for process and 1.0 KLD for domestic discharge)] and renewal of hazardous waste authorization as well as applied to CGWA for ground water permission	Dr. Pankaj Kumar	14.12.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Compliance verification by SPCB within 60 days of resuming operation.
4	M/s Basotia Industries, C-16-17, Industrial Area, Site-IV, Panki, Kanpur	Textile	29.06.2017	1. Non-compliance with respect to effluent standards	1. Unit has modified the ETP and provided the details to CPCB with photographs; 2. Industry has installed online flow meter and connectivity with CPCB server is verified by IT Division; 3. Unit has provided renewal application for consent under Air and Water act submitted dated 01.12.2017 under reduced capacity for 9.00 KLD (8.00 KLD for process and 1.0 KLD for domestic discharge); 4. Unit has provided undertaking about compliance with all the directions by CPCB.	Dr. Pankaj Kumar	19.12.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to resume after obtaining valid consent. 3. Compliance verification by SPCB within 60 days of resuming operation.
5	M/s Kwality Zippers Private Limited, 39 B, Industrial Estate, Dada Nagar, Kanpur, UP-208022	Textile	15.05.2017, 06.06.2017 and 08.11.2017	1. Non installation of OCEMS 2. Non-compliance w.r.t. treated effluent. 3. Violation of closure directions Issued by CPCB	1. Unit has provided the details of modification/up gradation in their ETP system vide reply dated 19.12.2017; 2. OCEMS Installed and connected.	Dr. Pankaj Kumar	19.12.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to resume only after obtaining valid consent. 3. Compliance verification by SPCB within 60 days. Legal action may be dealt with.

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
15/03/2018

S. No.	Name of The unit	Sector	Closure date	Reason for Closure	Reasons/Criteria for revocation	Processed By	Date of Representation	Recommended/ Not recommended	Recommendation of the committee
6	M/s Monde Apparels Pvt. Ltd., 122/720, Shastri Nagar Kanpur	Textile	Closure	1. ETP not operational 2. No OCEMS 3. No HW Authorization	1. ETP has been modified & relevant photographs submitted. 2. Application submitted for limiting discharge to 8 KLD. 3. Flowmeter and web camera installed and connected to CPCB server.	Dr. Pankaj Kumar	11.12.2017, 27.11.2017, 31.07.2017, 22.07.2017, 17.07.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to be resumed only after obtaining valid consent. 3. Compliance verification by SPCB within 60 days of resuming operation.
7	M/s Muskan Dyeing, Nal Basti Naugawan Sadat, Amroha, U.P	Textile	01.06.2017	No provision for OCEMS.	The unit has installed OCEMS at outlet of ETP and connected to CPCB server. Unit to obtain revised valid consent to operate under Air/Water acts from UPPCB.	Dr. Pankaj Kumar	22.12.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to resume only after obtaining valid consent. 3. Compliance verification by SPCB within 60 days of resuming operation.
8	M/s. Shiva Industries, C-26, Panki Industrial Estate, Site- I, Kanpur-208022, UP	Textile	13.06.2017	1. Unit doesn't have consent to operate. 2. No provision for OCEMS.	1. The Unit has submitted a copy of consent to operate under Air and Water Act issued by UPPCB with validity upto 31.12.2018. 2. Unit has installed and provided connectivity of OCEMS for treated effluent monitoring parameters - BOD, COD, TSS, pH & Flow 3. Unit has submitted self certificate and affidavit regarding compliance to CPCB directions.	Dr. Pankaj Kumar	23.01.2018	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation 2. Compliance verification by SPCB within 60 days of resuming operation.
9	M/s. Palkhuwa Waterproofing Co. Pvt. Ltd, Jindal Nagar, Hapur, UP	Textile	21.06.2017	The Unit has not installed OCEMS.	1. The Unit has submitted an application for reducing discharge limit from 11.05 KLD to 4.5 KLD to UPPCB. 2. The Unit has installed web camera and flow meter at ETP outlet and the same is connected to CPCB server.	Dr. Pankaj Kumar	11.07.2017, 23.07.2017, 08.08.2017, 21.08.2017, 07.09.2017, 01.12.2017 and 12.12.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to resume only after obtaining valid consent. 3. Compliance verification by SPCB within 60 days of resuming operation.
10	M/s. A K Industries, 85-B, Dada Nagar, Kanpur-208022, UP	Textile	17.07.2017	1. Non-Installation & commissioning of online effluent monitoring system (OCEMS) and connectivity to CPCB. 2. Non-compliance of effluent discharge standards.	1. OCEMS installed and connected. 2. The unit has modified the ETP components to control exceeding values of BOD, Sulphide, changed media of Installed PSF and ACF, earlier used flocculating agent has been replaced with branded chemicals (photographs of ETP component attached) 3. Unit has submitted a copy of consent to operate under Air and Water Act issued by UPPCB with validity upto 31.12.2019 for a total effluent discharge capacity of 10.5 KLD. 4. Unit has provided copy of affidavit stating intent to curtail their discharge capacity with a copy of application to UPPCB for revised consent under Air and Water Act, with a modified discharge capacity of total 8.5 KLD.	Dr. Pankaj Kumar	16.10.2017, 19.12.2017 and 31.01.2018	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to resume only after obtaining valid consent to operate. 3. Compliance verification by SPCB within 60 days of resuming operation.

Jagan

Pankaj

*Hem Patel
15/03/2018*

S. No.	Name of The unit	Sector	Closure date	Reason for Closure	Reasons/Criteria for revocation	Processed By	Date of Representation	Recommended/ Not recommended	Recommendation of the committee
11	M/s Varanasi Carpets (Exports) Pvt. Ltd. Madhosingh, P.O. Aurai, Distt. Bhadoht-221301	Textile	15.05.2017 & 31.05.2017	1. Non-Installation & commissioning of online effluent monitoring system (OCEMS) and connectivity to CPCB. 2. Non- Compliance of notified effluent discharge standards.	1. Unit has installed OCEMS for treated effluent monitoring for flow, BOD, COD, pH, and TSS and has data connectivity with CPCB server. 2. Industry has provided details of ETP (new) based on MBBR technology with size, layout, piping and photographs of new ETP, photo of blocked discharge points and screen chambers. 3. As directed by committee on 22.11.2017, Copy of completion of erection and commissioning report of ETP plant of 50 KLD issued by Aarav Industrial solutions (vendor) has been provided on E-mail. 4. Unit has provided photograph of blocked bypass as recommended by committee. 5. Unit has provided copy of online application for consent to operate under Air and Water Act, submitted to UPPCB dated 26.07.2017.	Dr. Pankaj Kumar	10.11.2017 and 14.12.2017	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. Operation to resume only after obtaining valid consent. 3. Compliance verification by SPCB within 60 days of resuming operation.
12	M/s Shiva Fasteners Pvt. Ltd., S-38, Industrial Area, Partapur, Meerut	Textile	29.06.2017	Not provided OCEMS connectivity	1. Provided connectivity 2. Application for consent submitted 3. ETP size and documents submitted	Dr. Pankaj Kumar	20.07.2017, 15.01.2018	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. The unit shall obtain valid consent from SPCB, obtain permission from CGWA and install water meter at tubewell. 3. Compliance verification by SPCB within 60 days of resuming operation.
13	M/s. J.P Knitwears, S-9, Site-4, Panki Industrial Area, Kanpur	Textile	15.05.2017 & 01.06.2017	1. Non-Installation & commissioning of online effluent monitoring system (OCEMS) and connectivity to CPCB. 2. Non-compliance of effluent discharge standards.	1. Unit has submitted copy of consent to operate under Water Act issued by UPPCB dated with validity up to 31.12.2019 with modified discharge capacity 8.0 KLD. 2. Unit has installed OCEMS system for treated effluent monitoring and flow and totalizer. 3. Unit has submitted details of ETP in form of adequacy report from KK Environmental Solutions, Lucknow along with photographs of ETP components.	Dr. Pankaj Kumar	27.09.2017, 10.01.2017 and 29.01.2018	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of starting operation. 2. The unit to obtain valid consent with reduced capacity. 3. Compliance verification by SPCB within 60 days of starting operation.
14	M/s. Ganga Knit Fab, C-98, Rooma Industrial Area, Kanpur, UP	Textile	15.05.2017 & 28.06.2017	1. Non-installation of OCEMS. 2. Non- Compliance w.r.t effluent standards.	1. Unit has provided adequacy report of their PETP of process discharge 127 KLD from National Productivity Council (NPC). 2. Unit is a member of CETP Rooma with consented discharge capacity of 120 KLD. 3. Unit has applied for NOC for modification in consented capacity under Water and Air Act as previous consent has expired 4. Flow meter and webcam installed at ETP outlet and connected to CPCB server.	Dr. Pankaj Kumar	21.11.2017, 01.01.2018 & 08.02.2018	Recommended	1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. The unit to obtain valid consent for increased capacity. 3. Compliance verification by SPCB within 60 days of resuming operation.

Zareen

Dr. Pankaj Kumar

*HP Pankaj Kumar
15/02/2018*

S. No.	Name of The unit	Sector	Closure date	Reason for Closure	Reasons/Criteria for revocation	Processed By	Date of Representation	Recommended/ Not recommended	Recommendation of the committee
15	M/s. Wave Industries Ltd, (Sugar Unit), Panni Nagar, Bulandshahar, U.P- 203001	Sugar	16.06.2017	Not submitting ETP adequacy report.	<ol style="list-style-type: none"> 1. The unit has provided the adequacy report and completed the recommendations of adequacy report made by the NSI. 2. The Unit has modified the oil & grease removal tank & sludge drying bed., 3. The Unit has prepared the irrigation plan and constructed the lagoon. 4. The Unit has placed the order for the flow meter as suggested by NSI. 5. The Unit has installed the tertiary treatment & primary clarifier. 	Dr. Manoj Makhija	04.01.2018	Recommended	<ol style="list-style-type: none"> 1. The unit to submit treated effluent analysis report from EPA recognized laboratory within 45 days of resuming operation. 2. The unit to start operation after obtaining valid consent from UPPCB. 3. Implementation of Action Plan of adequacy may be verified by CPCB.

2/3/18

Dr. Manoj Makhija

*Time Pated
15/03/2018*