

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	96	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	233	NO <sub>2</sub>	1
3	Ajmer	Satisfactory	92	PM <sub>10</sub>	1
4	Alwar	Satisfactory	81	PM <sub>10</sub>	1
5	Amaravati	Good	41	PM <sub>10</sub>	1
6	Ambala	Moderate	184	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	103	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	191	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	88	PM <sub>10</sub>	1
10	Baghpat	Poor	261	PM <sub>2.5</sub>	1
11	Bahadurgarh	Poor	229	PM <sub>2.5</sub>	1
12	Ballabgarh	Moderate	124	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	116	PM <sub>10</sub>	1
14	Bengaluru	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
15	Bhiwadi	Poor	240	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	152	PM <sub>2.5</sub>	1
17	Bhopal	Moderate	163	PM <sub>10</sub>	1
18	Brajrajnagar	Moderate	105	PM <sub>10</sub>	1
19	Bulandshahr	Moderate	170	PM <sub>2.5</sub>	1
20	Chandigarh	Moderate	186	PM <sub>2.5</sub>	1
21	Chandrapur	Satisfactory	94	PM <sub>10</sub> , OZONE	2
22	Chennai	Satisfactory	54	PM <sub>2.5</sub> , OZONE, CO	4
23	Chikkaballapur	Good	26	со	1
24	Damoh	Moderate	124	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	284	PM <sub>2.5</sub>	35
26	Dewas	Moderate	156	PM <sub>10</sub>	1
27	Dharuhera	Moderate	190	PM <sub>2.5</sub>	1
28	Eloor	Good	37	со	1
29	Faridabad	Poor	245	PM <sub>2.5</sub>	1
30	Fatehabad	Moderate	166	PM <sub>10</sub>	1
31	GandhiNagar	Moderate	131	PM <sub>10</sub>	1
32	Gaya	Moderate	175	PM <sub>2.5</sub>	1
33	Ghaziabad	Poor	298	PM <sub>2.5</sub>	3
34	Greater_Noida	Poor	266	PM <sub>2.5</sub>	2
35	Gurugram	Poor	279	PM <sub>2.5</sub>	2
36	Guwahati	Satisfactory	88	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Good	20	OZONE	1
38	Hapur	Moderate	179	PM <sub>2.5</sub>	1
39	Hisar	Poor	297	PM <sub>2.5</sub>	1
40	Howrah	Moderate	159	PM <sub>2.5</sub>	2
41	Hubballi	Satisfactory	75	PM <sub>10</sub>	1
42	Hyderabad	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	4
43	Indore	Moderate	176	PM <sub>10</sub>	1
44	Jabalpur	Moderate	114	PM <sub>10</sub>	1
45	Jaipur	Moderate	128	PM <sub>10</sub> , PM <sub>2.5</sub>	3
46	Jalandhar	Poor	208	PM <sub>2.5</sub>	1
47	Jind	Poor	295	PM <sub>2.5</sub>	1
48	Jodhpur	Poor	223	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Moderate	200	PM <sub>10</sub>	1
50	Kalaburagi	Satisfactory	89	PM <sub>2.5</sub>	1
51	Kalyan	Moderate	128	PM <sub>10</sub>	1
52	Karnal	Poor	261	PM <sub>2.5</sub>	1
53	Katni	Moderate	136	PM <sub>10</sub>	1
54	Khanna	Moderate	126	PM <sub>2.5</sub>	1
55	Kolkata	Satisfactory	76	PM <sub>2.5</sub> , PM <sub>10</sub> , OZONE	7
56	Kota	Moderate	170	PM <sub>2.5</sub>	1
57	Kurukshetra	Moderate	198	PM <sub>2.5</sub>	1
58	Loni_Ghaziabad	Very Poor	315	PM <sub>2.5</sub>	1
59	Lucknow	Poor	220	PM <sub>2.5</sub>	3
60	Ludhiana	Poor	236	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- $^{\star}$  AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Satisfactory	96	PM <sub>10</sub>	1
62	Mandideep	Moderate	194	PM <sub>10</sub>	1
63	Mandikhera	Moderate	167	PM <sub>10</sub>	1
64	Manesar	Poor	252	PM <sub>2.5</sub>	1
65	Meerut	Poor	269	PM <sub>2.5</sub>	2
66	Moradabad	Very Poor	305	PM <sub>2.5</sub>	1
67	Mumbai	Moderate	146	OZONE, PM <sub>10</sub> , CO	8
68	Muzaffarnagar	Poor	230	PM <sub>2.5</sub>	1
69	Muzaffarpur	Poor	207	PM <sub>2.5</sub>	1
70	Mysuru	Good	40	PM <sub>10</sub>	1
71	Nagpur	Moderate	101	PM <sub>10</sub>	1
72	Narnaul	Moderate	189	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Satisfactory	77	PM <sub>10</sub>	1
74	Navi Mumbai	Moderate	117	PM <sub>10</sub> , CO	3
75	Noida	Poor	283	PM <sub>2.5</sub>	4
76	Pali	Moderate	106	PM <sub>10</sub>	1
77	Palwal	Poor	260	PM <sub>2.5</sub>	1
78	Panchkula	Moderate	170	PM <sub>2.5</sub>	1
79	Panipat	Poor	261	PM <sub>2.5</sub>	1
80	Patiala	Moderate	116	PM <sub>2.5</sub>	1
81	Patna	Poor	256	PM <sub>2.5</sub>	1
82	Pithampur	Moderate	161	PM <sub>10</sub>	1
83	Pune	Moderate	194	PM <sub>2.5</sub>	1
84	Rajamahendravaram	Good	49	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	27	PM <sub>10</sub>	1
86	Ratlam	Moderate	143	PM <sub>10</sub>	1
87	Rohtak	Poor	259	PM <sub>2.5</sub>	1
88	Rupnagar	Moderate	120	PM <sub>10</sub>	1
89	Satna	Moderate	150	PM <sub>10</sub>	1
90	Shillong	Good	35	PM <sub>2.5</sub>	1
91	Siliguri	Satisfactory	70	PM <sub>10</sub>	1
92	Singrauli	Poor	218	PM <sub>2.5</sub>	1
93	Sirsa	Very Poor	342	PM <sub>2.5</sub>	1
94	Solapur	Moderate	111	PM <sub>10</sub>	1
95	Sonipat	Poor	217	PM <sub>2.5</sub>	1
96	Talcher	Satisfactory	56	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	72	SO <sub>2</sub>	1
98	Thiruvananthapuram	Good	49	со	1
99	Tirupati	Good	31	NO <sub>2</sub>	1
100	Udaipur	Moderate	105	PM <sub>10</sub>	1
101	Ujjain	Moderate	149	PM <sub>2.5</sub>	1
102	Vapi	Moderate	183	PM <sub>2.5</sub>	1
103	Varanasi	Poor	240	PM <sub>2.5</sub>	1
104	Vatva	Poor	205	PM <sub>10</sub>	1
105	Vijayawada	Moderate	151	со	1
106	Visakhapatnam	Good	34	OZONE	1
107	Yadgir	Moderate	102	PM <sub>2.5</sub>	1
108	Yamunanagar	Poor	240	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asanol, Coimbatore, Jorapokhar, Kanpur, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.