

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	108	PM _{2.5}	1
2	Ahmedabad	Satisfactory	86	NO ₂	1
3	Ajmer	Satisfactory	96	PM ₁₀	1
4	Alwar	Satisfactory	54	OZONE	1
5	Amaravati	Satisfactory	92	PM _{2.5}	1
6	Ambala	Moderate	101	PM ₁₀	1
7	Amritsar	Satisfactory	64	PM ₁₀	1
8	Ankleshwar	Moderate	197	PM _{2.5}	1
9	Asanol	Poor	221	PM _{2.5}	1
10	Aurangabad	Satisfactory	92	PM ₁₀	1
11	Baghpat	Moderate	135	PM _{2.5}	1
12	Bahadurgarh	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	179	PM ₁₀	1
14	Bathinda	Satisfactory	85	PM ₁₀	1
15	Bengaluru	Satisfactory	60	PM ₁₀ , CO, PM _{2.5}	8
16	Bhiwadi	Poor	230	PM _{2.5}	1
17	Bhiwani	Moderate	105	PM _{2.5}	1
18	Bhopal	Poor	237	PM _{2.5}	1
19	Bulandshahr	Moderate	117	PM ₁₀	1
20	Chandigarh	Satisfactory	93	PM ₁₀	1
21	Chandrapur	Moderate	138	PM _{2.5}	2
22	Chennai	Good	48	PM ₁₀	1
23	Coimbatore	Good	47	PM _{2.5}	1
24	Damoh	Moderate	161	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Moderate	193	PM _{2.5}	35
26	Dewas	Moderate	179	PM _{2.5}	1
27	Dharuhera	Satisfactory	95	PM ₁₀	1
28	Eloor	Good	49	со	1
29	Faridabad	Moderate	183	PM _{2.5}	1
30	Fatehabad	Moderate	116	PM ₁₀	1
31	GandhiNagar	Satisfactory	65	PM _{2.5}	1
32	Gaya	Poor	230	PM _{2.5}	1
33	Ghaziabad	Poor	256	PM _{2.5}	4
34	Greater_Noida	Poor	228	PM _{2.5}	2
35	Gurugram	Satisfactory	78	PM _{2.5}	1
36	Guwahati	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Satisfactory	99	PM ₁₀	1
38	Hapur	Moderate	116	PM ₁₀	1
39	Hisar	Moderate	181	PM _{2.5}	1
40	Howrah	Poor	279	PM _{2.5}	3
41	Hubballi	Satisfactory	59	PM ₁₀	1
42	Hyderabad	Moderate	128	PM _{2.5} , PM ₁₀	6
43	Indore	Moderate	170	PM _{2.5}	1
44	Jabalpur	Poor	271	PM _{2.5}	1
45	Jaipur	Moderate	111	PM _{2.5} , PM ₁₀	3
46	Jalandhar	Satisfactory	79	PM ₁₀	1
47	Jind	Moderate	118	PM _{2.5}	1
48	Jodhpur	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Poor	212	PM _{2.5}	1
50	Kaithal	Moderate	103	PM ₁₀	1
51	Kalaburagi	Satisfactory	94	PM ₁₀	1
52	Kalyan	Moderate	144	PM ₁₀	1
53	Kanpur	Moderate	182	PM _{2.5}	1
54	Karnal	Moderate	140	PM _{2.5}	1
55	Katni	Poor	292	PM _{2.5}	1
56	Khanna	Satisfactory	97	PM ₁₀	1
57	Kolkata	Poor	227	PM _{2.5} , OZONE	7
58	Kota	Satisfactory	81	PM _{2.5}	1
59	Kurukshetra	Moderate	145	PM _{2.5}	1
60	Lucknow	Moderate	182	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Good	50	NO ₂	1
62	Maihar	Good	50	PM ₁₀	1
63	Mandi Gobindgarh	Poor	201	PM _{2.5}	1
64	Mandideep	Poor	212	PM ₁₀	1
65	Mandikhera	Satisfactory	75	PM _{2.5}	1
66	Manesar	Moderate	105	PM _{2.5}	1
67	Meerut	Moderate	190	PM _{2.5}	2
68	Moradabad	Moderate	177	PM _{2.5}	1
69	Mumbai	Moderate	190	PM _{2.5}	9
70	Muzaffarpur	Poor	294	PM _{2.5}	1
71	Mysuru	Satisfactory	62	PM ₁₀	1
72	Nagpur	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	104	PM _{2.5}	1
74	Nashik	Moderate	118	PM _{2.5}	1
75	Navi Mumbai	Moderate	157	PM _{2.5} , CO	3
76	Noida	Poor	203	PM _{2.5}	4
77	Pali	Moderate	126	PM _{2.5}	1
78	Palwal	Moderate	168	PM _{2.5}	1
79	Panchkula	Satisfactory	60	PM _{2.5}	1
80	Panipat	Moderate	161	PM ₁₀	1
81	Patiala	Satisfactory	70	PM ₁₀	1
82	Patna	Very Poor	312	PM _{2.5}	1
83	Pithampur	Moderate	137	PM _{2.5}	1
84	Pune	Moderate	178	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Moderate	113	PM _{2.5}	1
86	Ramanagara	Satisfactory	60	PM ₁₀	1
87	Ratlam	Moderate	151	PM ₁₀	1
88	Rohtak	Moderate	110	PM _{2.5}	1
89	Rupnagar	Moderate	167	PM _{2.5}	1
90	Satna	Satisfactory	69	PM ₁₀	1
91	Siliguri	Moderate	181	PM _{2.5}	1
92	Singrauli	Very Poor	339	PM _{2.5}	1
93	Sirsa	Moderate	103	PM ₁₀	1
94	Solapur	Moderate	123	PM ₁₀	1
95	Sonipat	Satisfactory	88	PM ₁₀	1
96	Talcher	Poor	274	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	90	PM ₁₀	1
98	Thiruvananthapuram	Satisfactory	57	со	1
99	Tirupati	Good	31	PM ₁₀	1
100	Udaipur	Moderate	108	PM ₁₀	1
101	Ujjain	Moderate	106	PM ₁₀	1
102	Vapi	Poor	299	PM _{2.5}	1
103	Varanasi	Very Poor	321	PM _{2.5}	1
104	Visakhapatnam	Moderate	130	PM _{2.5}	1
105	Yadgir	Satisfactory	63	PM _{2.5}	1
106	Yamunanagar	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Chikkaballapur, Muzaffarnagar, Shillong, Vatva, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.