

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	52	NO ₂	1
2	Ahmedabad	Satisfactory	74	PM ₁₀	1
3	Aizawl	Satisfactory	89	PM _{2.5}	1
4	Alwar	Satisfactory	62	O ₃	1
5	Amaravati	Satisfactory	54	PM ₁₀	1
6	Ambala	Good	39	PM ₁₀	1
7	Amritsar	Satisfactory	63	PM ₁₀	1
8	Ankleshwar	Satisfactory	67	O ₃	1
9	Asanol	Satisfactory	60	PM ₁₀	1
10	Aurangabad	Good	49	O ₃	1
11	Bagalkot	Satisfactory	63	O ₃	1
12	Bahadurgarh	Good	42	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	95	со	1
14	Bengaluru	Satisfactory	57	PM _{2.5} , O ₃ , PM ₁₀	7
15	Bhiwadi	Good	44	O ₃	1
16	Bhiwani	Moderate	102	03	1
17	Brajrajnagar	Moderate	130	PM ₁₀	1
18	Bulandshahr	Moderate	106	03	1
19	Chandigarh	Good	36	PM ₁₀	1
20	Chandrapur	Moderate	160	03	1
21	Chennai	Good	46	PM _{2.5}	3
22	Chikkamagaluru	Satisfactory	60	O ₃	1
23	Delhi	Satisfactory	62	PM _{2.5} , PM ₁₀ , NO ₂	28
24	Dewas	Moderate	102	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Satisfactory	52	PM _{2.5}	1
26	Eloor	Satisfactory	57	PM ₁₀	1
27	Faridabad	Satisfactory	83	O ₃	1
28	Fatehabad	Satisfactory	61	03	1
29	Gandhinagar	Satisfactory	54	PM ₁₀	1
30	Gaya	Moderate	111	O ₃	2
31	Ghaziabad	Good	48	PM ₁₀	3
32	Greater Noida	Satisfactory	88	CO, PM ₁₀	2
33	Gurugram	Satisfactory	62	O ₃	3
34	Guwahati	Moderate	174	PM ₁₀	1
35	Gwalior	Satisfactory	95	03	1
36	Hajipur	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Satisfactory	64	PM ₁₀	1
38	Hisar	Good	45	PM ₁₀	1
39	Howrah	Satisfactory	76	PM ₁₀	2
40	Hyderabad	Satisfactory	79	PM _{2.5} , PM ₁₀	3
41	Indore	Satisfactory	51	PM ₁₀	1
42	Jabalpur	Satisfactory	62	O ₃	1
43	Jaipur	Satisfactory	65	O ₃ , PM ₁₀	3
44	Jalandhar	Good	32	PM ₁₀	1
45	Jind	Satisfactory	59	O ₃	1
46	Jodhpur	Satisfactory	80	PM _{2.5}	1
47	Kaithal	Good	35	PM ₁₀	1
48	Kannur	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Good	48	O ₃	1
50	Karnal	Good	39	PM ₁₀	1
51	Katni	Satisfactory	81	O ₃	1
52	Khanna	Good	29	PM ₁₀	1
53	Kochi	Good	38	PM ₁₀	1
54	Kolkata	Moderate	102	O ₃ , PM _{2.5} , PM ₁₀	6
55	Kota	Satisfactory	67	PM ₁₀	1
56	Kozhikode	Satisfactory	53	PM _{2.5}	1
57	Kurukshetra	Good	44	O ₃	1
58	Lucknow	Satisfactory	58	PM _{2.5} , O ₃ , CO	4
59	Ludhiana	Good	27	O ₃	1
60	Maihar	Satisfactory	51	NO ₂	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Good	28	PM ₁₀	1
62	Mandideep	Good	30	PM ₁₀	1
63	Mandikhera	Satisfactory	87	03	1
64	Manesar	Good	46	SO ₂	1
65	Meerut	Satisfactory	55	PM ₁₀	2
66	Mumbai	Satisfactory	71	O ₃ , PM ₁₀	9
67	Muzaffarnagar	Good	48	PM ₁₀	1
68	Muzaffarpur	Moderate	153	O ₃	1
69	Nagpur	Satisfactory	70	O ₃	1
70	Nandesari	Moderate	153	СО	1
71	Narnaul	Good	37	PM ₁₀	1
72	Nashik	Satisfactory	88	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	101	CO, O ₃	3
74	Noida	Satisfactory	58	CO, PM ₁₀	4
75	Pali	Satisfactory	76	O ₃	1
76	Palwal	Satisfactory	62	PM ₁₀	1
77	Panchkula	Satisfactory	82	O ₃	1
78	Patiala	Good	25	PM ₁₀	1
79	Patna	Satisfactory	69	PM ₁₀	2
80	Pithampur	Satisfactory	56	СО	1
81	Pune	Satisfactory	62	со	1
82	Rajamahendravaram	Satisfactory	66	O ₃	1
83	Ramanagara	Good	46	PM ₁₀	1
84	Ratlam	Satisfactory	51	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Good	36	PM _{2.5}	1
86	Rupnagar	Good	27	PM ₁₀	1
87	Sagar	Good	22	PM ₁₀	1
88	Satna	Good	34	PM ₁₀	1
89	Shillong	Good	47	PM ₁₀	1
90	Singrauli	Satisfactory	100	PM ₁₀	1
91	Sirsa	Satisfactory	96	SO ₂	1
92	Sonipat	Satisfactory	51	PM ₁₀	1
93	Talcher	Moderate	150	PM _{2.5}	1
94	Thane	Satisfactory	52	O ₃	1
95	Thiruvananthapuram	Good	43	PM ₁₀	1
96	Tirupati	Satisfactory	53	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Satisfactory	76	O ₃	1
98	Ujjain	Satisfactory	89	O ₃	1
99	Vapi	Satisfactory	77	СО	1
100	Vatva	Satisfactory	53	PM ₁₀	1
101	Visakhapatnam	Satisfactory	65	O ₃	1
102	Yadgir	Satisfactory	66	PM ₁₀	1
103	Yamunanagar	Good	40	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Bhopal, Chikkaballapur, Coimbatore, Damoh, Ernakulam, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Kollam, Moradabad, Mysuru, Panipat, Siliguri, Solapur, Varanasi, Vijayapura as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.