

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	87	PM _{2.5}	1
2	Ahmedabad	Satisfactory	87	PM ₁₀	1
3	Aizawl	Good	50	PM _{2.5}	1
4	Ajmer	Satisfactory	78	O ₃	1
5	Alwar	Satisfactory	72	O ₃	1
6	Amaravati	Good	36	PM ₁₀	1
7	Ankleshwar	Satisfactory	75	PM ₁₀	1
8	Asanol	Satisfactory	99	PM ₁₀	1
9	Aurangabad	Good	50	O ₃	1
10	Bahadurgarh	Moderate	131	PM _{2.5}	1
11	Ballabgarh	Satisfactory	75	PM _{2.5}	1
12	Bengaluru	Satisfactory	58	PM ₁₀ , O ₃ , PM _{2.5}	8

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Satisfactory	88	PM ₁₀	1
14	Bulandshahr	Moderate	178	PM _{2.5}	1
15	Chandigarh	Good	44	PM ₁₀	1
16	Chandrapur	Satisfactory	82	PM _{2.5}	1
17	Chennai	Good	46	O ₃ , CO, PM _{2.5}	4
18	Chikkaballapur	Satisfactory	68	O ₃	1
19	Chikkamagaluru	Satisfactory	61	PM ₁₀	1
20	Coimbatore	Satisfactory	78	NO ₂	1
21	Damoh	Satisfactory	69	PM ₁₀	1
22	Delhi	Moderate	142	PM _{2.5}	32
23	Dewas	Satisfactory	91	O ₃	1
24	Dharuhera	Satisfactory	73	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Eloor	Good	41	PM ₁₀	1
26	Ernakulam	Satisfactory	62	со	1
27	Faridabad	Moderate	123	PM _{2.5} , O ₃ , PM ₁₀	3
28	Fatehabad	Satisfactory	80	03	1
29	Gaya	Moderate	139	O ₃ , PM _{2.5}	2
30	Ghaziabad	Moderate	181	PM _{2.5} , PM ₁₀	4
31	Greater Noida	Moderate	142	PM _{2.5}	2
32	Gurugram	Moderate	106	PM _{2.5} , O ₃	4
33	Guwahati	Moderate	147	PM _{2.5}	1
34	Gwalior	Satisfactory	90	O ₃ , PM _{2.5}	2
35	Hajipur	Satisfactory	66	PM ₁₀	1
36	Hapur	Moderate	124	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motors calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Satisfactory	84	PM ₁₀	1
38	Howrah	Satisfactory	76	PM ₁₀	3
39	Hyderabad	Satisfactory	62	PM ₁₀	3
40	Indore	Satisfactory	88	PM ₁₀	1
41	Jabalpur	Satisfactory	87	PM _{2.5}	1
42	Jaipur	Satisfactory	80	PM ₁₀	3
43	Jalandhar	Good	37	PM ₁₀	1
44	Jind	Satisfactory	90	PM _{2.5}	1
45	Jodhpur	Moderate	124	PM _{2.5}	1
46	Jorapokhar	Moderate	105	PM _{2.5}	1
47	Kaithal	Satisfactory	80	PM ₁₀	1
48	Karnal	Satisfactory	79	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Katni	Satisfactory	98	O ₃	1
50	Khanna	Good	44	PM ₁₀	1
51	Kochi	Good	44	со	1
52	Kolkata	Satisfactory	82	PM _{2.5} , O ₃	6
53	Kollam	Good	48	PM _{2.5}	1
54	Kota	Satisfactory	79	PM ₁₀	1
55	Kozhikode	Good	41	СО	1
56	Kurukshetra	Satisfactory	76	PM ₁₀	1
57	Lucknow	Satisfactory	89	PM _{2.5}	4
58	Ludhiana	Good	44	PM ₁₀	1
59	Maihar	Satisfactory	56	NO ₂	1
60	Mandi Gobindgarh	Satisfactory	55	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motors calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Good	49	PM ₁₀	1
62	Mandikhera	Moderate	129	PM ₁₀	1
63	Manesar	Satisfactory	81	PM ₁₀	1
64	Meerut	Moderate	164	PM _{2.5}	2
65	Mumbai	Satisfactory	58	PM ₁₀ , O ₃	8
66	Muzaffarnagar	Moderate	131	PM _{2.5}	1
67	Muzaffarpur	Moderate	115	PM _{2.5}	1
68	Nandesari	Moderate	181	со	1
69	Nashik	Satisfactory	93	O ₃	1
70	Navi Mumbai	Satisfactory	83	CO, PM ₁₀	3
71	Noida	Moderate	120	PM _{2.5} , PM ₁₀	4
72	Pali	Satisfactory	82	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motors calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Palwal	Moderate	101	PM _{2.5}	1
74	Panchkula	Good	29	O ₃	1
75	Panipat	Moderate	104	PM ₁₀	1
76	Patiala	Good	30	PM ₁₀	1
77	Patna	Moderate	133	NO ₂ , CO, PM ₁₀	5
78	Pithampur	Moderate	103	PM ₁₀	1
79	Pune	Good	50	СО	1
80	Rajamahendravaram	Good	39	PM ₁₀	1
81	Ramanagara	Good	34	PM ₁₀	1
82	Ratlam	Moderate	147	PM _{2.5}	1
83	Rohtak	Moderate	101	PM _{2.5}	1
84	Rupnagar	Good	35	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motors calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sagar	Good	44	PM ₁₀	1
86	Satna	Satisfactory	58	PM ₁₀	1
87	Siliguri	Poor	231	PM _{2.5}	1
88	Singrauli	Moderate	156	PM ₁₀	1
89	Sirsa	Satisfactory	74	PM ₁₀	1
90	Solapur	Satisfactory	70	PM ₁₀	1
91	Sonipat	Moderate	102	PM ₁₀	1
92	Talcher	Moderate	133	PM _{2.5}	1
93	Thane	Good	37	PM ₁₀	1
94	Thiruvananthapuram	Satisfactory	54	O ₃	1
95	Tirupati	Good	38	O ₃	1
96	Udaipur	Satisfactory	59	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	129	PM _{2.5}	1
98	Varanasi	Moderate	134	PM _{2.5}	1
99	Vatva	Satisfactory	75	PM ₁₀	1
100	Visakhapatnam	Good	45	PM ₁₀	1
101	Yadgir	Satisfactory	56	PM ₁₀	1
102	Yamunanagar	Satisfactory	80	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters calculated for today's bulletin for Ambala, Amritsar, Bagalkot, Bathinda, Bhiwani, Bhopal, Brajrajnagar, Gandhinagar, Hubballi, Kalaburgi, Kalyan, Kannur, Kanpur, Moradabad, Mysuru, Nagpur, Narnaul, Shillong, Vapi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.