

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	192	PM _{2.5}	1
2	Ahmedabad	Moderate	160	PM _{2.5}	1
3	Aizawl	Good	23	SO ₂	1
4	Ajmer	Satisfactory	72	PM ₁₀	1
5	Alwar	Satisfactory	85	PM ₁₀	1
6	Amaravati	Satisfactory	58	PM ₁₀	1
7	Ambala	Moderate	153	O ₃	1
8	Amritsar	Moderate	109	PM ₁₀	1
9	Ankleshwar	Satisfactory	99	PM _{2.5}	1
10	Asansol	Satisfactory	65	PM ₁₀	1
11	Aurangabad	Satisfactory	61	PM ₁₀	1
12	Baghpat	Moderate	186	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	139	PM ₁₀	1
14	Ballabgarh	Poor	210	PM _{2.5}	1
15	Bengaluru	Satisfactory	62	CO, PM ₁₀	7
16	Bhiwadi	Poor	255	PM _{2.5}	1
17	Bhiwani	Moderate	115	PM ₁₀	1
18	Bhopal	Satisfactory	97	PM ₁₀	1
19	Brajrajnagar	Moderate	111	PM _{2.5}	1
20	Bulandshahr	Moderate	188	PM ₁₀	1
21	Chandigarh	Moderate	114	PM ₁₀	1
22	Chandrapur	Satisfactory	70	PM ₁₀	2
23	Charkhi Dadri	Very Poor	305	PM _{2.5}	1
24	Chennai	Moderate	108	PM _{2.5} , O ₃	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	78	PM ₁₀	1
26	Chikkamagaluru	Good	39	PM ₁₀	1
27	Damoh	Good	42	PM ₁₀	1
28	Delhi	Moderate	177	PM ₁₀	35
29	Dewas	Moderate	106	PM ₁₀	1
30	Dharuhera	Poor	209	PM ₁₀	1
31	Eloor	Good	31	PM _{2.5}	1
32	Ernakulam	Satisfactory	93	со	1
33	Faridabad	Moderate	179	PM _{2.5} , PM ₁₀	3
34	Fatehabad	Moderate	141	PM ₁₀	1
35	Gandhinagar	Satisfactory	80	PM ₁₀	1
36	Gaya	Good	46	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	202	PM ₁₀	4
38	Greater Noida	Moderate	186	PM ₁₀	2
39	Gurugram	Moderate	175	PM _{2.5} , PM ₁₀	4
40	Guwahati	Satisfactory	55	PM ₁₀	1
41	Gwalior	Moderate	126	PM ₁₀	1
42	Hajipur	Moderate	136	PM ₁₀	1
43	Hapur	Moderate	168	PM ₁₀	1
44	Howrah	Satisfactory	79	PM ₁₀	1
45	Hubballi	Satisfactory	65	PM ₁₀	1
46	Hyderabad	Satisfactory	74	PM ₁₀ , NO ₂	6
47	Indore	Satisfactory	89	PM ₁₀	1
48	Jabalpur	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	139	PM _{2.5} , PM ₁₀	3
50	Jalandhar	Moderate	126	PM _{2.5}	1
51	Jind	Moderate	168	PM _{2.5}	1
52	Jodhpur	Moderate	103	PM ₁₀	1
53	Kaithal	Moderate	125	PM ₁₀	1
54	Kalaburgi	Good	44	PM ₁₀	1
55	Kalyan	Satisfactory	99	PM ₁₀	1
56	Kannur	Good	27	PM _{2.5}	1
57	Kanpur	Moderate	132	PM _{2.5}	1
58	Karnal	Moderate	105	PM _{2.5}	1
59	Katni	Satisfactory	74	PM ₁₀	1
60	Khanna	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Good	42	PM ₁₀	1
62	Kolkata	Satisfactory	69	PM _{2.5} , PM ₁₀	7
63	Kollam	Satisfactory	84	PM _{2.5}	1
64	Kota	Satisfactory	91	PM ₁₀	1
65	Kozhikode	Good	27	со	1
66	Kurukshetra	Moderate	142	PM ₁₀	1
67	Lucknow	Poor	242	PM _{2.5}	4
68	Ludhiana	Moderate	110	PM ₁₀	1
69	Maihar	Satisfactory	53	PM ₁₀	1
70	Mandi Gobindgarh	Satisfactory	95	PM _{2.5}	1
71	Mandideep	Satisfactory	66	PM ₁₀	1
72	Mandikhera	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	or Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Moderate	145	PM ₁₀	1
74	Meerut	Moderate	164	PM ₁₀ , PM _{2.5}	3
75	Moradabad	Moderate	159	PM _{2.5}	1
76	Mumbai	Satisfactory	75	PM ₁₀ , CO	9
77	Muzaffarnagar	Moderate	159	PM ₁₀	1
78	Muzaffarpur	Satisfactory	100	PM ₁₀ , PM _{2.5}	2
79	Nagpur	Satisfactory	71	O ₃	1
80	Nandesari	Moderate	162	со	1
81	Narnaul	Moderate	127	PM ₁₀	1
82	Nashik	Good	36	O ₃	1
83	Navi Mumbai	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
84	Noida	Moderate	180	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Satisfactory	63	PM _{2.5}	1
86	Palwal	Moderate	133	PM ₁₀	1
87	Panchkula	Moderate	106	PM _{2.5}	1
88	Panipat	Moderate	184	PM ₁₀	1
89	Patiala	Moderate	129	PM ₁₀	1
90	Patna	Moderate	114	PM _{2.5} , PM ₁₀	6
91	Pithampur	Satisfactory	92	PM ₁₀	1
92	Rajamahendravaram	Satisfactory	76	PM ₁₀	1
93	Ramanagara	Good	32	PM ₁₀	1
94	Ratlam	Satisfactory	76	PM ₁₀	1
95	Rohtak	Moderate	125	PM _{2.5}	1
96	Rupnagar	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Good	34	PM _{2.5}	1
98	Satna	Satisfactory	73	PM ₁₀	1
99	Shillong	Good	22	PM _{2.5}	1
100	Siliguri	Satisfactory	76	PM _{2.5}	1
101	Singrauli	Moderate	160	PM ₁₀	1
102	Sirsa	Satisfactory	73	PM ₁₀	1
103	Sonipat	Moderate	157	PM ₁₀	1
104	Talcher	Moderate	105	PM ₁₀	1
105	Thane	Moderate	105	PM ₁₀	1
106	Thiruvananthapuram	Satisfactory	60	PM ₁₀	2
107	Tirupati	Good	45	PM ₁₀	1
108	Udaipur	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vapi	Satisfactory	66	PM ₁₀	1
110	Varanasi	Poor	236	PM ₁₀	1
111	Vatva	Moderate	130	PM ₁₀	1
112	Vijayapura	Satisfactory	51	O ₃	1
113	Yamunanagar	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Coimbatore, Hisar, Jorapokhar, Kochi, Mysuru, Pune, Solapur, Ujjain, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring loc
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.