Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	207	$PM_{2.5}$	1
2	Ahmedabad	Moderate	117	PM_{10}	1
3	Ajmer	Satisfactory	90	PM_{10}	1
4	Alwar	Satisfactory	91	PM_{10}	1
5	Amaravati	Good	48	O_3	1
6	Ambala	Poor	275	$PM_{2.5}$	1
7	Amritsar	Moderate	122	$PM_{2.5}$	1
8	Ankleshwar	Moderate	199	$PM_{2.5}$	1
9	Asansol	Satisfactory	97	PM_{10}	1
10	Aurangabad	Satisfactory	65	PM_{10}	1
11	Baghpat	Very Poor	317	$PM_{2.5}$	1
12	Bahadurgarh	Poor	276	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	149	$PM_{2.5}$	1
14	Bengaluru	Good	43	PM_{10}, $PM_{2.5}$	8
15	Bhiwadi	Poor	284	$PM_{2.5}$	1
16	Bhiwani	Moderate	128	PM_{10}	1
17	Bhopal	Satisfactory	83	PM_{10}	1
18	Brajrajnagar	Good	42	PM_{10}	1
19	Bulandshahr	Poor	238	$PM_{2.5}$	1
20	Chandigarh	Moderate	129	PM_{10}	1
21	Chandrapur	Good	38	PM_{10}, O_3	2
22	Charkhi Dadri	Very Poor	343	$PM_{2.5}$	1
23	Chennai	Satisfactory	52	CO, O_3, PM_{10}	4
24	Chikkaballapur	Good	42	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	41	O_3	1
26	Damoh	Satisfactory	63	PM_{10}	1
27	Delhi	Poor	276	$PM_{2.5}$, PM_{10}	33
28	Dewas	Moderate	106	$PM_{2.5}$	1
29	Dharuhera	Poor	269	$PM_{2.5}$	1
30	Eloor	Good	35	CO	1
31	Ernakulam	Satisfactory	83	CO	1
32	Faridabad	Poor	265	$PM_{2.5}$	3
33	Fatehabad	Very Poor	314	$PM_{2.5}$	1
34	Gandhinagar	Satisfactory	89	PM_{10}	1
35	Gaya	Satisfactory	66	PM_{10}	1
36	Ghaziabad	Poor	291	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Poor	286	PM_{10}, $PM_{2.5}$	2
38	Gurugram	Poor	279	$PM_{2.5}$, O_3	4
39	Guwahati	Satisfactory	76	PM_{10}	1
40	Gwalior	Moderate	111	PM_{10}	1
41	Hajipur	Satisfactory	99	$PM_{2.5}$	1
42	Hapur	Moderate	169	PM_{10}	1
43	Hisar	Very Poor	312	$PM_{2.5}$	1
44	Howrah	Satisfactory	65	PM_{10}	2
45	Hubballi	Good	50	PM_{10}	1
46	Hyderabad	Good	33	NO_2, PM_{10}	3
47	Indore	Moderate	102	$PM_{2.5}$	1
48	Jabalpur	Satisfactory	60	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	124	PM_{10}	3
50	Jalandhar	Moderate	140	$PM_{2.5}$	1
51	Jind	Very Poor	308	$PM_{2.5}$	1
52	Jodhpur	Moderate	182	$PM_{2.5}$	1
53	Kaithal	Poor	288	$PM_{2.5}$	1
54	Kannur	Good	49	CO	1
55	Kanpur	Moderate	169	$PM_{2.5}$	1
56	Karnal	Moderate	194	$PM_{2.5}$	1
57	Katni	Satisfactory	85	PM_{10}	1
58	Khanna	Moderate	114	PM_{10}	1
59	Kohima	Satisfactory	63	PM_{10}	1
60	Kolkata	Good	43	PM_{10}, O_3	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kollam	Satisfactory	51	$PM_{2.5}$	1
62	Kota	Moderate	137	$PM_{2.5}$	1
63	Kozhikode	Good	34	PM_{10}	1
64	Lucknow	Moderate	180	$PM_{2.5}$	4
65	Ludhiana	Moderate	194	$PM_{2.5}$	1
66	Maihar	Good	43	PM_{10}	1
67	Mandi Gobindgarh	Poor	267	$PM_{2.5}$	1
68	Mandideep	Satisfactory	81	NO_2	1
69	Mandikhera	Moderate	120	$PM_{2.5}$	1
70	Manesar	Poor	228	$PM_{2.5}$	1
71	Meerut	Poor	243	$PM_{2.5}$, PM_{10}	3
72	Mumbai	Moderate	106	$PM_{2.5}$, PM_{10}, CO	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Poor	244	$PM_{2.5}$	1
74	Muzaffarpur	Moderate	132	PM_{10}, $PM_{2.5}$	2
75	Mysuru	Good	42	O_3	1
76	Nagpur	Satisfactory	70	O_3	1
77	Nandesari	Moderate	194	CO	1
78	Narnaul	Poor	204	$PM_{2.5}$	1
79	Nashik	Satisfactory	66	$PM_{2.5}$	1
80	Navi Mumbai	Moderate	134	$PM_{2.5}$	1
81	Noida	Poor	273	$PM_{2.5}$	4
82	Pali	Moderate	102	PM_{10}	1
83	Panchkula	Poor	212	$PM_{2.5}$	1
84	Panipat	Very Poor	308	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patiala	Moderate	148	PM_{10}	1
86	Patna	Moderate	115	$PM_{2.5}$, PM_{10}, CO	6
87	Pithampur	Moderate	112	$PM_{2.5}$	1
88	Rajamahendravaram	Good	37	CO	1
89	Ramanagara	Good	41	O_3	1
90	Ratlam	Moderate	168	$PM_{2.5}$	1
91	Rohtak	Poor	258	$PM_{2.5}$	1
92	Rupnagar	Moderate	128	$PM_{2.5}$	1
93	Sagar	Satisfactory	80	$PM_{2.5}$	1
94	Satna	Satisfactory	72	PM_{10}	1
95	Shillong	Good	30	$PM_{2.5}$	1
96	Singrauli	Moderate	137	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sirsa	Moderate	149	PM_{10}	1
98	Talcher	Satisfactory	56	PM_{10}	1
99	Thane	Satisfactory	97	PM_{10}	1
100	Thiruvananthapuram	Good	39	PM_{10}	1
101	Thrissur	Good	49	PM_{10}	1
102	Tirupati	Satisfactory	54	CO	1
103	Udaipur	Satisfactory	83	PM_{10}	1
104	Ujjain	Moderate	107	$PM_{2.5}$	1
105	Vapi	Poor	211	$PM_{2.5}$	1
106	Varanasi	Moderate	110	PM_{10}	1
107	Vatva	Moderate	177	PM_{10}	1
108	Vijayapura	Good	45	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yadgir	Good	26	PM$_{10}$	1
110	Yamunanagar	Poor	275	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Ballabgarh, Coimbatore, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kurukshetra, Moradabad, Palwal, Pune, Siliguri, Solapur, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.