



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	338	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	207	O <sub>3</sub>	1
3	Ajmer	Moderate	117	PM <sub>2.5</sub>	1
4	Alwar	Moderate	121	PM <sub>2.5</sub>	1
5	Amaravati	Moderate	111	PM <sub>10</sub>	1
6	Ambala	Poor	282	PM <sub>2.5</sub>	1
7	Amritsar	Poor	216	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	154	PM <sub>10</sub>	1
9	Asansol	Moderate	142	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	79	PM <sub>10</sub>	1
11	Bagalkot	Moderate	149	PM <sub>2.5</sub>	1
12	Baghpat	Severe	403	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Severe	402	PM <sub>2.5</sub>	1
14	Ballabgarh	Very Poor	335	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	169	PM <sub>2.5</sub>	1
16	Bengaluru	Satisfactory	95	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	9
17	Bhiwadi	Severe	404	PM <sub>2.5</sub>	1
18	Bhiwani	Poor	275	PM <sub>10</sub>	1
19	Bhopal	Moderate	167	PM <sub>10</sub>	1
20	Brajrajnagar	Moderate	130	PM <sub>2.5</sub>	1
21	Bulandshahr	Very Poor	361	PM <sub>2.5</sub>	1
22	Chandigarh	Moderate	121	PM <sub>10</sub>	1
23	Chandrapur	Moderate	150	PM <sub>10</sub>	1
24	Charkhi Dadri	Severe	418	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	63	PM <sub>2.5</sub> , PM <sub>10</sub>	3
26	Chikkaballapur	Moderate	111	PM <sub>2.5</sub>	1
27	Chikkamagaluru	Satisfactory	79	PM <sub>10</sub>	1
28	Coimbatore	Moderate	101	PM <sub>2.5</sub>	1
29	Damoh	Moderate	147	PM <sub>10</sub>	1
30	Delhi	Very Poor	395	PM <sub>2.5</sub> , PM <sub>10</sub>	35
31	Dewas	Moderate	134	PM <sub>2.5</sub>	1
32	Dharuhera	Severe	427	PM <sub>10</sub>	1
33	Eloor	Good	48	O <sub>3</sub>	1
34	Faridabad	Very Poor	376	PM <sub>2.5</sub>	4
35	Fatehabad	Very Poor	374	PM <sub>2.5</sub>	1
36	Gandhinagar	Moderate	102	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	87	O <sub>3</sub>	1
38	Ghaziabad	Very Poor	389	PM <sub>2.5</sub>	4
39	Greater Noida	Severe	412	PM <sub>10</sub> , PM <sub>2.5</sub>	2
40	Gurugram	Very Poor	384	PM <sub>2.5</sub>	4
41	Guwahati	Satisfactory	65	PM <sub>10</sub>	1
42	Gwalior	Poor	270	PM <sub>2.5</sub>	1
43	Hapur	Poor	266	PM <sub>10</sub>	1
44	Hisar	Very Poor	386	PM <sub>2.5</sub>	1
45	Howrah	Moderate	173	PM <sub>2.5</sub>	3
46	Hubballi	Moderate	107	PM <sub>10</sub>	1
47	Hyderabad	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	5
48	Indore	Moderate	169	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	139	PM <sub>10</sub>	1
50	Jaipur	Moderate	156	PM <sub>2.5</sub>	3
51	Jalandhar	Moderate	151	PM <sub>10</sub>	1
52	Jind	Severe	405	PM <sub>2.5</sub>	1
53	Jodhpur	Poor	256	PM <sub>2.5</sub>	1
54	Kaithal	Very Poor	317	PM <sub>2.5</sub>	1
55	Kalyan	Moderate	135	PM <sub>10</sub>	1
56	Kannur	Satisfactory	53	CO	1
57	Kanpur	Poor	287	PM <sub>2.5</sub>	1
58	Karnal	Poor	209	PM <sub>2.5</sub>	1
59	Katni	Moderate	151	PM <sub>10</sub>	1
60	Khanna	Poor	242	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Moderate	110	CO	1
62	Kohima	Satisfactory	61	PM <sub>10</sub>	1
63	Kolkata	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	6
64	Kota	Moderate	199	PM <sub>2.5</sub>	1
65	Kozhikode	Satisfactory	61	PM <sub>10</sub>	1
66	Kurukshetra	Poor	291	PM <sub>2.5</sub>	1
67	Lucknow	Poor	270	PM <sub>2.5</sub>	3
68	Ludhiana	Poor	226	PM <sub>2.5</sub>	1
69	Maihar	Satisfactory	56	PM <sub>10</sub>	1
70	Mandi Gobindgarh	Moderate	158	PM <sub>2.5</sub>	1
71	Mandideep	Moderate	147	PM <sub>2.5</sub>	1
72	Mandikhera	Poor	273	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Very Poor	334	PM <sub>2.5</sub>	1
74	Meerut	Poor	275	PM <sub>10</sub> , PM <sub>2.5</sub>	3
75	Moradabad	Very Poor	370	PM <sub>2.5</sub>	1
76	Mumbai	Moderate	146	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	9
77	Muzaffarnagar	Poor	248	PM <sub>10</sub>	1
78	Muzaffarpur	Moderate	194	PM <sub>2.5</sub> , O <sub>3</sub>	2
79	Nagpur	Satisfactory	71	PM <sub>2.5</sub>	1
80	Nandesari	Good	42	PM <sub>2.5</sub>	1
81	Narnaul	Poor	248	PM <sub>2.5</sub>	1
82	Nashik	Satisfactory	67	O <sub>3</sub>	1
83	Navi Mumbai	Moderate	154	PM <sub>2.5</sub>	2
84	Noida	Very Poor	383	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	128	PM <sub>10</sub>	1
86	Palwal	Poor	223	PM <sub>2.5</sub>	1
87	Panchkula	Satisfactory	96	PM <sub>2.5</sub>	1
88	Panipat	Very Poor	330	PM <sub>10</sub>	1
89	Patiala	Poor	221	PM <sub>2.5</sub>	1
90	Patna	Moderate	187	PM <sub>2.5</sub> , PM <sub>10</sub>	6
91	Pithampur	Moderate	112	PM <sub>10</sub>	1
92	Rajamahendravaram	Moderate	188	O <sub>3</sub>	1
93	Ramanagara	Satisfactory	92	PM <sub>10</sub>	1
94	Ratlam	Moderate	166	PM <sub>10</sub>	1
95	Rohtak	Very Poor	381	PM <sub>2.5</sub>	1
96	Rupnagar	Moderate	193	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Moderate	137	PM <sub>2.5</sub>	1
98	Satna	Satisfactory	64	PM <sub>10</sub>	1
99	Shillong	Good	22	PM <sub>2.5</sub>	1
100	Singrauli	Poor	282	PM <sub>2.5</sub>	1
101	Sirsa	Poor	268	PM <sub>2.5</sub>	1
102	Sonipat	Poor	296	PM <sub>10</sub>	1
103	Talcher	Moderate	169	NO <sub>2</sub>	1
104	Thane	Moderate	148	PM <sub>10</sub>	1
105	Thiruvananthapuram	Satisfactory	70	CO, PM <sub>10</sub>	2
106	Thrissur	Satisfactory	68	PM <sub>10</sub>	1
107	Tirupati	Satisfactory	72	PM <sub>2.5</sub>	1
108	Udaipur	Moderate	101	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Oct 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ujjain	Poor	226	O <sub>3</sub>	1
110	Vapi	Moderate	170	PM <sub>2.5</sub>	1
111	Varanasi	Poor	264	PM <sub>10</sub>	1
112	Vatva	Moderate	157	PM <sub>10</sub>	1
113	Vijayapura	Satisfactory	71	PM <sub>2.5</sub>	1
114	Visakhapatnam	Moderate	116	PM <sub>10</sub>	1
115	Yamunanagar	Very Poor	360	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aizawl, Ernakulam, Hajipur, Jorapokhar, Kalaburgi, Kollam, Mysuru, Pune, Siliguri, Solapur, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.