



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Severe	417	PM _{2.5}	1
2	Ahmedabad	Moderate	134	PM _{2.5}	1
3	Ajmer	Moderate	111	PM _{2.5}	1
4	Alwar	Moderate	175	PM _{2.5}	1
5	Amaravati	Satisfactory	81	O ₃	1
6	Ambala	Poor	221	PM ₁₀	1
7	Amritsar	Poor	264	PM _{2.5}	1
8	Ankleshwar	Poor	223	PM _{2.5}	1
9	Asansol	Poor	231	PM _{2.5}	1
10	Aurangabad	Satisfactory	84	O ₃	1
11	Bagalkot	Moderate	111	CO	1
12	Baghpat	Severe	408	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Severe	421	PM _{2.5}	1
14	Ballabgarh	Severe	418	PM _{2.5}	1
15	Bathinda	Moderate	105	PM ₁₀	1
16	Bengaluru	Satisfactory	53	PM ₁₀ , CO	9
17	Bhiwadi	Severe	448	PM _{2.5}	1
18	Bhiwani	Very Poor	304	PM ₁₀	1
19	Bhopal	Poor	253	PM _{2.5}	1
20	Brajrajnagar	Moderate	142	PM _{2.5}	1
21	Bulandshahr	Severe	418	PM _{2.5}	1
22	Chandigarh	Moderate	106	PM ₁₀	1
23	Chandrapur	Moderate	133	PM _{2.5} , PM ₁₀	2
24	Chennai	Satisfactory	55	PM _{2.5} , O ₃ , CO	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	63	PM _{2.5}	1
26	Chikkamagaluru	Good	43	PM ₁₀	1
27	Coimbatore	Satisfactory	52	PM _{2.5}	1
28	Damoh	Moderate	178	PM _{2.5}	1
29	Delhi	Severe	427	PM _{2.5}	36
30	Dewas	Moderate	114	O ₃	1
31	Dharuhera	Severe	474	PM ₁₀	1
32	Eloor	Good	35	CO	1
33	Ernakulam	Satisfactory	87	CO	1
34	Faridabad	Severe	414	PM _{2.5}	4
35	Fatehabad	Severe	442	PM _{2.5}	1
36	Gandhinagar	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	108	PM _{2.5} , O ₃	2
38	Ghaziabad	Severe	436	PM ₁₀ , PM _{2.5}	4
39	Greater Noida	Severe	428	PM ₁₀ , PM _{2.5}	2
40	Gurugram	Severe	439	PM _{2.5}	4
41	Guwahati	Moderate	147	PM ₁₀	1
42	Gwalior	Very Poor	324	PM _{2.5}	1
43	Hajipur	Moderate	160	PM _{2.5}	1
44	Hapur	Very Poor	380	PM ₁₀	1
45	Hisar	Severe	430	PM _{2.5}	1
46	Howrah	Poor	215	PM _{2.5} , PM ₁₀	3
47	Hubballi	Satisfactory	95	PM ₁₀	1
48	Hyderabad	Moderate	161	PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	147	PM _{2.5}	1
50	Jaipur	Poor	230	PM _{2.5}	3
51	Jalandhar	Poor	222	PM _{2.5}	1
52	Jind	Severe	440	PM _{2.5}	1
53	Jodhpur	Poor	216	PM _{2.5}	1
54	Kaithal	Very Poor	363	PM _{2.5}	1
55	Kalaburgi	Moderate	160	PM ₁₀	1
56	Kalyan	Moderate	116	PM _{2.5}	1
57	Kannur	Good	47	CO	1
58	Kanpur	Severe	412	PM _{2.5}	1
59	Karnal	Poor	223	PM _{2.5}	1
60	Katni	Very Poor	308	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	171	PM _{2.5}	1
62	Kochi	Moderate	111	CO	1
63	Kohima	Satisfactory	87	PM ₁₀	1
64	Kolkata	Poor	221	PM _{2.5}	6
65	Kollam	Satisfactory	80	CO	1
66	Kota	Moderate	193	PM _{2.5}	1
67	Kozhikode	Satisfactory	64	CO	1
68	Kurukshetra	Very Poor	320	PM _{2.5}	1
69	Lucknow	Very Poor	395	PM _{2.5} , PM ₁₀	4
70	Ludhiana	Moderate	195	PM _{2.5}	1
71	Mandi Gobindgarh	Poor	242	PM _{2.5}	1
72	Mandideep	Moderate	199	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Very Poor	397	PM _{2.5}	1
74	Manesar	Severe	434	PM _{2.5}	1
75	Meerut	Very Poor	348	PM ₁₀ , PM _{2.5}	3
76	Moradabad	Very Poor	384	PM _{2.5}	1
77	Mumbai	Moderate	130	PM ₁₀ , PM _{2.5}	9
78	Muzaffarnagar	Very Poor	335	PM _{2.5}	1
79	Muzaffarpur	Moderate	182	O ₃	1
80	Mysuru	Good	29	O ₃	1
81	Nagpur	Satisfactory	80	PM _{2.5}	1
82	Nandesari	Moderate	150	CO	1
83	Narnaul	Very Poor	350	PM _{2.5}	1
84	Navi Mumbai	Moderate	154	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Severe	426	PM _{2.5}	4
86	Pali	Moderate	102	PM _{2.5}	1
87	Palwal	Poor	274	PM ₁₀	1
88	Panchkula	Moderate	155	PM _{2.5}	1
89	Panipat	Very Poor	351	PM ₁₀	1
90	Patiala	Poor	238	PM _{2.5}	1
91	Patna	Poor	244	PM _{2.5} , CO	6
92	Pithampur	Moderate	161	PM _{2.5}	1
93	Pune	Satisfactory	75	PM _{2.5}	1
94	Rajamahendravaram	Poor	215	O ₃	1
95	Ramanagara	Good	41	SO ₂	1
96	Rohtak	Severe	424	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Poor	219	PM _{2.5}	1
98	Sagar	Poor	230	PM _{2.5}	1
99	Satna	Satisfactory	72	PM ₁₀	1
100	Shillong	Good	33	PM _{2.5}	1
101	Siliguri	Poor	235	PM _{2.5}	1
102	Singrauli	Very Poor	327	PM _{2.5}	1
103	Sirsa	Very Poor	354	PM ₁₀	1
104	Sonipat	Very Poor	318	PM ₁₀	1
105	Talcher	Moderate	171	NO ₂	1
106	Thane	Moderate	164	PM ₁₀	1
107	Thiruvananthapuram	Satisfactory	57	CO	1
108	Thrissur	Good	46	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Nov 07, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Good	42	CO	1
110	Udaipur	Moderate	114	PM ₁₀	1
111	Ujjain	Poor	261	O ₃	1
112	Vapi	Poor	234	PM _{2.5}	1
113	Varanasi	Poor	300	PM _{2.5}	1
114	Vatva	Poor	232	PM ₁₀	1
115	Vijayapura	Moderate	116	PM ₁₀	1
116	Visakhapatnam	Moderate	141	PM _{2.5}	1
117	Yadgir	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Jabalpur, Jorapokhar, Maihar, Nashik, Ratlam, Solapur, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.