

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	67	PM _{2.5}	1
2	Agra	Severe	474	PM _{2.5}	1
3	Ahmedabad	Moderate	198	PM _{2.5}	1
4	Ajmer	Poor	213	PM _{2.5}	1
5	Alwar	Poor	222	PM _{2.5}	1
6	Amaravati	Satisfactory	96	PM ₁₀	1
7	Ambala	Poor	295	PM _{2.5}	1
8	Amritsar	Very Poor	323	PM _{2.5}	1
9	Asansol	Moderate	106	PM ₁₀	1
10	Bagalkot	Moderate	115	PM _{2.5}	1
11	Bathinda	Poor	285	PM _{2.5}	1
12	Bengaluru	Moderate	108	PM ₁₀ , PM _{2.5}	9

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Severe	479	PM ₁₀	1
14	Bhiwani	Severe	444	PM ₁₀	1
15	Bhopal	Very Poor	303	PM _{2.5}	1
16	Brajrajnagar	Moderate	178	PM _{2.5}	1
17	Bulandshahr	Severe	468	PM _{2.5}	1
18	Chandigarh	Moderate	146	PM _{2.5}	1
19	Chandrapur	Moderate	172	PM _{2.5} , PM ₁₀	2
20	Charkhi Dadri	Severe	434	PM _{2.5}	1
21	Chennai	Moderate	113	PM _{2.5} , PM ₁₀ , O ₃	5
22	Chikkamagaluru	Satisfactory	77	O ₃	1
23	Coimbatore	Satisfactory	57	PM _{2.5}	1
24	Damoh	Poor	269	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Achites calculated for today's bulletin for Aizawl, Ankleshwar,
 Aurangabad, Baghpat, Bahadurgarh, Ballabgarh, Chikkaballapur,
 Jabalpur, Jorapokhar, Kollam, Kurukshetra, Maihar, Mysuru, Nagpur,
 Narnaul, Ratlam, Shivamogga, Siliguri, Sirsa, Solapur as data was not
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Severe	477	PM _{2.5}	35
26	Dewas	Moderate	195	PM _{2.5}	1
27	Dharuhera	Severe	491	PM _{2.5}	1
28	Eloor	Good	40	O ₃	1
29	Ernakulam	Satisfactory	75	СО	1
30	Faridabad	Severe	456	PM _{2.5} , PM ₁₀	4
31	Fatehabad	Severe	470	PM _{2.5}	1
32	Gandhinagar	Moderate	111	PM ₁₀	1
33	Gaya	Moderate	104	PM _{2.5}	1
34	Ghaziabad	Severe	482	PM _{2.5}	4
35	Greater Noida	Severe	478	PM ₁₀ , PM _{2.5}	2
36	Gurugram	Severe	482	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Moderate	123	PM _{2.5}	1
38	Gwalior	Severe	419	PM _{2.5}	1
39	Hajipur	Moderate	115	PM _{2.5}	1
40	Hapur	Severe	406	PM ₁₀	1
41	Hisar	Severe	480	PM _{2.5}	1
42	Howrah	Poor	204	PM _{2.5}	2
43	Hubballi	Moderate	183	PM ₁₀	1
44	Hyderabad	Moderate	149	PM _{2.5}	5
45	Indore	Poor	259	PM _{2.5}	1
46	Jaipur	Poor	300	PM _{2.5}	3
47	Jalandhar	Poor	273	PM _{2.5}	1
48	Jind	Severe	464	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * **Notes** calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Baghpat, Bahadurgarh, Ballabgarh, Chikkaballapur, Jabalpur, Jorapokhar, Kollam, Kurukshetra, Maihar, Mysuru, Nagpur, Narnaul, Ratlam, Shivamogga, Siliguri, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Poor	267	PM _{2.5}	1
50	Kaithal	Very Poor	334	PM _{2.5}	1
51	Kalaburgi	Moderate	108	PM ₁₀	1
52	Kalyan	Moderate	136	PM _{2.5}	1
53	Kannur	Satisfactory	100	PM _{2.5}	1
54	Kanpur	Severe	403	PM _{2.5}	1
55	Karnal	Poor	271	PM _{2.5}	1
56	Katni	Very Poor	316	PM _{2.5}	1
57	Khanna	Poor	230	PM _{2.5}	1
58	Kochi	Moderate	113	СО	1
59	Kohima	Good	47	PM ₁₀	1
60	Kolkata	Moderate	158	PM _{2.5}	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kota	Poor	246	PM _{2.5}	1
62	Kozhikode	Satisfactory	61	со	1
63	Lucknow	Very Poor	388	PM _{2.5} , PM ₁₀	4
64	Ludhiana	Very Poor	323	PM _{2.5}	1
65	Mandi Gobindgarh	Poor	202	PM _{2.5}	1
66	Mandideep	Poor	216	PM _{2.5}	1
67	Mandikhera	Very Poor	391	PM _{2.5}	1
68	Manesar	Severe	483	PM _{2.5}	1
69	Medikeri	Satisfactory	69	PM _{2.5}	1
70	Meerut	Very Poor	374	PM ₁₀ , PM _{2.5}	3
71	Moradabad	Very Poor	361	PM _{2.5}	1
72	Mumbai	Moderate	148	PM _{2.5} , PM ₁₀ , O ₃	9

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Very Poor	352	PM ₁₀	1
74	Muzaffarpur	Poor	241	PM _{2.5} , PM ₁₀	2
75	Nandesari	Moderate	138	со	1
76	Nashik	Moderate	129	PM _{2.5}	1
77	Navi Mumbai	Moderate	165	PM _{2.5}	1
78	Noida	Severe	477	PM ₁₀	3
79	Pali	Moderate	128	PM _{2.5}	1
80	Palwal	Very Poor	371	PM ₁₀	1
81	Panchkula	Poor	227	PM _{2.5}	1
82	Panipat	Very Poor	329	PM ₁₀	1
83	Patiala	Poor	237	PM _{2.5}	1
84	Patna	Poor	210	PM _{2.5} , PM ₁₀	5

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * **Notes** calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Baghpat, Bahadurgarh, Ballabgarh, Chikkaballapur, Jabalpur, Jorapokhar, Kollam, Kurukshetra, Maihar, Mysuru, Nagpur, Narnaul, Ratlam, Shivamogga, Siliguri, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Moderate	187	PM _{2.5}	1
86	Pune	Satisfactory	62	PM _{2.5}	1
87	Rajamahendravaram	Moderate	186	O ₃	1
88	Ramanagara	Moderate	126	PM _{2.5}	1
89	Rohtak	Severe	473	PM _{2.5}	1
90	Rupnagar	Poor	292	PM _{2.5}	1
91	Sagar	Poor	283	PM _{2.5}	1
92	Satna	Satisfactory	75	PM ₁₀	1
93	Shillong	Good	24	O ₃	1
94	Singrauli	Very Poor	317	PM _{2.5}	1
95	Sonipat	Severe	417	PM ₁₀	1
96	Talcher	Moderate	132	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Poor	215	PM ₁₀	1
98	Thiruvananthapuram	Satisfactory	56	со	1
99	Thoothukudi	Satisfactory	84	O ₃	1
100	Thrissur	Satisfactory	97	03	1
101	Tirupati	Moderate	122	PM _{2.5}	1
102	Udaipur	Moderate	167	PM _{2.5}	1
103	Ujjain	Poor	256	PM _{2.5}	1
104	Vapi	Poor	247	PM _{2.5}	1
105	Varanasi	Very Poor	331	PM _{2.5}	1
106	Vatva	Moderate	163	PM ₁₀	1
107	Vijayapura	Moderate	106	O ₃	1
108	Visakhapatnam	Moderate	135	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motors calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Baghpat, Bahadurgarh, Ballabgarh, Chikkaballapur, Jabalpur, Jorapokhar, Kollam, Kurukshetra, Maihar, Mysuru, Nagpur, Narnaul, Ratlam, Shivamogga, Siliguri, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yadgir	Moderate	114	O ₃	1
110	Yamunanagar	Very Poor	346	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* **Notes** calculated for today's bulletin for Aizawl, Ankleshwar, Aurangabad, Baghpat, Bahadurgarh, Ballabgarh, Chikkaballapur, Jabalpur, Jorapokhar, Kollam, Kurukshetra, Maihar, Mysuru, Nagpur, Narnaul, Ratlam, Shivamogga, Siliguri, Sirsa, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.