

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	73	PM _{2.5}	1
2	Agra	Severe	415	PM _{2.5}	1
3	Ahmedabad	Moderate	175	PM _{2.5}	1
4	Aizawl	Good	25	SO ₂	1
5	Ajmer	Poor	231	PM _{2.5}	1
6	Alwar	Poor	248	PM _{2.5}	1
7	Amaravati	Moderate	105	PM ₁₀	1
8	Ambala	Poor	258	PM _{2.5}	1
9	Amritsar	Poor	273	PM _{2.5}	1
10	Ankleshwar	Poor	240	PM _{2.5}	1
11	Asansol	Satisfactory	97	PM ₁₀	1
12	Aurangabad	Satisfactory	99	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	80	PM _{2.5}	1
14	Baghpat	Severe	447	PM _{2.5}	1
15	Bathinda	Poor	285	PM _{2.5}	1
16	Bengaluru	Satisfactory	93	PM ₁₀ , PM _{2.5} , O ₃	8
17	Bhiwadi	Severe	462	PM _{2.5}	1
18	Bhiwani	Severe	448	PM ₁₀	1
19	Bhopal	Poor	279	PM _{2.5}	1
20	Brajrajnagar	Moderate	128	PM _{2.5}	1
21	Bulandshahr	Severe	417	PM _{2.5}	1
22	Chandigarh	Moderate	122	PM ₁₀	1
23	Chandrapur	Moderate	178	PM _{2.5} , PM ₁₀	2
24	Charkhi Dadri	Severe	431	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Moderate	116	PM _{2.5} , PM ₁₀ , O ₃	6
26	Chikkaballapur	Moderate	109	PM _{2.5}	1
27	Chikkamagaluru	Moderate	103	O ₃	1
28	Damoh	Poor	235	PM _{2.5}	1
29	Delhi	Severe	476	PM _{2.5}	28
30	Dewas	Moderate	199	PM _{2.5}	1
31	Dharuhera	Severe	467	PM _{2.5}	1
32	Eloor	Good	43	O ₃	1
33	Ernakulam	Satisfactory	88	со	1
34	Faridabad	Severe	448	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Severe	467	PM _{2.5}	1
36	Gandhinagar	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	130	PM _{2.5}	2
38	Ghaziabad	Severe	444	PM _{2.5}	2
39	Greater Noida	Severe	436	PM _{2.5}	1
40	Gurugram	Severe	427	PM _{2.5} , PM ₁₀	3
41	Guwahati	Moderate	122	PM ₁₀	1
42	Gwalior	Severe	418	PM _{2.5}	1
43	Hajipur	Satisfactory	91	PM _{2.5}	1
44	Hapur	Very Poor	372	PM ₁₀	1
45	Hisar	Severe	469	PM _{2.5}	1
46	Howrah	Moderate	132	PM _{2.5} , PM ₁₀	3
47	Hubballi	Moderate	115	PM ₁₀	1
48	Hyderabad	Moderate	170	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Poor	242	PM _{2.5}	1
50	Jabalpur	Poor	280	PM _{2.5}	1
51	Jaipur	Very Poor	326	PM _{2.5}	3
52	Jalandhar	Very Poor	310	PM _{2.5}	1
53	Jind	Severe	475	PM _{2.5}	1
54	Jodhpur	Poor	286	PM _{2.5}	1
55	Kaithal	Very Poor	398	PM _{2.5}	1
56	Kalaburgi	Moderate	127	PM ₁₀	1
57	Kalyan	Moderate	162	PM _{2.5}	1
58	Kannur	Satisfactory	100	PM _{2.5}	1
59	Kanpur	Severe	422	PM _{2.5}	1
60	Karnal	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Very Poor	335	PM _{2.5}	1
62	Khanna	Poor	252	PM _{2.5}	1
63	Kochi	Moderate	113	со	1
64	Kohima	Satisfactory	63	PM ₁₀	1
65	Kolkata	Moderate	120	PM _{2.5} , PM ₁₀	4
66	Kota	Moderate	186	PM _{2.5}	1
67	Kozhikode	Satisfactory	78	PM ₁₀	1
68	Kurukshetra	Very Poor	316	PM _{2.5}	1
69	Lucknow	Very Poor	344	PM _{2.5} , PM ₁₀	4
70	Ludhiana	Poor	253	PM _{2.5}	1
71	Mandi Gobindgarh	Poor	258	PM _{2.5}	1
72	Mandideep	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Severe	460	PM _{2.5}	1
74	Manesar	Severe	442	PM _{2.5}	1
75	Medikeri	Satisfactory	78	O ₃	1
76	Meerut	Very Poor	336	PM ₁₀ , PM _{2.5}	3
77	Moradabad	Very Poor	380	PM _{2.5}	1
78	Mumbai	Moderate	146	O ₃ , PM ₁₀ , PM _{2.5}	9
79	Muzaffarnagar	Poor	299	PM _{2.5}	1
80	Muzaffarpur	Moderate	186	PM _{2.5} , PM ₁₀	2
81	Nandesari	Moderate	146	со	1
82	Nashik	Moderate	107	PM _{2.5}	1
83	Navi Mumbai	Moderate	184	PM _{2.5}	2
84	Noida	Severe	455	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	107	PM ₁₀	1
86	Palwal	Very Poor	369	PM ₁₀	1
87	Panchkula	Moderate	167	PM _{2.5}	1
88	Panipat	Very Poor	375	PM ₁₀	1
89	Patiala	Very Poor	302	PM _{2.5}	1
90	Patna	Moderate	198	PM _{2.5} , PM ₁₀ , O ₃	6
91	Pithampur	Moderate	195	PM _{2.5}	1
92	Pune	Satisfactory	68	PM _{2.5}	1
93	Rajamahendravaram	Moderate	150	O ₃	1
94	Ramanagara	Moderate	103	O ₃	1
95	Rohtak	Severe	448	PM _{2.5}	1
96	Rupnagar	Poor	284	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Poor	283	PM _{2.5}	1
98	Satna	Satisfactory	76	PM ₁₀	1
99	Shillong	Good	18	O ₃	1
100	Shivamogga	Satisfactory	82	PM ₁₀	1
101	Siliguri	Moderate	120	PM ₁₀	1
102	Singrauli	Very Poor	314	PM _{2.5}	1
103	Sirsa	Very Poor	381	PM ₁₀	1
104	Solapur	Good	48	PM ₁₀	1
105	Sonipat	Severe	441	PM _{2.5}	1
106	Talcher	Moderate	105	PM ₁₀	1
107	Thane	Poor	235	PM ₁₀	1
108	Thiruvananthapuram	Satisfactory	80	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thoothukudi	Satisfactory	90	O ₃	1
110	Thrissur	Moderate	115	03	1
111	Tirupati	Satisfactory	88	PM _{2.5}	1
112	Udaipur	Moderate	164	PM _{2.5}	1
113	Ujjain	Poor	257	PM _{2.5}	1
114	Vapi	Poor	233	PM _{2.5}	1
115	Varanasi	Poor	286	PM ₁₀	1
116	Vatva	Poor	206	PM ₁₀	1
117	Vijayapura	Moderate	131	O ₃	1
118	Visakhapatnam	Moderate	106	PM ₁₀	1
119	Yadgir	Moderate	116	PM _{2.5}	1
120	Yamunanagar	Very Poor	307	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Ballabgarh, Coimbatore, Jorapokhar, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Ratlam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.