

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM _{2.5}	1
2	Agra	Poor	274	PM _{2.5}	1
3	Ahmedabad	Moderate	157	PM _{2.5}	1
4	Ajmer	Moderate	188	PM _{2.5}	1
5	Alwar	Satisfactory	96	PM ₁₀	1
6	Amaravati	Good	49	O ₃	1
7	Ambala	Very Poor	334	PM _{2.5}	1
8	Amritsar	Poor	294	PM _{2.5}	1
9	Ankleshwar	Poor	270	PM _{2.5}	1
10	Asansol	Satisfactory	84	PM ₁₀	1
11	Aurangabad	Moderate	132	PM ₁₀	1
12	Bagalkot	Satisfactory	97	СО	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	339	PM ₁₀	1
14	Bahadurgarh	Very Poor	332	PM _{2.5}	1
15	Ballabgarh	Poor	232	PM _{2.5}	1
16	Bathinda	Poor	292	PM _{2.5}	1
17	Bengaluru	Satisfactory	55	PM ₁₀ , PM _{2.5} , CO	10
18	Bhiwadi	Very Poor	337	PM ₁₀	1
19	Bhiwani	Poor	256	PM ₁₀	1
20	Bhopal	Moderate	183	PM ₁₀	1
21	Brajrajnagar	Satisfactory	72	PM ₁₀	1
22	Bulandshahr	Poor	291	PM _{2.5}	1
23	Chandigarh	Moderate	156	PM _{2.5}	1
24	Chandrapur	Satisfactory	54	PM ₁₀ , CO	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	241	PM _{2.5}	1
26	Chennai	Good	50	PM _{2.5} , NO ₂	5
27	Chikkamagaluru	Good	37	O ₃	1
28	Damoh	Satisfactory	94	PM _{2.5}	1
29	Delhi	Very Poor	339	PM _{2.5} , PM ₁₀	36
30	Dewas	Moderate	112	PM _{2.5}	1
31	Dharuhera	Very Poor	355	PM ₁₀	1
32	Eloor	Satisfactory	54	PM ₁₀	1
33	Ernakulam	Moderate	139	PM _{2.5}	1
34	Faridabad	Very Poor	319	PM _{2.5} , PM ₁₀	3
35	Fatehabad	Very Poor	397	PM _{2.5}	1
36	Gandhinagar	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	106	O ₃ , PM _{2.5}	2
38	Ghaziabad	Very Poor	382	PM ₁₀ , PM _{2.5}	4
39	Greater Noida	Very Poor	336	PM ₁₀ , PM _{2.5}	2
40	Gurugram	Very Poor	324	PM _{2.5}	3
41	Guwahati	Moderate	117	PM _{2.5}	1
42	Gwalior	Poor	296	PM _{2.5}	2
43	Hajipur	Satisfactory	96	PM _{2.5}	1
44	Hapur	Poor	232	PM ₁₀	1
45	Hisar	Severe	404	PM _{2.5}	1
46	Howrah	Moderate	130	PM ₁₀	2
47	Hubballi	Satisfactory	61	PM ₁₀	1
48	Hyderabad	Satisfactory	58	PM ₁₀ , NO ₂ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	143	PM _{2.5}	1
50	Jabalpur	Moderate	109	PM ₁₀	1
51	Jaipur	Poor	226	PM _{2.5}	3
52	Jalandhar	Poor	228	PM _{2.5}	1
53	Jind	Very Poor	356	PM _{2.5}	1
54	Jodhpur	Poor	260	PM _{2.5}	1
55	Kaithal	Poor	294	PM _{2.5}	1
56	Kalyan	Moderate	166	PM _{2.5}	1
57	Kannur	Satisfactory	100	PM _{2.5}	1
58	Kanpur	Poor	274	PM _{2.5}	1
59	Karnal	Poor	226	PM _{2.5}	1
60	Katni	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Poor	259	PM _{2.5}	1
62	Kochi	Moderate	179	PM _{2.5}	1
63	Kohima	Satisfactory	65	PM ₁₀	1
64	Kolkata	Moderate	115	O ₃ , PM ₁₀	7
65	Kota	Moderate	177	PM _{2.5}	1
66	Kozhikode	Satisfactory	86	PM ₁₀	1
67	Kurukshetra	Very Poor	325	PM _{2.5}	1
68	Lucknow	Poor	264	PM _{2.5} , PM ₁₀	4
69	Ludhiana	Moderate	181	PM _{2.5}	1
70	Maihar	Good	44	СО	1
71	Mandi Gobindgarh	Moderate	196	PM _{2.5}	1
72	Mandideep	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Poor	223	PM _{2.5}	1
74	Manesar	Poor	266	PM ₁₀	1
75	Medikeri	Good	25	O ₃	1
76	Meerut	Very Poor	315	PM _{2.5} , PM ₁₀	3
77	Moradabad	Poor	258	PM _{2.5}	1
78	Mumbai	Moderate	165	PM _{2.5} , PM ₁₀	9
79	Muzaffarnagar	Poor	284	PM _{2.5}	1
80	Muzaffarpur	Poor	206	PM _{2.5} , PM ₁₀	2
81	Mysuru	Satisfactory	52	PM ₁₀	1
82	Nagpur	Satisfactory	67	PM _{2.5}	1
83	Nashik	Satisfactory	94	PM _{2.5}	1
84	Navi Mumbai	Moderate	180	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Very Poor	337	PM _{2.5}	4
86	Pali	Moderate	171	PM _{2.5}	1
87	Palwal	Poor	244	PM ₁₀	1
88	Panchkula	Poor	290	PM _{2.5}	1
89	Panipat	Very Poor	308	PM ₁₀	1
90	Patiala	Poor	264	PM _{2.5}	1
91	Patna	Moderate	190	PM _{2.5} , PM ₁₀ , O ₃	6
92	Pithampur	Moderate	184	PM _{2.5}	1
93	Rajamahendravaram	Moderate	187	O ₃	1
94	Ratlam	Moderate	155	PM ₁₀	1
95	Rohtak	Very Poor	302	PM _{2.5}	1
96	Rupnagar	Poor	295	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Satisfactory	83	PM _{2.5}	1
98	Satna	Satisfactory	57	PM ₁₀	1
99	Shillong	Good	27	O ₃	1
100	Shivamogga	Satisfactory	56	PM ₁₀	1
101	Siliguri	Moderate	144	PM _{2.5}	1
102	Singrauli	Moderate	173	PM ₁₀	1
103	Sirsa	Very Poor	357	PM ₁₀	1
104	Sonipat	Very Poor	303	PM ₁₀	1
105	Talcher	Satisfactory	97	PM ₁₀	1
106	Thane	Poor	222	PM ₁₀	1
107	Thiruvananthapuram	Satisfactory	62	PM ₁₀ , CO	2
108	Thoothukudi	Good	31	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thrissur	Satisfactory	90	PM ₁₀	1
110	Tirupati	Good	39	со	1
111	Udaipur	Moderate	196	PM _{2.5}	1
112	Ujjain	Moderate	176	PM _{2.5}	1
113	Vapi	Moderate	191	PM _{2.5}	1
114	Varanasi	Poor	219	PM _{2.5}	1
115	Vatva	Moderate	148	PM ₁₀	1
116	Vijayapura	Good	41	PM _{2.5}	1
117	Visakhapatnam	Satisfactory	59	PM ₁₀	1
118	Yamunanagar	Very Poor	347	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aizawl,
 Chikkaballapur, Coimbatore, Jorapokhar, Kalaburgi, Kollam, Nandesari,
 Narnaul, Pune, Ramanagara, Solapur, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.