

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	187	PM _{2.5}	1
2	Agra	Very Poor	331	PM _{2.5}	1
3	Ahmedabad	Moderate	186	PM _{2.5}	1
4	Aizawl	Good	15	СО	1
5	Ajmer	Moderate	117	PM _{2.5}	1
6	Alwar	Moderate	108	PM ₁₀	1
7	Amaravati	Satisfactory	100	PM _{2.5}	1
8	Ambala	Poor	232	PM _{2.5}	1
9	Amritsar	Poor	280	PM _{2.5}	1
10	Asansol	Poor	280	PM _{2.5}	1
11	Baghpat	Very Poor	352	PM _{2.5}	1
12	Bahadurgarh	Poor	274	PM _{2.5}	1

Possible Health Impacts

od Minimal Impact

Good	Willima impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	184	PM ₁₀	1
14	Bathinda	Moderate	174	PM ₁₀	1
15	Bengaluru	Satisfactory	62	PM ₁₀ , CO, PM _{2.5}	9
16	Bhiwani	Moderate	169	PM ₁₀	1
17	Bhopal	Moderate	131	03	1
18	Brajrajnagar	Poor	203	PM _{2.5}	1
19	Bulandshahr	Very Poor	373	PM _{2.5}	1
20	Chandigarh	Moderate	126	PM _{2.5}	1
21	Chandrapur	Moderate	137	PM ₁₀	2
22	Charkhi Dadri	Poor	236	PM _{2.5}	1
23	Chennai	Good	42	PM ₁₀ , PM _{2.5} , CO	6
24	Chikkaballapur	Good	48	PM _{2.5}	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Breathing discomfort to most people on prolonged exposure

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	58	03	1
26	Damoh	Moderate	108	PM ₁₀	1
27	Delhi	Very Poor	341	PM _{2.5}	37
28	Dewas	Moderate	167	03	1
29	Dharuhera	Very Poor	338	PM _{2.5}	1
30	Eloor	Good	42	PM ₁₀	1
31	Ernakulam	Moderate	126	PM _{2.5}	1
32	Faridabad	Very Poor	336	PM _{2.5} , PM ₁₀	4
33	Fatehabad	Very Poor	366	PM _{2.5}	1
34	Gandhinagar	Moderate	115	PM ₁₀	1
35	Gaya	Moderate	180	PM _{2.5} , O ₃	2
36	Ghaziabad	Very Poor	377	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Very Poor	358	PM _{2.5}	2
38	Gurugram	Very Poor	316	PM _{2.5}	3
39	Guwahati	Moderate	172	PM _{2.5}	1
40	Gwalior	Poor	273	PM _{2.5}	1
41	Hajipur	Moderate	183	PM _{2.5}	1
42	Hapur	Moderate	164	PM _{2.5}	1
43	Hisar	Very Poor	309	PM _{2.5}	1
44	Howrah	Very Poor	321	PM ₁₀ , PM _{2.5}	3
45	Hubballi	Moderate	104	PM ₁₀	1
46	Hyderabad	Moderate	152	PM _{2.5}	5
47	Indore	Moderate	131	PM _{2.5}	1
48	Jabalpur	Moderate	196	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	170	PM _{2.5}	3
50	Jalandhar	Poor	265	PM _{2.5}	1
51	Jind	Very Poor	332	PM _{2.5}	1
52	Jodhpur	Moderate	191	PM _{2.5}	1
53	Jorapokhar	Satisfactory	86	PM ₁₀	1
54	Kaithal	Poor	258	PM _{2.5}	1
55	Kalyan	Moderate	163	PM _{2.5}	1
56	Kannur	Satisfactory	62	СО	1
57	Kanpur	Severe	431	PM _{2.5}	1
58	Karnal	Moderate	173	PM _{2.5}	1
59	Katni	Poor	249	PM _{2.5}	1
60	Khanna	Poor	202	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Very Poor	304	PM _{2.5}	7
62	Kollam	Poor	272	PM _{2.5}	1
63	Kota	Moderate	150	PM _{2.5}	1
64	Kozhikode	Moderate	116	PM _{2.5}	1
65	Kurukshetra	Poor	286	PM _{2.5}	1
66	Lucknow	Severe	420	PM _{2.5} , PM ₁₀	3
67	Ludhiana	Moderate	194	PM _{2.5}	1
68	Maihar	Good	38	PM _{2.5}	1
69	Mandi Gobindgarh	Very Poor	316	PM _{2.5}	1
70	Mandideep	Poor	244	PM ₁₀	1
71	Mandikhera	Moderate	129	PM _{2.5}	1
72	Manesar	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Medikeri	Good	43	PM ₁₀	1
74	Meerut	Very Poor	345	PM ₁₀ , PM _{2.5}	2
75	Moradabad	Very Poor	363	PM _{2.5}	1
76	Mumbai	Moderate	170	PM _{2.5} , O ₃	14
77	Muzaffarnagar	Severe	422	PM ₁₀	1
78	Muzaffarpur	Very Poor	310	PM _{2.5} , PM ₁₀	2
79	Narnaul	Poor	217	PM _{2.5}	1
80	Nashik	Moderate	102	PM _{2.5}	1
81	Navi Mumbai	Moderate	175	PM _{2.5} , PM ₁₀	3
82	Noida	Very Poor	360	PM _{2.5}	4
83	Pali	Moderate	145	PM ₁₀	1
84	Palwal	Moderate	177	PM _{2.5}	1

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panchkula	Moderate	191	PM _{2.5}	1
86	Panipat	Very Poor	329	PM ₁₀	1
87	Patiala	Moderate	133	PM ₁₀	1
88	Patna	Very Poor	370	PM _{2.5} , PM ₁₀	6
89	Pithampur	Moderate	104	03	1
90	Pune	Moderate	132	PM _{2.5}	4
91	Rajamahendravaram	Moderate	107	PM ₁₀	1
92	Ramanagara	Good	49	PM ₁₀	1
93	Ratlam	Moderate	145	PM ₁₀	1
94	Rohtak	Poor	226	PM _{2.5}	1
95	Rupnagar	Moderate	120	PM ₁₀	1
96	Sagar	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	77	PM ₁₀	1
98	Shivamogga	Satisfactory	79	PM ₁₀	1
99	Singrauli	Very Poor	311	PM _{2.5}	1
100	Sirsa	Poor	247	PM _{2.5}	1
101	Solapur	Moderate	116	PM _{2.5}	1
102	Sonipat	Poor	224	PM _{2.5}	1
103	Talcher	Moderate	131	PM ₁₀	1
104	Thane	Moderate	184	PM ₁₀	1
105	Thiruvananthapuram	Satisfactory	78	PM ₁₀	2
106	Thrissur	Satisfactory	86	PM ₁₀	1
107	Tirupati	Good	44	PM _{2.5}	1
108	Udaipur	Moderate	127	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ujjain	Poor	204	PM _{2.5}	1
110	Vapi	Moderate	126	PM ₁₀	1
111	Varanasi	Very Poor	330	PM _{2.5}	1
112	Vatva	Moderate	200	PM _{2.5}	1
113	Vijayapura	Satisfactory	73	СО	1
114	Visakhapatnam	Moderate	109	PM ₁₀	1
115	Yadgir	Satisfactory	69	O ₃	1
116	Yamunanagar	Very Poor	365	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kochi, Kohima, Mysuru, Nagpur, Nandesari, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.