

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	110	PM ₁₀ , PM _{2.5}	4
2	Ahmedabad	Satisfactory	80	CO, O ₃ , PM ₁₀	8
3	Aizawl	Good	11	SO ₂	1
4	Alwar	Satisfactory	58	PM ₁₀	1
5	Amaravati	Good	36	03	1
6	Ambala	Poor	202	PM ₁₀	1
7	Amritsar	Poor	255	PM _{2.5}	1
8	Ankleshwar	Satisfactory	54	03	1
9	Asansol	Satisfactory	62	PM ₁₀	1
10	Bagalkot	Good	25	со	1
11	Baghpat	Very Poor	374	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
12	Bahadurgarh	Poor	217	PM ₁₀	1
13	Ballabgarh	Moderate	155	PM ₁₀	1
14	Bathinda	Moderate	114	PM ₁₀	1
15	Bengaluru	Satisfactory	53	CO, PM ₁₀	9
16	Bhiwadi	Moderate	193	PM ₁₀	1
17	Bhiwani	Poor	262	PM ₁₀	1
18	Bhopal	Satisfactory	76	PM ₁₀	1
19	Bidar	Good	33	со	1
20	Bulandshahr	Poor	262	PM ₁₀	1
21	Chamarajanagar	Good	41	PM ₁₀	1
22	Chandigarh	Moderate	172	PM ₁₀	1
23	Chandrapur	Good	23	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
24	Charkhi Dadri	Very Poor	354	PM _{2.5}	1
25	Chennai	Satisfactory	58	CO, PM ₁₀ , O ₃	8
26	Chikkaballapur	Good	42	PM ₁₀	1
27	Chikkamagaluru	Good	33	03	1
28	Damoh	Satisfactory	53	со	1
29	Davanagere	Good	28	PM ₁₀	1
30	Delhi	Poor	266	PM ₁₀	33
31	Dewas	Satisfactory	51	PM ₁₀	1
32	Dharuhera	Poor	230	PM ₁₀	1
33	Durgapur	Moderate	116	PM ₁₀	1
34	Ernakulam	Satisfactory	53	со	1
35	Faridabad	Poor	204	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
36	Fatehabad	Very Poor	360	PM ₁₀	1
37	Gadag	Satisfactory	53	SO ₂	1
38	Gandhinagar	Satisfactory	76	PM _{2.5} , PM ₁₀	3
39	Gaya	Moderate	155	PM _{2.5} , PM ₁₀	2
40	Ghaziabad	Very Poor	348	PM ₁₀	4
41	Gorakhpur	Satisfactory	57	PM ₁₀	1
42	Greater Noida	Very Poor	317	PM ₁₀	2
43	Gummidipoondi	Satisfactory	84	PM ₁₀	1
44	Gurugram	Moderate	155	PM _{2.5} , PM ₁₀	4
45	Guwahati	Good	48	SO ₂ , O ₃	2
46	Gwalior	Satisfactory	87	PM ₁₀	1
47	Hajipur	Satisfactory	99	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
48	Haldia	Good	48	PM ₁₀	1
49	Hapur	Moderate	155	PM ₁₀	1
50	Hassan	Satisfactory	80	PM ₁₀	1
51	Hisar	Poor	300	PM ₁₀	1
52	Howrah	Satisfactory	58	PM ₁₀	3
53	Hubballi	Good	48	PM ₁₀	1
54	Hyderabad	Good	46	NO ₂ , PM ₁₀ , PM _{2.5}	5
55	Indore	Satisfactory	57	PM ₁₀	1
56	Jabalpur	Satisfactory	58	PM ₁₀	1
57	Jaipur	Satisfactory	88	PM ₁₀	2
58	Jalandhar	Poor	268	PM ₁₀	1
59	Jind	Very Poor	340	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
60	Jodhpur	Moderate	129	PM _{2.5}	1
61	Jorapokhar	Satisfactory	76	PM ₁₀	1
62	Kaithal	Severe	420	PM ₁₀	1
63	Kalaburgi	Good	26	PM ₁₀	1
64	Kalyan	Good	38	со	1
65	Kannur	Moderate	102	PM ₁₀	1
66	Kanpur	Satisfactory	70	PM _{2.5}	2
67	Karnal	Poor	246	PM ₁₀	1
68	Katni	Satisfactory	90	PM ₁₀	1
69	Khanna	Moderate	156	PM ₁₀	1
70	Kochi	Satisfactory	62	PM ₁₀	1
71	Kohima	Good	30	SO ₂	1

Possible Health Impacts


Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
72	Kolkata	Satisfactory	54	PM ₁₀ , PM _{2.5} , O ₃	7
73	Kollam	Satisfactory	82	PM ₁₀	1
74	Koppal	Satisfactory	64	СО	1
75	Kota	Good	48	PM ₁₀	1
76	Kozhikode	Good	44	со	1
77	Kurukshetra	Very Poor	349	PM ₁₀	1
78	Lucknow	Moderate	150	PM ₁₀ , PM _{2.5}	5
79	Ludhiana	Poor	281	PM _{2.5}	1
80	Maihar	Good	49	СО	1
81	Mandi Gobindgarh	Moderate	153	PM _{2.5}	1
82	Mandikhera	Satisfactory	90	PM ₁₀	1
83	Medikeri	Good	25	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
84	Meerut	Very Poor	367	PM ₁₀	3
85	Mumbai	Satisfactory	70	O ₃ , CO, PM ₁₀	20
86	Muzaffarnagar	Very Poor	330	PM ₁₀	1
87	Muzaffarpur	Satisfactory	71	PM _{2.5}	1
88	Mysuru	Good	41	PM ₁₀	1
89	Nagpur	Good	47	PM ₁₀	1
90	Nandesari	Very Poor	315	PM _{2.5}	1
91	Narnaul	Moderate	150	PM ₁₀	1
92	Nashik	Good	37	NO ₂	1
93	Navi Mumbai	Satisfactory	89	PM ₁₀ , NO ₂	3
94	Noida	Very Poor	303	PM ₁₀	4
95	Pali	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
96	Palwal	Moderate	160	PM _{2.5}	1
97	Panchkula	Moderate	196	PM _{2.5}	1
98	Patiala	Poor	270	PM ₁₀	1
99	Patna	Satisfactory	98	PM ₁₀ , PM _{2.5}	5
100	Pithampur	Satisfactory	52	PM ₁₀	1
101	Prayagraj	Satisfactory	80	PM ₁₀	2
102	Puducherry	Good	39	03	1
103	Pune	Satisfactory	69	CO, PM _{2.5}	6
104	Raichur	Good	40	PM ₁₀	1
105	Rajamahendravaram	Good	34	PM ₁₀	1
106	Ramanagara	Good	40	PM ₁₀	1
107	Rohtak	Poor	245	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
108	Rupnagar	Moderate	107	PM ₁₀	1
109	Sagar	Good	30	PM _{2.5}	1
110	Satna	Satisfactory	70	PM ₁₀	1
111	Shivamogga	Good	39	PM ₁₀	1
112	Siliguri	Good	41	PM ₁₀	1
113	Singrauli	Satisfactory	94	PM ₁₀	1
114	Sirsa	Poor	262	PM ₁₀	1
115	Sonipat	Very Poor	382	PM ₁₀	1
116	Srinagar	Moderate	116	PM ₁₀	1
117	Talcher	Moderate	117	SO ₂	1
118	Thane	Satisfactory	69	PM ₁₀	1
119	Thiruvananthapuram	Good	46	PM ₁₀	2

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
120	Thoothukudi	Satisfactory	60	PM ₁₀	1
121	Thrissur	Satisfactory	55	O ₃	1
122	Tirupati	Good	40	PM ₁₀	1
123	Udaipur	Satisfactory	86	PM ₁₀	1
124	Udupi	Satisfactory	75	со	1
125	Ujjain	Satisfactory	84	PM ₁₀	1
126	Vapi	Good	46	PM ₁₀	1
127	Varanasi	Satisfactory	86	PM ₁₀	3
128	Vatva	Satisfactory	91	PM ₁₀	1
129	Vijayapura	Good	46	PM _{2.5}	1
130	Visakhapatnam	Moderate	104	PM ₁₀	1
131	Yadgir	Good	27	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Agartala, Ajmer, Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
132	Yamunanagar	Poor	281	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ajmer,
 Aurangabad, Brajrajnagar, Coimbatore, Eloor, Kolar, Mandideep, Manesar,
 Manglore, Moradabad, Naharlagun, Panipat, Ratlam, Shillong, Solapur as
 data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.