

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	122	PM _{2.5}	1
2	Agra	Poor	300	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	178	PM _{2.5} , PM ₁₀	6
4	Aizawl	Satisfactory	52	PM ₁₀	1
5	Ajmer	Moderate	118	PM _{2.5}	1
6	Alwar	Satisfactory	94	PM _{2.5}	1
7	Amaravati	Good	31	со	1
8	Ambala	Moderate	168	PM ₁₀	1
9	Amritsar	Moderate	146	PM _{2.5}	1
10	Ankleshwar	Poor	266	PM _{2.5}	1
11	Asansol	Poor	213	PM _{2.5}	1
12	Bagalkot	Good	38	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	320	PM _{2.5}	1
14	Bahadurgarh	Very Poor	318	PM _{2.5}	1
15	Ballabgarh	Moderate	152	PM ₁₀	1
16	Bathinda	Moderate	126	PM ₁₀	1
17	Bengaluru	Good	50	CO, PM ₁₀	6
18	Bhiwadi	Poor	245	PM _{2.5}	1
19	Bhiwani	Poor	242	PM _{2.5}	1
20	Bhopal	Moderate	128	PM _{2.5}	1
21	Bilaspur	Satisfactory	91	PM ₁₀	1
22	Brajrajnagar	Satisfactory	73	0 ₃	1
23	Bulandshahr	Poor	297	PM _{2.5}	1
24	Chamarajanagar	Good	43	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	135	О ₃ , РМ ₁₀	2
26	Chandrapur	Moderate	134	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Poor	216	PM _{2.5}	1
28	Chennai	Good	41	CO, PM _{2.5}	8
29	Chikkamagaluru	Good	31	NO ₂	1
30	Coimbatore	Moderate	161	со	1
31	Davanagere	Good	23	PM ₁₀	1
32	Delhi	Very Poor	303	PM ₁₀ , PM _{2.5}	38
33	Dewas	Satisfactory	69	PM ₁₀	1
34	Dharuhera	Poor	205	PM _{2.5}	1
35	Durgapur	Poor	216	PM _{2.5}	1
36	Eloor	Good	47	со	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	55	СО	1
38	Faridabad	Very Poor	306	PM _{2.5} , PM ₁₀	4
39	Fatehabad	Moderate	148	PM ₁₀	1
40	Firozabad	Poor	239	PM _{2.5}	1
41	Gandhinagar	Moderate	123	PM _{2.5} , PM ₁₀	3
42	Gaya	Moderate	118	PM _{2.5}	2
43	Ghaziabad	Very Poor	334	PM _{2.5}	4
44	Gorakhpur	Poor	261	PM _{2.5}	1
45	Greater Noida	Poor	276	PM ₁₀ , PM _{2.5}	2
46	Gummidipoondi	Satisfactory	60	PM _{2.5}	1
47	Gurugram	Poor	287	PM _{2.5} , PM ₁₀	4
48	Guwahati	Moderate	106	PM ₁₀ , SO ₂	2

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Moderate	165	PM _{2.5}	1
50	Hajipur	Poor	255	PM _{2.5}	1
51	Haldia	Moderate	114	PM ₁₀	1
52	Hapur	Very Poor	313	PM _{2.5}	1
53	Hisar	Poor	268	PM _{2.5}	1
54	Howrah	Moderate	174	PM _{2.5}	3
55	Hubballi	Good	40	PM ₁₀	1
56	Hyderabad	Moderate	121	PM _{2.5} , PM ₁₀	6
57	Indore	Moderate	174	PM _{2.5}	1
58	Jabalpur	Moderate	155	PM ₁₀	1
59	Jaipur	Moderate	118	PM ₁₀ , O ₃	2
60	Jalandhar	Moderate	179	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Poor	212	PM _{2.5}	1
62	Kaithal	Poor	246	PM _{2.5}	1
63	Kalaburgi	Satisfactory	87	PM ₁₀	1
64	Kalyan	Poor	240	PM _{2.5}	1
65	Kanpur	Poor	264	PM ₁₀ , PM _{2.5}	4
66	Karnal	Moderate	199	PM ₁₀	1
67	Katni	Moderate	193	PM ₁₀	1
68	Khanna	Poor	202	PM _{2.5}	1
69	Kochi	Good	42	СО	1
70	Kohima	Satisfactory	54	PM ₁₀	1
71	Kolar	Good	40	SO ₂	1
72	Kolkata	Moderate	192	PM _{2.5}	7

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	60	СО	1
74	Koppal	Good	45	со	1
75	Kota	Moderate	184	PM _{2.5}	1
76	Kozhikode	Good	49	PM ₁₀	1
77	Kurukshetra	Poor	208	PM _{2.5}	1
78	Lucknow	Poor	248	PM ₁₀ , PM _{2.5}	5
79	Ludhiana	Moderate	177	PM _{2.5}	1
80	Mandi Gobindgarh	Moderate	166	PM ₁₀	1
81	Mandideep	Poor	287	PM ₁₀	1
82	Mandikhera	Poor	238	PM _{2.5}	1
83	Manglore	Satisfactory	55	СО	1
84	Meerut	Poor	296	PM _{2.5}	3

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	226	PM _{2.5}	1
86	Mumbai	Poor	211	PM _{2.5}	19
87	Muzaffarnagar	Poor	273	PM _{2.5}	1
88	Muzaffarpur	Moderate	185	PM ₁₀	1
89	Mysuru	Good	27	PM ₁₀	1
90	Naharlagun	Satisfactory	62	PM ₁₀	1
91	Nandesari	Satisfactory	61	PM _{2.5}	1
92	Narnaul	Satisfactory	98	PM _{2.5}	1
93	Nashik	Moderate	101	PM _{2.5}	1
94	Navi Mumbai	Moderate	165	PM _{2.5}	1
95	Noida	Very Poor	303	PM _{2.5}	4
96	Pali	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Moderate	186	PM ₁₀	1
98	Panchkula	Moderate	154	PM _{2.5}	1
99	Panipat	Poor	289	PM _{2.5}	1
100	Patiala	Moderate	169	PM _{2.5}	1
101	Patna	Poor	203	PM _{2.5} , PM ₁₀	5
102	Pithampur	Moderate	129	PM _{2.5}	1
103	Prayagraj	Poor	255	PM _{2.5}	3
104	Puducherry	Satisfactory	51	со	1
105	Pune	Satisfactory	88	PM _{2.5}	3
106	Raichur	Satisfactory	65	PM ₁₀	1
107	Rajamahendravaram	Satisfactory	52	0 ₃	1
108	Ramanagara	Good	44	0 ₃	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Moderate	159	PM ₁₀	1
110	Rohtak	Poor	279	PM _{2.5}	1
111	Rupnagar	Moderate	126	PM ₁₀	1
112	Sagar	Satisfactory	63	PM _{2.5}	1
113	Satna	Satisfactory	73	PM ₁₀	1
114	Shillong	Good	20	PM _{2.5}	1
115	Shivamogga	Good	41	PM ₁₀	1
116	Siliguri	Moderate	120	PM _{2.5}	1
117	Singrauli	Poor	277	PM ₁₀	1
118	Sirsa	Moderate	144	PM ₁₀	1
119	Sonipat	Moderate	151	PM ₁₀	1
120	Srinagar	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Talcher	Satisfactory	91	PM _{2.5}	1
122	Thane	Poor	258	PM ₁₀	1
123	Thiruvananthapuram	Good	47	CO, PM ₁₀	2
124	Thoothukudi	Satisfactory	53	СО	1
125	Tirupati	Good	41	со	1
126	Udaipur	Moderate	133	PM _{2.5}	1
127	Udupi	Moderate	159	0 ₃	1
128	Ujjain	Moderate	167	PM _{2.5}	1
129	Vapi	Poor	205	PM _{2.5}	1
130	Varanasi	Moderate	127	PM _{2.5} , PM ₁₀	4
131	Vatva	Moderate	154	NO ₂	1
132	Vijayapura	Good	44	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Good	42	PM ₁₀	1
134	Vrindavan	Poor	283	PM _{2.5}	1
135	Yamunanagar	Poor	226	PM _{2.5}	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bidar, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Gadag, Hassan, Jind, Jorapokhar, Kannur, Maihar, Manesar, Medikeri, Motihari, Nagpur, Solapur, Thrissur, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.