

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	167	PM _{2.5}	1
2	Agra	Poor	289	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	146	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Moderate	146	PM _{2.5}	1
6	Alwar	Moderate	108	PM _{2.5}	1
7	Amaravati	Good	39	03	1
8	Ambala	Poor	212	PM _{2.5}	1
9	Amritsar	Satisfactory	76	PM _{2.5}	1
10	Ankleshwar	Poor	246	PM _{2.5}	1
11	Asansol	Poor	223	PM _{2.5}	1
12	Aurangabad	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	30	со	1
14	Baghpat	Very Poor	338	PM _{2.5}	1
15	Bahadurgarh	Very Poor	313	PM _{2.5}	1
16	Ballabgarh	Poor	255	PM _{2.5}	1
17	Bathinda	Poor	224	PM _{2.5}	1
18	Bengaluru	Satisfactory	56	CO, PM ₁₀	9
19	Bhiwadi	Poor	253	PM _{2.5}	1
20	Bhiwani	Poor	272	PM _{2.5}	1
21	Bhopal	Moderate	186	PM _{2.5}	1
22	Bidar	Good	46	со	1
23	Bilaspur	Moderate	103	PM ₁₀	1
24	Brajrajnagar	Satisfactory	87	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Very Poor	334	PM _{2.5}	1
26	Chamarajanagar	Good	45	PM ₁₀	1
27	Chandigarh	Moderate	141	O ₃ , PM ₁₀	2
28	Chandrapur	Satisfactory	94	PM _{2.5} , PM ₁₀	2
29	Charkhi Dadri	Poor	284	PM _{2.5}	1
30	Chennai	Good	48	CO, O ₃ , PM _{2.5}	8
31	Chikkaballapur	Good	29	СО	1
32	Chikkamagaluru	Good	30	NO ₂	1
33	Coimbatore	Moderate	168	со	1
34	Davanagere	Good	22	PM ₁₀	1
35	Delhi	Very Poor	314	PM ₁₀ , PM _{2.5}	31
36	Dewas	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dharuhera	Moderate	157	PM _{2.5}	1
38	Durgapur	Poor	245	PM _{2.5}	1
39	Faridabad	Very Poor	337	PM _{2.5} , PM ₁₀	4
40	Fatehabad	Moderate	192	PM _{2.5}	1
41	Firozabad	Poor	229	PM _{2.5}	1
42	Gandhinagar	Moderate	103	PM _{2.5} , PM ₁₀	3
43	Gaya	Satisfactory	71	PM _{2.5}	1
44	Ghaziabad	Very Poor	353	PM _{2.5}	4
45	Gorakhpur	Poor	254	PM _{2.5}	1
46	Greater Noida	Poor	286	PM _{2.5}	2
47	Gummidipoondi	Good	46	PM ₁₀	1
48	Gurugram	Very Poor	330	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	106	PM ₁₀ , SO ₂	2
50	Gwalior	Poor	202	PM _{2.5}	1
51	Hajipur	Poor	250	PM _{2.5}	1
52	Haldia	Moderate	104	PM ₁₀	1
53	Hapur	Very Poor	326	PM _{2.5}	1
54	Hassan	Good	20	SO ₂	1
55	Hisar	Poor	251	PM _{2.5}	1
56	Howrah	Moderate	140	PM _{2.5}	3
57	Hubballi	Good	44	PM ₁₀	1
58	Hyderabad	Good	46	PM ₁₀ , NO ₂ , CO	6
59	Indore	Moderate	165	PM _{2.5}	1
60	Jabalpur	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jaipur	Moderate	162	PM _{2.5} , PM ₁₀	3
62	Jalandhar	Moderate	163	PM _{2.5}	1
63	Jind	Poor	261	PM _{2.5}	1
64	Jodhpur	Poor	289	PM _{2.5}	1
65	Kaithal	Poor	227	PM _{2.5}	1
66	Kalaburgi	Good	50	PM ₁₀	1
67	Kalyan	Moderate	188	PM _{2.5}	1
68	Kannur	Satisfactory	58	СО	1
69	Kanpur	Poor	210	PM _{2.5}	4
70	Karnal	Moderate	140	PM _{2.5}	1
71	Katni	Poor	219	PM ₁₀	1
72	Khanna	Moderate	142	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Good	50	PM ₁₀	1
74	Kolar	Good	40	SO ₂	1
75	Kolkata	Moderate	154	PM _{2.5}	7
76	Kollam	Satisfactory	55	со	1
77	Koppal	Good	46	со	1
78	Kota	Poor	207	PM _{2.5}	1
79	Kozhikode	Good	49	PM ₁₀	1
80	Kurukshetra	Poor	203	PM _{2.5}	1
81	Lucknow	Poor	238	PM ₁₀ , PM _{2.5} , O ₃	6
82	Ludhiana	Moderate	166	PM _{2.5}	1
83	Mandi Gobindgarh	Moderate	106	PM ₁₀	1
84	Mandideep	Poor	248	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Poor	204	PM _{2.5}	1
86	Manesar	Poor	282	PM _{2.5}	1
87	Manglore	Satisfactory	56	PM ₁₀	1
88	Medikeri	Good	26	03	1
89	Meerut	Poor	296	PM _{2.5}	3
90	Moradabad	Very Poor	311	PM _{2.5}	1
91	Mumbai	Moderate	179	PM _{2.5}	19
92	Muzaffarnagar	Poor	287	PM _{2.5}	1
93	Muzaffarpur	Poor	244	PM _{2.5} , PM ₁₀	2
94	Mysuru	Good	28	PM ₁₀	1
95	Nandesari	Satisfactory	73	PM _{2.5}	1
96	Narnaul	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Satisfactory	100	PM _{2.5}	1
98	Navi Mumbai	Poor	201	PM _{2.5}	2
99	Noida	Very Poor	327	PM _{2.5}	3
100	Pali	Moderate	107	PM _{2.5}	1
101	Palwal	Moderate	186	PM ₁₀	1
102	Panchkula	Moderate	117	PM _{2.5}	1
103	Panipat	Poor	235	PM _{2.5}	1
104	Patiala	Moderate	128	PM ₁₀	1
105	Patna	Poor	239	PM _{2.5} , PM ₁₀	5
106	Pithampur	Moderate	107	03	1
107	Prayagraj	Poor	232	PM _{2.5}	3
108	Puducherry	Satisfactory	58	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Moderate	135	PM _{2.5}	4
110	Raichur	Good	50	PM ₁₀	1
111	Rajamahendravaram	Satisfactory	72	03	1
112	Ramanagara	Good	39	03	1
113	Ratlam	Moderate	124	PM ₁₀	1
114	Rohtak	Poor	255	PM _{2.5}	1
115	Rupnagar	Satisfactory	92	PM ₁₀	1
116	Sagar	Satisfactory	51	PM _{2.5}	1
117	Satna	Satisfactory	71	PM ₁₀	1
118	Shillong	Good	14	PM _{2.5}	1
119	Shivamogga	Good	43	PM ₁₀	1
120	Siliguri	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Moderate	173	PM ₁₀	1
122	Sirsa	Poor	240	PM _{2.5}	1
123	Solapur	Satisfactory	90	PM ₁₀	1
124	Sonipat	Moderate	169	PM ₁₀	1
125	Srinagar	Satisfactory	62	PM ₁₀	1
126	Talcher	Satisfactory	92	PM _{2.5}	1
127	Thane	Poor	228	PM ₁₀	1
128	Thiruvananthapuram	Good	44	PM ₁₀ , NO ₂	2
129	Thoothukudi	Good	39	со	1
130	Thrissur	Good	33	NO ₂	1
131	Tirupati	Good	43	со	1
132	Udaipur	Moderate	141	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Udupi	Poor	214	03	1
134	Ujjain	Moderate	165	PM _{2.5}	1
135	Vapi	Moderate	175	PM _{2.5}	1
136	Varanasi	Moderate	137	PM _{2.5} , PM ₁₀	4
137	Vatva	Moderate	128	NO ₂	1
138	Vijayapura	Good	44	PM ₁₀	1
139	Visakhapatnam	Good	44	PM ₁₀	1
140	Vrindavan	Poor	293	PM _{2.5}	1
141	Yadgir	Good	32	SO ₂	1
142	Yamunanagar	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Damoh, Darbhanga, Eloor, Ernakulam, Gadag, Jorapokhar, Kochi, Maihar, Motihari, Nagpur, Naharlagun as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.