

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	242	PM _{2.5}	1
2	Agra	Severe	429	PM _{2.5}	5
3	Ahmedabad	Moderate	187	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	40	PM ₁₀	1
5	Ajmer	Poor	256	PM _{2.5}	1
6	Alwar	Poor	262	PM _{2.5}	1
7	Amaravati	Satisfactory	69	PM _{2.5}	1
8	Ambala	Very Poor	301	PM _{2.5}	1
9	Amritsar	Poor	276	PM _{2.5}	1
10	Asansol	Moderate	176	PM _{2.5}	1
11	Aurangabad	Moderate	141	PM ₁₀	1
12	Bagalkot	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Severe	437	PM _{2.5}	1
14	Ballabgarh	Severe	462	PM ₁₀	1
15	Bengaluru	Satisfactory	57	PM _{2.5} , CO, PM ₁₀	9
16	Bhiwadi	Severe	418	PM _{2.5}	1
17	Bhiwani	Severe	437	PM _{2.5}	1
18	Bhopal	Poor	240	PM _{2.5}	1
19	Bilaspur	Moderate	115	PM ₁₀	1
20	Bulandshahr	Severe	444	PM _{2.5}	1
21	Chamarajanagar	Good	44	PM ₁₀	1
22	Chandigarh	Moderate	135	PM _{2.5} , PM ₁₀	2
23	Chandrapur	Moderate	112	PM _{2.5} , PM ₁₀	2
24	Charkhi Dadri	Severe	424	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Moderate	150	PM ₁₀ , PM _{2.5}	8
26	Chikkaballapur	Good	29	СО	1
27	Chikkamagaluru	Good	35	PM _{2.5}	1
28	Coimbatore	Moderate	162	СО	1
29	Davanagere	Good	21	0 ₃	1
30	Delhi	Severe	462	PM _{2.5}	35
31	Dewas	Moderate	114	PM _{2.5}	1
32	Dharuhera	Very Poor	383	PM _{2.5}	1
33	Durgapur	Poor	295	PM _{2.5}	1
34	Ernakulam	Good	42	СО	1
35	Faridabad	Severe	469	PM _{2.5}	4
36	Fatehabad	Very Poor	330	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Severe	449	PM _{2.5}	1
38	Gadag	Good	30	O ₃	1
39	Gandhinagar	Moderate	154	PM _{2.5} , PM ₁₀	3
40	Gaya	Satisfactory	80	PM _{2.5}	1
41	Ghaziabad	Severe	470	PM _{2.5} , PM ₁₀	3
42	Gorakhpur	Very Poor	372	PM _{2.5}	1
43	Greater Noida	Severe	464	PM _{2.5}	2
44	Gurugram	Severe	472	PM _{2.5}	4
45	Guwahati	Poor	230	PM _{2.5}	2
46	Gwalior	Very Poor	315	PM _{2.5}	1
47	Hajipur	Poor	248	PM _{2.5}	1
48	Haldia	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Severe	439	PM _{2.5}	1
50	Hisar	Severe	405	PM _{2.5}	1
51	Howrah	Poor	265	PM _{2.5}	3
52	Hubballi	Satisfactory	67	PM ₁₀	1
53	Hyderabad	Satisfactory	78	PM _{2.5} , PM ₁₀	4
54	Indore	Moderate	190	PM _{2.5}	1
55	Jabalpur	Poor	230	PM _{2.5}	1
56	Jaipur	Very Poor	364	PM _{2.5}	3
57	Jalandhar	Very Poor	326	PM _{2.5}	1
58	Jind	Severe	462	PM _{2.5}	1
59	Jodhpur	Very Poor	342	PM _{2.5}	1
60	Kaithal	Very Poor	377	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	88	PM _{2.5}	1
62	Kalyan	Poor	226	PM _{2.5}	1
63	Kannur	Good	43	PM ₁₀	1
64	Kanpur	Very Poor	321	PM _{2.5}	3
65	Karnal	Very Poor	329	PM _{2.5}	1
66	Khanna	Poor	265	PM _{2.5}	1
67	Kochi	Good	48	NO ₂	1
68	Kohima	Satisfactory	59	PM ₁₀	1
69	Kolar	Good	41	SO ₂	1
70	Kolkata	Poor	207	PM _{2.5} , PM ₁₀	7
71	Kollam	Satisfactory	65	PM ₁₀	1
72	Koppal	Good	46	0 ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Very Poor	304	PM _{2.5}	1
74	Kozhikode	Good	46	PM ₁₀	1
75	Kurukshetra	Very Poor	354	PM _{2.5}	1
76	Lucknow	Poor	278	PM _{2.5} , PM ₁₀	6
77	Ludhiana	Poor	292	PM _{2.5}	1
78	Mandi Gobindgarh	Poor	273	PM _{2.5}	1
79	Mandideep	Moderate	193	PM _{2.5}	1
80	Mandikhera	Very Poor	336	PM _{2.5}	1
81	Manesar	Severe	458	PM _{2.5}	1
82	Manglore	Satisfactory	60	PM ₁₀	1
83	Meerut	Severe	435	PM _{2.5}	3
84	Moradabad	Poor	259	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	199	PM _{2.5}	17
86	Muzaffarnagar	Very Poor	306	PM _{2.5}	1
87	Muzaffarpur	Very Poor	306	PM _{2.5}	2
88	Mysuru	Satisfactory	65	PM ₁₀	1
89	Nandesari	Satisfactory	73	PM _{2.5}	1
90	Narnaul	Very Poor	377	PM _{2.5}	1
91	Nashik	Poor	206	PM _{2.5}	1
92	Navi Mumbai	Poor	212	PM _{2.5}	3
93	Noida	Severe	475	PM _{2.5}	3
94	Pali	Poor	218	PM _{2.5}	1
95	Palwal	Very Poor	314	PM ₁₀	1
96	Panchkula	Moderate	161	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Severe	413	PM ₁₀	1
98	Patiala	Poor	288	PM _{2.5}	1
99	Patna	Poor	268	PM _{2.5} , PM ₁₀	5
100	Pithampur	Poor	206	PM _{2.5}	1
101	Prayagraj	Very Poor	311	PM _{2.5}	3
102	Puducherry	Moderate	138	PM _{2.5}	1
103	Pune	Moderate	118	РМ _{2.5} , СО	3
104	Raichur	Satisfactory	67	PM ₁₀	1
105	Rajamahendravaram	Moderate	104	PM _{2.5}	1
106	Ramanagara	Good	47	0 ₃	1
107	Ratlam	Moderate	151	PM ₁₀	1
108	Rohtak	Severe	437	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Moderate	105	PM ₁₀	1
110	Sagar	Good	40	PM _{2.5}	1
111	Satna	Satisfactory	88	PM _{2.5}	1
112	Shillong	Good	22	PM _{2.5}	1
113	Shivamogga	Good	43	PM ₁₀	1
114	Siliguri	Moderate	163	PM _{2.5}	1
115	Singrauli	Poor	264	PM _{2.5}	1
116	Sirsa	Poor	290	PM _{2.5}	1
117	Solapur	Moderate	101	PM _{2.5}	1
118	Sonipat	Very Poor	400	PM _{2.5}	1
119	Srinagar	Satisfactory	70	PM ₁₀	1
120	Talcher	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Poor	212	PM ₁₀	1
122	Thiruvananthapuram	Satisfactory	54	PM ₁₀ , PM _{2.5}	2
123	Thoothukudi	Satisfactory	70	PM ₁₀	1
124	Tirupati	Good	44	со	1
125	Udaipur	Poor	246	PM _{2.5}	1
126	Ujjain	Poor	238	PM _{2.5}	1
127	Vapi	Moderate	186	PM _{2.5}	1
128	Varanasi	Poor	256	PM _{2.5}	4
129	Vatva	Moderate	110	PM _{2.5}	1
130	Vijayapura	Satisfactory	55	PM ₁₀	1
131	Visakhapatnam	Moderate	127	PM _{2.5}	1
132	Vrindavan	Severe	448	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Poor	205	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Bahadurgarh, Bathinda, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Damoh, Darbhanga, Eloor, Gummidipoondi, Hassan, Jorapokhar, Katni, Maihar, Medikeri, Motihari, Nagpur, Naharlagun, Thrissur, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.