

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	137	PM _{2.5}	1
2	Agra	Severe	405	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	149	PM _{2.5} , PM ₁₀ , O ₃	9
4	Aizawl	Good	18	СО	1
5	Ajmer	Satisfactory	59	PM _{2.5}	1
6	Alwar	Moderate	188	PM _{2.5}	1
7	Amaravati	Good	25	СО	1
8	Ambala	Poor	258	PM _{2.5}	1
9	Amritsar	Poor	212	PM _{2.5}	1
10	Ankleshwar	Very Poor	317	PM _{2.5}	1
11	Asansol	Moderate	126	O ₃	1
12	Aurangabad	Satisfactory	92	O ₃	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	55	PM ₁₀	1
14	Baghpat	Severe	454	PM _{2.5}	1
15	Bahadurgarh	Severe	439	PM _{2.5}	1
16	Ballabgarh	Severe	445	PM _{2.5}	1
17	Bathinda	Poor	219	PM ₁₀	1
18	Bengaluru	Satisfactory	64	CO, PM _{2.5} , NO ₂	8
19	Bhiwadi	Severe	469	PM ₁₀	1
20	Bhiwani	Severe	462	PM _{2.5}	1
21	Bhopal	Moderate	185	PM _{2.5}	1
22	Bidar	Moderate	154	PM ₁₀	1
23	Bilaspur	Satisfactory	67	PM ₁₀	1
24	Bulandshahr	Severe	488	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Satisfactory	52	PM ₁₀	1
26	Chandigarh	Moderate	106	PM _{2.5} , PM ₁₀	2
27	Chandrapur	Poor	201	PM _{2.5}	2
28	Charkhi Dadri	Severe	470	PM _{2.5}	1
29	Chennai	Satisfactory	64	со	3
30	Chikkaballapur	Good	31	NO ₂	1
31	Chikkamagaluru	Good	34	PM _{2.5}	1
32	Coimbatore	Satisfactory	75	PM _{2.5}	1
33	Damoh	Moderate	161	PM _{2.5}	1
34	Davanagere	Moderate	141	PM _{2.5}	1
35	Delhi	Severe	471	PM _{2.5} , PM ₁₀	36
36	Dewas	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dharuhera	Very Poor	380	PM _{2.5}	1
38	Durgapur	Moderate	189	PM _{2.5}	1
39	Eloor	Satisfactory	85	PM ₁₀	1
40	Ernakulam	Satisfactory	82	PM ₁₀	1
41	Faridabad	Severe	460	PM _{2.5} , PM ₁₀	4
42	Fatehabad	Very Poor	399	PM ₁₀	1
43	Firozabad	Very Poor	361	PM _{2.5}	1
44	Gandhinagar	Moderate	134	PM _{2.5} , PM ₁₀	3
45	Gaya	Moderate	117	PM _{2.5} , PM ₁₀	2
46	Ghaziabad	Severe	486	PM _{2.5}	4
47	Gorakhpur	Poor	260	PM _{2.5}	1
48	Greater Noida	Severe	478	PM _{2.5}	2

Possible Health Impacts

Very Poor

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gurugram	Severe	448	PM _{2.5}	4
50	Guwahati	Moderate	124	PM ₁₀ , PM _{2.5}	2
51	Gwalior	Very Poor	304	PM _{2.5}	1
52	Hajipur	Moderate	135	PM _{2.5}	1
53	Haldia	Moderate	135	PM ₁₀	1
54	Hapur	Severe	448	PM _{2.5}	1
55	Hassan	Satisfactory	87	PM _{2.5}	1
56	Hisar	Severe	486	PM _{2.5}	1
57	Howrah	Moderate	176	PM _{2.5} , PM ₁₀	3
58	Hubballi	Poor	202	PM _{2.5}	1
59	Hyderabad	Moderate	146	PM _{2.5} , PM ₁₀	6
60	Indore	Moderate	165	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jabalpur	Poor	293	PM _{2.5}	1
62	Jaipur	Poor	236	PM _{2.5}	2
63	Jalandhar	Poor	277	PM _{2.5}	1
64	Jind	Severe	466	PM _{2.5}	1
65	Jodhpur	Moderate	179	PM _{2.5}	1
66	Kaithal	Very Poor	398	PM ₁₀	1
67	Kalaburgi	Poor	229	PM _{2.5}	1
68	Kalyan	Moderate	198	PM _{2.5}	1
69	Kanpur	Moderate	190	PM _{2.5}	4
70	Karnal	Poor	300	PM _{2.5}	1
71	Katni	Poor	250	PM _{2.5}	1
72	Khanna	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kochi	Good	43	PM ₁₀	1
74	Kohima	Satisfactory	62	PM ₁₀	1
75	Kolkata	Moderate	133	PM _{2.5} , PM ₁₀	7
76	Kollam	Satisfactory	87	PM ₁₀	1
77	Koppal	Satisfactory	76	PM _{2.5}	1
78	Kota	Poor	288	PM _{2.5}	1
79	Kozhikode	Good	46	PM ₁₀	1
80	Kurukshetra	Very Poor	302	PM _{2.5}	1
81	Lucknow	Moderate	189	PM _{2.5} , PM ₁₀	6
82	Ludhiana	Poor	274	PM _{2.5}	1
83	Mandi Gobindgarh	Poor	203	PM ₁₀	1
84	Mandideep	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Very Poor	330	PM _{2.5}	1
86	Manesar	Very Poor	382	PM ₁₀	1
87	Manglore	Moderate	178	PM _{2.5}	1
88	Medikeri	Good	29	со	1
89	Meerut	Severe	404	PM _{2.5}	3
90	Moradabad	Poor	271	PM _{2.5}	2
91	Mumbai	Moderate	171	PM _{2.5}	20
92	Muzaffarnagar	Very Poor	337	PM _{2.5}	1
93	Muzaffarpur	Moderate	196	PM _{2.5}	2
94	Mysuru	Satisfactory	60	PM ₁₀	1
95	Narnaul	Poor	300	PM _{2.5}	1
96	Nashik	Moderate	154	O ₃	1

Possible Health Impacts

Very Poor

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Moderate	164	PM _{2.5} , PM ₁₀	3
98	Noida	Severe	488	PM ₁₀ , PM _{2.5}	4
99	Pali	Moderate	131	PM _{2.5}	1
100	Palwal	Very Poor	363	PM ₁₀	1
101	Panchkula	Moderate	106	PM _{2.5}	1
102	Panipat	Very Poor	393	PM ₁₀	1
103	Patiala	Very Poor	309	PM _{2.5}	1
104	Patna	Moderate	172	PM _{2.5} , PM ₁₀	5
105	Pithampur	Moderate	200	PM _{2.5}	1
106	Prayagraj	Poor	237	PM _{2.5}	3
107	Puducherry	Satisfactory	60	03	1
108	Pune	Poor	208	PM _{2.5}	4

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Moderate	190	PM _{2.5}	1
110	Rajamahendravaram	Good	28	O ₃	1
111	Ramanagara	Satisfactory	56	PM _{2.5}	1
112	Ratlam	Moderate	141	PM ₁₀	1
113	Rohtak	Severe	436	PM _{2.5}	1
114	Rupnagar	Poor	204	PM ₁₀	1
115	Sagar	Satisfactory	70	PM _{2.5}	1
116	Satna	Satisfactory	66	PM ₁₀	1
117	Shivamogga	Satisfactory	53	со	1
118	Siliguri	Satisfactory	72	PM ₁₀	1
119	Singrauli	Poor	251	PM _{2.5}	1
120	Sirsa	Very Poor	323	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sonipat	Very Poor	398	PM _{2.5}	1
122	Srinagar	Moderate	109	PM ₁₀	1
123	Talcher	Satisfactory	65	PM ₁₀	1
124	Thane	Poor	253	PM ₁₀	1
125	Thiruvananthapuram	Good	44	PM ₁₀ , CO	2
126	Thoothukudi	Satisfactory	54	PM ₁₀	1
127	Tirupati	Good	45	СО	1
128	Udaipur	Moderate	148	PM _{2.5}	1
129	Ujjain	Moderate	147	PM ₁₀	1
130	Vapi	Poor	231	PM _{2.5}	1
131	Varanasi	Poor	203	PM _{2.5}	4
132	Vatva	Moderate	161	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vijayapura	Satisfactory	55	PM _{2.5}	1
134	Visakhapatnam	Good	42	PM _{2.5}	1
135	Vrindavan	Severe	471	PM _{2.5}	1
136	Yamunanagar	Very Poor	309	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Jorapokhar, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.