

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	PM <sub>2.5</sub>	1
2	Agra	Poor	216	PM <sub>2.5</sub>	5
3	Ahmedabad	Poor	203	PM <sub>2.5</sub>	9
4	Aizawl	Good	13	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	72	PM <sub>2.5</sub>	1
6	Alwar	Moderate	117	PM <sub>10</sub>	1
7	Amaravati	Good	23	со	1
8	Ambala	Poor	276	PM <sub>2.5</sub>	1
9	Amritsar	Poor	271	PM <sub>2.5</sub>	1
10	Ankleshwar	Very Poor	318	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	73	PM <sub>10</sub>	1
12	Baghpat	Very Poor	328	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	296	PM <sub>2.5</sub>	1
14	Ballabgarh	Very Poor	342	PM <sub>2.5</sub>	1
15	Bathinda	Poor	249	PM <sub>10</sub>	1
16	Bengaluru	Good	49	CO, PM <sub>10</sub> , NO <sub>2</sub>	8
17	Bhiwadi	Very Poor	308	PM <sub>2.5</sub>	1
18	Bhiwani	Poor	232	PM <sub>2.5</sub>	1
19	Bhopal	Poor	275	PM <sub>2.5</sub>	1
20	Bilaspur	Good	45	PM <sub>10</sub>	1
21	Brajrajnagar	Good	45	со	1
22	Bulandshahr	Very Poor	356	PM <sub>2.5</sub>	1
23	Chamarajanagar	Good	45	PM <sub>10</sub>	1
24	Chandigarh	Moderate	125	O <sub>3</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	2
26	Charkhi Dadri	Very Poor	309	PM <sub>2.5</sub>	1
27	Chennai	Satisfactory	58	SO <sub>2</sub> , CO, PM <sub>2.5</sub>	6
28	Chikkaballapur	Good	32	PM <sub>10</sub>	1
29	Coimbatore	Good	22	PM <sub>2.5</sub>	1
30	Darbhanga	Poor	271	PM <sub>2.5</sub>	1
31	Davanagere	Good	24	СО	1
32	Delhi	Very Poor	330	PM <sub>2.5</sub> , PM <sub>10</sub>	36
33	Dewas	Satisfactory	98	PM <sub>10</sub>	1
34	Dharuhera	Poor	224	PM <sub>2.5</sub>	1
35	Durgapur	Satisfactory	78	PM <sub>10</sub>	1
36	Eloor	Good	48	со	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	43	со	1
38	Faridabad	Poor	298	PM <sub>10</sub>	2
39	Fatehabad	Poor	298	PM <sub>2.5</sub>	1
40	Firozabad	Poor	210	PM <sub>2.5</sub>	1
41	Gandhinagar	Poor	229	PM <sub>2.5</sub>	3
42	Gaya	Satisfactory	94	PM <sub>2.5</sub>	2
43	Ghaziabad	Very Poor	331	PM <sub>2.5</sub>	4
44	Gorakhpur	Poor	295	PM <sub>2.5</sub>	1
45	Greater Noida	Very Poor	310	PM <sub>2.5</sub>	2
46	Gurugram	Poor	287	PM <sub>2.5</sub> , PM <sub>10</sub>	4
47	Guwahati	Moderate	148	PM <sub>10</sub> , PM <sub>2.5</sub>	2
48	Gwalior	Poor	251	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Poor	265	PM <sub>2.5</sub>	1
50	Hapur	Very Poor	359	PM <sub>2.5</sub>	1
51	Hisar	Poor	271	PM <sub>2.5</sub>	1
52	Howrah	Moderate	101	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	3
53	Hubballi	Good	44	PM <sub>10</sub>	1
54	Hyderabad	Satisfactory	53	PM <sub>10</sub> , NO <sub>2</sub> , CO	6
55	Indore	Poor	219	PM <sub>2.5</sub>	1
56	Jabalpur	Poor	267	PM <sub>2.5</sub>	1
57	Jaipur	Very Poor	328	PM <sub>2.5</sub>	2
58	Jalandhar	Poor	257	PM <sub>2.5</sub>	1
59	Jind	Very Poor	387	PM <sub>2.5</sub>	1
60	Jodhpur	Poor	274	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Very Poor	303	PM <sub>2.5</sub>	1
62	Kalaburgi	Good	50	PM <sub>10</sub>	1
63	Kalyan	Poor	224	PM <sub>2.5</sub>	1
64	Kannur	Good	45	со	1
65	Kanpur	Poor	272	PM <sub>2.5</sub>	4
66	Karnal	Poor	264	PM <sub>2.5</sub>	1
67	Katni	Poor	262	PM <sub>2.5</sub>	1
68	Khanna	Poor	229	PM <sub>2.5</sub>	1
69	Kochi	Satisfactory	52	PM <sub>10</sub>	1
70	Kohima	Satisfactory	75	PM <sub>10</sub>	1
71	Kolkata	Satisfactory	80	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	6
72	Kollam	Good	50	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	44	со	1
74	Kota	Very Poor	375	PM <sub>2.5</sub>	1
75	Kozhikode	Good	46	PM <sub>10</sub>	1
76	Kurukshetra	Poor	284	PM <sub>2.5</sub>	1
77	Lucknow	Poor	271	PM <sub>2.5</sub>	6
78	Ludhiana	Poor	212	PM <sub>2.5</sub>	1
79	Mandi Gobindgarh	Poor	286	PM <sub>10</sub>	1
80	Mandideep	Moderate	153	PM <sub>10</sub>	1
81	Mandikhera	Moderate	173	PM <sub>2.5</sub>	1
82	Manesar	Very Poor	315	PM <sub>2.5</sub>	1
83	Manglore	Satisfactory	88	PM <sub>10</sub>	1
84	Medikeri	Good	22	СО	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Very Poor	328	PM <sub>2.5</sub>	3
86	Moradabad	Poor	284	PM <sub>2.5</sub>	2
87	Motihari	Very Poor	334	PM <sub>2.5</sub>	1
88	Mumbai	Poor	201	PM <sub>2.5</sub>	20
89	Munger	Poor	215	PM <sub>2.5</sub>	1
90	Muzaffarnagar	Very Poor	326	PM <sub>2.5</sub>	1
91	Muzaffarpur	Poor	219	PM <sub>2.5</sub> , PM <sub>10</sub>	3
92	Mysuru	Good	40	PM <sub>10</sub>	1
93	Narnaul	Poor	238	PM <sub>2.5</sub>	1
94	Nashik	Moderate	149	PM <sub>2.5</sub>	1
95	Navi Mumbai	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	2
96	Noida	Very Poor	321	PM <sub>10</sub> , PM <sub>2.5</sub>	4

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Poor	250	PM <sub>2.5</sub>	1
98	Palwal	Satisfactory	87	PM <sub>10</sub>	1
99	Panchkula	Satisfactory	79	PM <sub>2.5</sub>	1
100	Panipat	Very Poor	306	PM <sub>10</sub>	1
101	Patiala	Poor	259	PM <sub>2.5</sub>	1
102	Patna	Poor	203	PM <sub>2.5</sub> , PM <sub>10</sub>	5
103	Pithampur	Poor	209	PM <sub>2.5</sub>	1
104	Prayagraj	Poor	259	PM <sub>2.5</sub>	3
105	Puducherry	Good	45	O <sub>3</sub>	1
106	Pune	Moderate	196	PM <sub>2.5</sub> , SO <sub>2</sub>	2
107	Raichur	Satisfactory	53	PM <sub>10</sub>	1
108	Rajamahendravaram	Good	29	O <sub>3</sub>	1

## Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Satisfactory	53	O <sub>3</sub>	1
110	Ratlam	Poor	217	PM <sub>2.5</sub>	1
111	Rohtak	Very Poor	312	PM <sub>2.5</sub>	1
112	Rupnagar	Moderate	152	PM <sub>10</sub>	1
113	Sagar	Satisfactory	77	PM <sub>2.5</sub>	1
114	Sasaram	Moderate	171	PM <sub>2.5</sub>	1
115	Satna	Satisfactory	64	PM <sub>10</sub>	1
116	Shivamogga	Good	39	PM <sub>10</sub>	1
117	Siliguri	Satisfactory	94	PM <sub>10</sub>	1
118	Singrauli	Poor	262	PM <sub>10</sub>	1
119	Sirsa	Poor	268	PM <sub>2.5</sub>	1
120	Sonipat	Poor	288	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Moderate	111	PM <sub>10</sub>	1
122	Talcher	Good	38	PM <sub>2.5</sub>	1
123	Thane	Poor	226	PM <sub>10</sub>	1
124	Thiruvananthapuram	Good	40	PM <sub>10</sub> , NO <sub>2</sub>	2
125	Thoothukudi	Moderate	104	со	1
126	Tirupati	Satisfactory	73	PM <sub>2.5</sub>	1
127	Udaipur	Very Poor	331	PM <sub>2.5</sub>	1
128	Ujjain	Moderate	167	PM <sub>10</sub>	1
129	Vapi	Poor	213	PM <sub>2.5</sub>	1
130	Varanasi	Poor	263	PM <sub>2.5</sub>	3
131	Vatva	Very Poor	301	PM <sub>2.5</sub>	1
132	Vijayapura	Good	44	PM <sub>10</sub>	1

## Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Good	25	со	1
134	Vrindavan	Poor	251	PM <sub>2.5</sub>	1
135	Yadgir	Good	35	SO <sub>2</sub>	1
136	Yamunanagar	Poor	272	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Bagalkot, Bettiah, Bidar, Bihar Sharif, Chikkamagaluru, Damoh, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Shillong, Solapur, Thrissur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.