

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	131	PM _{2.5}	1
2	Agra	Poor	237	PM _{2.5}	5
3	Ahmedabad	Moderate	141	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	16	со	1
5	Ajmer	Moderate	183	PM _{2.5}	1
6	Alwar	Moderate	141	PM _{2.5}	1
7	Amaravati	Good	32	03	1
8	Ambala	Poor	260	PM _{2.5}	1
9	Amritsar	Poor	255	PM _{2.5}	1
10	Ankleshwar	Very Poor	319	PM _{2.5}	1
11	Asansol	Moderate	161	03	1
12	Aurangabad	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	22	со	1
14	Baghpat	Very Poor	314	PM _{2.5}	1
15	Bahadurgarh	Very Poor	355	PM _{2.5}	1
16	Ballabgarh	Very Poor	312	PM _{2.5}	1
17	Bathinda	Poor	257	PM ₁₀	1
18	Bengaluru	Satisfactory	59	CO, PM _{2.5} , NO ₂	9
19	Bhiwadi	Very Poor	356	PM _{2.5}	1
20	Bhiwani	Poor	283	PM _{2.5}	1
21	Bhopal	Poor	279	PM _{2.5}	1
22	Bidar	Good	42	со	1
23	Bilaspur	Satisfactory	68	PM ₁₀	1
24	Brajrajnagar	Moderate	161	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Very Poor	317	PM _{2.5}	1
26	Chamarajanagar	Good	43	PM ₁₀	1
27	Chandigarh	Moderate	165	O ₃ , PM ₁₀	2
28	Chandrapur	Satisfactory	98	PM _{2.5} , PM ₁₀	2
29	Charkhi Dadri	Very Poor	345	PM _{2.5}	1
30	Chennai	Good	37	CO, PM ₁₀	6
31	Chikkamagaluru	Good	30	СО	1
32	Coimbatore	Satisfactory	69	NO ₂	1
33	Damoh	Poor	221	PM _{2.5}	1
34	Darbhanga	Poor	235	PM ₁₀	1
35	Davanagere	Good	24	со	1
36	Delhi	Very Poor	375	PM _{2.5} , PM ₁₀	36

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Moderate	118	PM ₁₀	1
38	Durgapur	Very Poor	332	PM _{2.5}	1
39	Eloor	Good	48	СО	1
40	Ernakulam	Satisfactory	54	со	1
41	Faridabad	Very Poor	378	PM ₁₀	3
42	Fatehabad	Poor	294	PM _{2.5}	1
43	Firozabad	Poor	223	PM _{2.5}	1
44	Gadag	Good	31	O ₃	1
45	Gandhinagar	Moderate	108	PM _{2.5} , PM ₁₀	3
46	Gaya	Moderate	125	PM _{2.5} , PM ₁₀	2
47	Ghaziabad	Very Poor	361	PM _{2.5}	3
48	Gorakhpur	Poor	296	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Very Poor	362	PM _{2.5} , PM ₁₀	2
50	Gurugram	Very Poor	344	PM _{2.5}	4
51	Guwahati	Moderate	144	PM _{2.5}	2
52	Gwalior	Poor	281	PM _{2.5}	1
53	Hajipur	Poor	257	PM _{2.5}	1
54	Haldia	Moderate	122	PM ₁₀	1
55	Hapur	Poor	285	PM _{2.5}	1
56	Hassan	Good	35	NO ₂	1
57	Hisar	Very Poor	324	PM _{2.5}	1
58	Howrah	Moderate	194	PM _{2.5}	3
59	Hyderabad	Good	43	PM ₁₀ , NO ₂ , CO	6
60	Indore	Poor	219	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jabalpur	Poor	278	PM _{2.5}	1
62	Jaipur	Very Poor	301	PM _{2.5}	2
63	Jalandhar	Poor	242	PM _{2.5}	1
64	Jind	Very Poor	382	PM _{2.5}	1
65	Jodhpur	Poor	274	PM _{2.5}	1
66	Kaithal	Poor	257	PM _{2.5}	1
67	Kalaburgi	Good	31	PM ₁₀	1
68	Kalyan	Moderate	172	PM _{2.5}	1
69	Kanpur	Poor	257	PM _{2.5}	4
70	Karnal	Poor	280	PM _{2.5}	1
71	Katni	Very Poor	318	PM _{2.5}	1
72	Khanna	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kochi	Satisfactory	55	PM ₁₀	1
74	Kohima	Satisfactory	66	PM ₁₀	1
75	Kolar	Good	40	SO ₂	1
76	Kolkata	Moderate	153	PM _{2.5} , O ₃ , PM ₁₀	7
77	Kollam	Moderate	101	PM ₁₀	1
78	Koppal	Satisfactory	57	со	1
79	Kota	Very Poor	334	PM _{2.5}	1
80	Kozhikode	Good	48	PM ₁₀	1
81	Kurukshetra	Poor	273	PM _{2.5}	1
82	Lucknow	Poor	237	PM _{2.5} , PM ₁₀	6
83	Ludhiana	Poor	246	PM _{2.5}	1
84	Mandi Gobindgarh	Poor	244	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandideep	Moderate	136	PM ₁₀	1
86	Mandikhera	Poor	290	PM _{2.5}	1
87	Manesar	Very Poor	336	PM _{2.5}	1
88	Manglore	Satisfactory	74	PM ₁₀	1
89	Medikeri	Good	27	PM ₁₀	1
90	Meerut	Very Poor	305	PM _{2.5}	3
91	Moradabad	Poor	294	PM _{2.5}	2
92	Motihari	Very Poor	309	PM _{2.5}	1
93	Mumbai	Moderate	153	PM _{2.5}	18
94	Munger	Poor	262	PM _{2.5}	1
95	Muzaffarnagar	Poor	265	PM _{2.5}	1
96	Muzaffarpur	Poor	248	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mysuru	Good	34	PM ₁₀	1
98	Nandesari	Satisfactory	53	PM _{2.5}	1
99	Narnaul	Very Poor	330	PM _{2.5}	1
100	Nashik	Moderate	122	PM _{2.5}	1
101	Navi Mumbai	Moderate	159	PM _{2.5} , PM ₁₀	3
102	Noida	Very Poor	356	PM ₁₀ , PM _{2.5}	4
103	Pali	Moderate	185	PM _{2.5}	1
104	Palwal	Moderate	187	PM ₁₀	1
105	Panipat	Moderate	146	PM _{2.5}	1
106	Patiala	Poor	260	PM _{2.5}	1
107	Patna	Poor	231	PM _{2.5} , PM ₁₀	5
108	Pithampur	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Poor	232	PM _{2.5}	3
110	Puducherry	Good	46	со	1
111	Pune	Satisfactory	54	PM ₁₀ , CO	2
112	Raichur	Good	43	со	1
113	Rajamahendravaram	Satisfactory	60	03	1
114	Ramanagara	Good	44	03	1
115	Ratlam	Moderate	138	PM _{2.5}	1
116	Rohtak	Very Poor	357	PM _{2.5}	1
117	Rupnagar	Moderate	174	PM ₁₀	1
118	Sagar	Moderate	108	PM _{2.5}	1
119	Sasaram	Moderate	183	PM _{2.5}	1
120	Satna	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Shivamogga	Good	37	PM ₁₀	1
122	Siliguri	Moderate	109	PM ₁₀	1
123	Singrauli	Poor	281	PM _{2.5}	1
124	Sirsa	Poor	277	PM _{2.5}	1
125	Sonipat	Poor	282	PM _{2.5}	1
126	Srinagar	Satisfactory	96	PM ₁₀	1
127	Talcher	Good	43	PM _{2.5}	1
128	Thane	Poor	205	PM ₁₀	1
129	Thiruvananthapuram	Satisfactory	61	PM ₁₀ , PM _{2.5}	2
130	Thoothukudi	Satisfactory	92	со	1
131	Tirupati	Good	41	со	1
132	Udaipur	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Moderate	152	PM _{2.5}	1
134	Varanasi	Poor	216	PM _{2.5} , PM ₁₀	4
135	Vatva	Poor	210	PM _{2.5}	1
136	Vijayapura	Good	44	PM ₁₀	1
137	Vrindavan	Poor	267	PM _{2.5}	1
138	Yadgir	Good	24	SO ₂	1
139	Yamunanagar	Very Poor	301	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Chikkaballapur, Dharuhera, Gummidipoondi, Hubballi, Jorapokhar, Kannur, Maihar, Nagpur, Naharlagun, Panchkula, Shillong, Solapur, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.