



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	124	PM _{2.5}	1
2	Agra	Moderate	141	O ₃ , PM _{2.5}	6
3	Ahmedabad	Poor	246	PM _{2.5}	8
4	Aizawl	Good	46	PM ₁₀	1
5	Ajmer	Satisfactory	74	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Moderate	120	PM ₁₀	1
8	Ambala	Satisfactory	72	PM ₁₀	1
9	Amritsar	Moderate	109	PM ₁₀	1
10	Ankleshwar	Poor	241	PM _{2.5}	1
11	Araria	Moderate	124	PM _{2.5}	1
12	Arrah	Moderate	103	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	153	O ₃	1
14	Aurangabad	Moderate	116	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Poor	249	PM _{2.5}	1
17	Ballabgarh	Poor	231	PM _{2.5}	1
18	Bathinda	Satisfactory	83	PM ₁₀	1
19	Bengaluru	Satisfactory	96	PM ₁₀ , PM _{2.5}	10
20	Bettiah	Satisfactory	100	PM ₁₀	1
21	Bhagalpur	Moderate	123	PM _{2.5}	2
22	Bhiwadi	Poor	213	PM _{2.5}	1
23	Bhiwani	Poor	204	PM _{2.5}	1
24	Bhopal	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	125	PM ₁₀	1
26	Bihar Sharif	Satisfactory	95	NO ₂	1
27	Bilaspur	Satisfactory	57	CO	1
28	Brajrajnagar	Satisfactory	71	O ₃	1
29	Bulandshahr	Poor	216	PM _{2.5}	1
30	Buxar	Poor	219	PM _{2.5}	1
31	Chamarajanagar	Good	34	PM ₁₀	1
32	Chandigarh	Satisfactory	98	PM _{2.5} , PM ₁₀	3
33	Chandrapur	Moderate	148	O ₃ , PM ₁₀	2
34	Charkhi Dadri	Poor	220	PM _{2.5}	1
35	Chennai	Satisfactory	59	O ₃ , CO, PM ₁₀	8
36	Chhapra	Poor	204	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	103	PM _{2.5}	1
38	Chikkamagaluru	Satisfactory	61	PM ₁₀	1
39	Coimbatore	Satisfactory	59	PM ₁₀	1
40	Damoh	Good	48	PM _{2.5}	1
41	Darbhanga	Moderate	134	PM _{2.5}	1
42	Davanagere	Satisfactory	94	PM ₁₀	1
43	Delhi	Poor	285	PM _{2.5}	37
44	Dewas	Satisfactory	98	PM ₁₀	1
45	Dharuhera	Moderate	200	PM _{2.5}	1
46	Ernakulam	Good	43	NO ₂	1
47	Faridabad	Poor	293	PM _{2.5}	4
48	Fatehabad	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	186	PM _{2.5}	1
50	Gadag	Satisfactory	64	PM _{2.5}	1
51	Gandhinagar	Poor	258	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	103	PM _{2.5}	3
53	Ghaziabad	Very Poor	325	PM _{2.5}	4
54	Gorakhpur	Satisfactory	56	PM _{2.5}	1
55	Greater Noida	Poor	272	PM _{2.5}	2
56	Gummidipoondi	Good	26	PM ₁₀	1
57	Gurugram	Poor	231	PM _{2.5} , PM ₁₀	4
58	Guwahati	Satisfactory	100	PM _{2.5}	2
59	Gwalior	Moderate	158	PM _{2.5}	1
60	Hajipur	Satisfactory	93	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	235	PM _{2.5}	1
62	Hassan	Satisfactory	90	PM ₁₀	1
63	Hisar	Poor	242	PM _{2.5}	1
64	Howrah	Moderate	155	PM _{2.5} , PM ₁₀	3
65	Hubballi	Satisfactory	97	PM _{2.5}	1
66	Hyderabad	Moderate	138	PM ₁₀ , PM _{2.5}	3
67	Indore	Moderate	164	PM ₁₀	1
68	Jabalpur	Moderate	158	PM ₁₀	1
69	Jaipur	Moderate	102	PM ₁₀ , PM _{2.5}	2
70	Jalandhar	Moderate	108	PM ₁₀	1
71	Jhansi	Moderate	109	PM ₁₀	1
72	Jind	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Poor	225	PM _{2.5}	1
74	Kaithal	Satisfactory	58	CO	1
75	Kalaburgi	Moderate	141	PM ₁₀	1
76	Kalyan	Poor	251	PM _{2.5}	1
77	Kannur	Good	41	CO	1
78	Kanpur	Moderate	115	PM ₁₀ , PM _{2.5}	3
79	Karnal	Satisfactory	76	PM ₁₀	1
80	Katihar	Moderate	143	PM ₁₀	1
81	Katni	Moderate	166	PM ₁₀	1
82	Khanna	Satisfactory	65	PM ₁₀	1
83	Kishanganj	Moderate	160	PM _{2.5}	1
84	Kochi	Satisfactory	71	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	90	PM _{2.5}	1
86	Kolkata	Moderate	132	PM _{2.5} , O ₃ , PM ₁₀	7
87	Kollam	Satisfactory	93	PM ₁₀	1
88	Koppal	Satisfactory	92	PM ₁₀	1
89	Kota	Moderate	155	PM _{2.5}	1
90	Kozhikode	Satisfactory	59	PM ₁₀	1
91	Kurukshetra	Satisfactory	92	PM ₁₀	1
92	Lucknow	Moderate	124	PM _{2.5} , PM ₁₀	6
93	Ludhiana	Satisfactory	59	PM ₁₀	1
94	Madikeri	Good	45	O ₃	1
95	Maihar	Good	26	PM ₁₀	1
96	Mandi Gobindgarh	Moderate	183	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	113	PM _{2.5}	1
98	Mandikhara	Moderate	107	PM ₁₀	1
99	Manesar	Poor	267	PM _{2.5}	1
100	Manglore	Good	36	PM _{2.5}	1
101	Meerut	Poor	216	PM _{2.5}	3
102	Moradabad	Moderate	147	PM _{2.5}	4
103	Motihari	Satisfactory	100	CO	1
104	Mumbai	Poor	228	PM _{2.5} , PM ₁₀ , O ₃	16
105	Munger	Poor	216	PM _{2.5}	1
106	Muzaffarnagar	Poor	229	PM _{2.5}	1
107	Muzaffarpur	Moderate	148	PM _{2.5}	2
108	Mysuru	Satisfactory	78	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Satisfactory	100	CO	1
110	Narnaul	Moderate	159	PM _{2.5}	1
111	Navi Mumbai	Poor	281	PM ₁₀	2
112	Noida	Poor	260	PM _{2.5} , PM ₁₀	4
113	Pali	Moderate	184	PM _{2.5}	1
114	Palwal	Moderate	151	PM ₁₀	1
115	Panchkula	Satisfactory	98	PM _{2.5}	1
116	Patiala	Satisfactory	68	PM ₁₀	1
117	Patna	Moderate	136	PM _{2.5} , PM ₁₀	6
118	Pithampur	Moderate	123	PM _{2.5}	1
119	Prayagraj	Satisfactory	89	PM ₁₀ , PM _{2.5}	3
120	Puducherry	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	182	PM _{2.5} , CO	5
122	Purnia	Moderate	131	PM _{2.5}	1
123	Rajamahendravaram	Moderate	119	PM ₁₀	1
124	Rajgir	Moderate	132	PM _{2.5}	1
125	Ramanagara	Satisfactory	75	PM ₁₀	1
126	Ratlam	Moderate	130	PM ₁₀	1
127	Rohtak	Poor	204	PM _{2.5}	1
128	Rupnagar	Satisfactory	66	PM _{2.5}	1
129	Sagar	Satisfactory	70	PM ₁₀	1
130	Saharsa	Moderate	133	PM _{2.5}	1
131	Sasaram	Moderate	168	PM _{2.5}	1
132	Satna	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	62	PM ₁₀	1
134	Siliguri	Satisfactory	86	PM _{2.5}	1
135	Singrauli	Moderate	176	PM _{2.5}	1
136	Sirsa	Satisfactory	87	PM ₁₀	1
137	Siwan	Moderate	155	PM _{2.5}	1
138	Solapur	Satisfactory	67	PM _{2.5}	1
139	Srinagar	Moderate	185	PM ₁₀	1
140	Talcher	Moderate	132	NO ₂	1
141	Thane	Moderate	124	O ₃	1
142	Thiruvananthapuram	Satisfactory	58	PM ₁₀	2
143	Thoothukudi	Satisfactory	56	PM ₁₀	1
144	Tirupati	Satisfactory	77	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonapat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 06, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	192	PM _{2.5}	1
146	Ujjain	Poor	243	PM ₁₀	1
147	Vapi	Poor	222	PM ₁₀	1
148	Varanasi	Satisfactory	74	PM _{2.5} , PM ₁₀	4
149	Vatva	Poor	224	PM _{2.5}	1
150	Vijayapura	Good	46	PM ₁₀	1
151	Visakhapatnam	Satisfactory	70	PM _{2.5}	1
152	Vrindavan	Satisfactory	92	PM ₁₀	1
153	Yadgir	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Durgapur, Eloor, Haldia, Jorapokhar, Kohima, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Sonipat, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.