



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	38	PM ₁₀	2
2	Agra	Good	42	PM _{2.5} , O ₃ , SO ₂	6
3	Ahmedabad	Satisfactory	64	PM ₁₀ , CO	6
4	Aizawl	Satisfactory	55	O ₃	1
5	Ajmer	Moderate	139	PM ₁₀	1
6	Alwar	Satisfactory	69	PM ₁₀	1
7	Amaravati	Good	37	O ₃	1
8	Ambala	Good	38	PM ₁₀	1
9	Amritsar	Moderate	180	O ₃	1
10	Ankleshwar	Satisfactory	92	PM _{2.5}	1
11	Asansol	Satisfactory	69	NO ₂	1
12	Aurangabad (Bihar)	Poor	277	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	45	PM ₁₀	1
14	Bahadurgarh	Good	50	NO ₂	1
15	Ballabgarh	Satisfactory	78	PM ₁₀	1
16	Bareilly	Good	29	PM _{2.5}	1
17	Bathinda	Good	45	PM ₁₀	1
18	Bengaluru	Satisfactory	56	CO, PM ₁₀	7
19	Bettiah	Good	34	PM _{2.5}	1
20	Bhagalpur	Satisfactory	87	PM ₁₀	2
21	Bhiwadi	Satisfactory	61	PM ₁₀	1
22	Bhiwani	Satisfactory	64	PM ₁₀	1
23	Bhopal	Good	43	CO	1
24	Bihar Sharif	Moderate	167	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Good	42	O ₃	1
26	Chamarajanagar	Good	39	PM ₁₀	1
27	Chandigarh	Satisfactory	68	O ₃ , PM ₁₀	3
28	Chandrapur	Satisfactory	74	PM _{2.5} , CO	2
29	Charkhi Dadri	Satisfactory	95	PM _{2.5}	1
30	Chennai	Satisfactory	63	O ₃ , CO, PM ₁₀	7
31	Chhapra	Poor	256	PM ₁₀	1
32	Chikkamagaluru	Good	36	PM ₁₀	1
33	Coimbatore	Good	41	PM ₁₀	1
34	Damoh	Good	20	CO	1
35	Darbhanga	Satisfactory	93	PM ₁₀	1
36	Davanagere	Good	19	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dehradun	Good	37	PM ₁₀	1
38	Delhi	Satisfactory	76	PM ₁₀ , PM _{2.5} , CO	26
39	Dewas	Good	38	O ₃	1
40	Dharuhera	Moderate	103	PM ₁₀	1
41	Durgapur	Satisfactory	90	PM ₁₀	1
42	Eloor	Satisfactory	56	PM ₁₀	1
43	Ernakulam	Good	42	NO ₂	1
44	Faridabad	Satisfactory	85	SO ₂ , CO, PM ₁₀	3
45	Gandhinagar	Satisfactory	61	PM ₁₀	2
46	Gaya	Moderate	130	PM ₁₀ , PM _{2.5}	3
47	Ghaziabad	Satisfactory	63	CO, PM _{2.5} , NO ₂	3
48	Gorakhpur	Good	46	SO ₂	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Satisfactory	56	PM ₁₀ , O ₃	2
50	Gurugram	Moderate	147	PM _{2.5} , PM ₁₀	2
51	Guwahati	Satisfactory	55	O ₃ , PM ₁₀	2
52	Gwalior	Satisfactory	66	PM ₁₀ , O ₃	2
53	Hajipur	Satisfactory	96	PM _{2.5}	1
54	Haldia	Satisfactory	53	PM ₁₀	1
55	Hapur	Satisfactory	57	CO	1
56	Hassan	Good	31	NO ₂	1
57	Haveri	Good	34	CO	1
58	Hisar	Satisfactory	73	PM ₁₀	1
59	Howrah	Satisfactory	59	PM ₁₀ , CO	3
60	Hubballi	Good	35	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Satisfactory	54	CO, PM ₁₀ , NO ₂	12
62	Imphal	Good	42	SO ₂	1
63	Indore	Satisfactory	52	PM ₁₀	1
64	Jabalpur	Satisfactory	72	PM ₁₀	1
65	Jaipur	Satisfactory	57	NO ₂ , CO	3
66	Jalandhar	Good	29	CO	1
67	Jhansi	Good	35	PM ₁₀	1
68	Jodhpur	Satisfactory	76	PM ₁₀	1
69	Kaithal	Good	49	O ₃	1
70	Kalaburgi	Good	28	O ₃	1
71	Kannur	Satisfactory	53	PM _{2.5}	1
72	Kanpur	Good	33	PM _{2.5} , PM ₁₀ , O ₃	3

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Karnal	Good	31	PM ₁₀	1
74	Katihar	Moderate	164	CO	1
75	Katni	Satisfactory	56	PM ₁₀	1
76	Khurja	Good	43	PM ₁₀	1
77	Kishanganj	Satisfactory	76	NO ₂	1
78	Kochi	Satisfactory	51	PM ₁₀	1
79	Kohima	Satisfactory	67	PM ₁₀	1
80	Kolkata	Satisfactory	52	PM ₁₀ , O ₃	7
81	Kollam	Good	49	PM ₁₀	1
82	Koppal	Good	23	SO ₂	1
83	Kota	Satisfactory	73	PM ₁₀	1
84	Kozhikode	Satisfactory	68	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Satisfactory	52	NO ₂ , CO, O ₃	6
86	Ludhiana	Good	50	CO	1
87	Mandi Gobindgarh	Good	27	PM ₁₀	1
88	Mandideep	Good	44	O ₃	1
89	Mandikhera	Satisfactory	84	CO	1
90	Manesar	Good	48	PM ₁₀	1
91	Meerut	Good	33	CO, O ₃ , PM ₁₀	3
92	Moradabad	Good	44	CO, O ₃ , PM ₁₀	6
93	Mumbai	Satisfactory	58	O ₃ , SO ₂ , CO	12
94	Munger	Satisfactory	88	CO	1
95	Muzaffarnagar	Satisfactory	63	PM _{2.5}	1
96	Muzaffarpur	Satisfactory	88	PM _{2.5} , PM ₁₀	2

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mysuru	Good	40	O ₃	1
98	Nagpur	Good	37	O ₃	1
99	Narnaul	Good	28	NO ₂	1
100	Nashik	Good	27	PM ₁₀	1
101	Navi Mumbai	Satisfactory	66	CO	2
102	Noida	Good	50	NO ₂ , PM ₁₀	2
103	Pali	Moderate	103	PM _{2.5}	1
104	Palwal	Satisfactory	55	PM ₁₀	1
105	Panchkula	Good	29	NO ₂	1
106	Panipat	Good	46	PM ₁₀	1
107	Patiala	Good	44	CO	1
108	Patna	Moderate	135	PM ₁₀ , PM _{2.5}	4

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pithampur	Satisfactory	72	PM ₁₀	1
110	Prayagraj	Satisfactory	65	SO ₂ , PM ₁₀	2
111	Pune	Satisfactory	74	CO	5
112	Purnia	Moderate	109	PM ₁₀	1
113	Raichur	Good	48	CO	1
114	Rajamahendravaram	Good	33	PM ₁₀	1
115	Rajgir	Satisfactory	52	PM ₁₀	1
116	Ramanagara	Good	32	PM ₁₀	1
117	Ratlam	Good	47	PM ₁₀	1
118	Rohtak	Moderate	108	PM _{2.5}	1
119	Rupnagar	Satisfactory	52	PM ₁₀	1
120	Sagar	Satisfactory	62	CO	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Samastipur	Moderate	175	PM ₁₀	1
122	Sasaram	Moderate	107	PM ₁₀	1
123	Satna	Good	32	PM ₁₀	1
124	Shillong	Good	24	PM ₁₀	1
125	Shivamogga	Satisfactory	51	PM ₁₀	1
126	Siliguri	Good	35	PM ₁₀	1
127	Singrauli	Moderate	102	NO ₂	1
128	Sirsa	Satisfactory	73	O ₃	1
129	Solapur	Satisfactory	73	PM ₁₀	1
130	Srinagar	Satisfactory	88	PM ₁₀	1
131	Talcher	Good	45	CO	1
132	Thane	Good	45	PM ₁₀	1

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Good	38	CO	1
134	Thoothukudi	Good	31	PM ₁₀	1
135	Thrissur	Good	43	O ₃	1
136	Udaipur	Satisfactory	51	PM ₁₀	1
137	Ujjain	Satisfactory	66	PM ₁₀	1
138	Varanasi	Satisfactory	51	O ₃ , NO ₂ , PM ₁₀	4
139	Vijayapura	Good	49	PM ₁₀	1
140	Visakhapatnam	Satisfactory	100	PM ₁₀	1
141	Vrindavan	Good	46	SO ₂	1
142	Yadgir	Good	30	CO	1
143	Yamunanagar	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Aurangabad

(Maharashtra), Baddi, Baghpat, Begusarai, Bhilai, Bidar, Bilaspur, Brajrajnagar, Buxar, Chikkaballapur, Fatehabad, Firozabad, Gadag, Gangtok, Gummidipoondi, Jind, Jorapokhar, Kalyan, Khanna, Kolar, Kurukshetra, Madikeri, Maihar, Manglore, Manguraha, Motihari, Naharlagun, Nandesari, Puducherry, Saharsa, Siwan, Sonipat, Tirupati, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.