



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM ₁₀	2
2	Agra	Satisfactory	59	PM _{2.5} , O ₃ , PM ₁₀	6
3	Ahmedabad	Satisfactory	64	PM ₁₀ , CO	6
4	Aizawl	Satisfactory	74	O ₃	1
5	Ajmer	Moderate	122	PM ₁₀	1
6	Alwar	Satisfactory	62	PM ₁₀	1
7	Amaravati	Good	36	O ₃	1
8	Amritsar	Moderate	183	O ₃	1
9	Ankleshwar	Satisfactory	54	PM _{2.5}	1
10	Araria	Satisfactory	59	O ₃	1
11	Asansol	Satisfactory	85	PM ₁₀	1
12	Aurangabad (Bihar)	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Poor	219	PM ₁₀	1
14	Bagalkot	Good	45	PM ₁₀	1
15	Baghpat	Satisfactory	53	O ₃	1
16	Bahadurgarh	Satisfactory	63	PM ₁₀	1
17	Ballabgarh	Satisfactory	74	NO ₂	1
18	Bareilly	Satisfactory	73	PM ₁₀	1
19	Bathinda	Good	43	PM ₁₀	1
20	Begusarai	Good	49	PM _{2.5}	1
21	Bengaluru	Satisfactory	77	CO, PM ₁₀	8
22	Bettiah	Good	45	PM _{2.5}	1
23	Bhagalpur	Satisfactory	64	PM ₁₀	2
24	Bhiwadi	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	67	PM _{2.5}	1
26	Bhopal	Good	45	PM ₁₀	1
27	Bihar Sharif	Poor	282	PM ₁₀	1
28	Brajrajnagar	Satisfactory	79	PM ₁₀	1
29	Bulandshahr	Satisfactory	64	PM ₁₀	1
30	Buxar	Moderate	143	PM _{2.5}	1
31	Chamarajanagar	Good	43	PM ₁₀	1
32	Chandigarh	Satisfactory	78	O ₃ , PM _{2.5}	3
33	Chandrapur	Satisfactory	63	CO	1
34	Charkhi Dadri	Satisfactory	91	PM ₁₀	1
35	Chennai	Satisfactory	53	CO, O ₃ , PM ₁₀	7
36	Chhapra	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	34	PM ₁₀	1
38	Coimbatore	Good	43	CO	1
39	Damoh	Good	22	PM _{2.5}	1
40	Darbhanga	Satisfactory	87	CO	1
41	Davanagere	Good	24	PM ₁₀	1
42	Dehradun	Good	35	PM ₁₀	1
43	Delhi	Satisfactory	95	O ₃ , PM _{2.5}	31
44	Dewas	Good	38	O ₃	1
45	Dharuhera	Satisfactory	51	PM ₁₀	1
46	Durgapur	Satisfactory	97	PM ₁₀	1
47	Eloor	Satisfactory	52	PM ₁₀	1
48	Ernakulam	Good	45	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	101	CO, PM ₁₀	2
50	Fatehabad	Satisfactory	78	O ₃	1
51	Firozabad	Satisfactory	67	O ₃ , PM _{2.5}	2
52	Gandhinagar	Satisfactory	54	PM ₁₀	1
53	Gaya	Satisfactory	66	NO ₂ , CO, O ₃	3
54	Ghaziabad	Moderate	107	PM _{2.5} , PM ₁₀	4
55	Gorakhpur	Good	46	SO ₂	1
56	Greater Noida	Satisfactory	74	PM ₁₀	2
57	Gurugram	Moderate	191	PM ₁₀ , PM _{2.5}	3
58	Guwahati	Satisfactory	66	O ₃ , PM ₁₀	2
59	Gwalior	Good	49	O ₃ , PM ₁₀	2
60	Hajipur	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	39	PM ₁₀	1
62	Hassan	Good	30	SO ₂	1
63	Haveri	Good	35	CO	1
64	Hisar	Satisfactory	63	PM ₁₀	1
65	Howrah	Satisfactory	53	PM _{2.5} , PM ₁₀ , CO	3
66	Hyderabad	Satisfactory	56	CO, PM ₁₀ , PM _{2.5}	12
67	Imphal	Satisfactory	58	O ₃ , SO ₂	2
68	Indore	Satisfactory	56	PM ₁₀	1
69	Jabalpur	Satisfactory	58	PM ₁₀	1
70	Jaipur	Good	48	PM ₁₀ , O ₃	3
71	Jalandhar	Satisfactory	56	PM ₁₀	1
72	Jhansi	Good	29	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Satisfactory	65	PM _{2.5}	1
74	Jodhpur	Satisfactory	68	PM ₁₀	1
75	Kaithal	Satisfactory	69	O ₃	1
76	Kalaburgi	Good	47	PM ₁₀	1
77	Kannur	Satisfactory	65	PM ₁₀	1
78	Kanpur	Satisfactory	65	PM ₁₀ , PM _{2.5}	4
79	Katihar	Moderate	111	PM ₁₀	1
80	Katni	Satisfactory	82	PM ₁₀	1
81	Khanna	Satisfactory	67	NO ₂	1
82	Khurja	Satisfactory	60	PM ₁₀	1
83	Kishanganj	Satisfactory	51	O ₃	1
84	Kochi	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	58	SO ₂	1
86	Kolkata	Good	46	PM ₁₀ , O ₃ , PM _{2.5}	7
87	Kollam	Satisfactory	69	PM ₁₀	1
88	Koppal	Good	23	PM ₁₀	1
89	Kota	Satisfactory	62	PM ₁₀	1
90	Kozhikode	Satisfactory	65	PM ₁₀	1
91	Kurukshetra	Good	50	PM ₁₀	1
92	Lucknow	Satisfactory	76	NO ₂ , PM ₁₀ , O ₃	6
93	Ludhiana	Moderate	119	PM ₁₀	1
94	Madikeri	Good	26	SO ₂	1
95	Mandi Gobindgarh	Good	32	PM ₁₀	1
96	Mandideep	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	74	CO	1
98	Manglore	Satisfactory	78	NO ₂	1
99	Meerut	Good	50	CO, PM ₁₀	3
100	Moradabad	Satisfactory	88	PM _{2.5} , PM ₁₀	5
101	Motihari	Satisfactory	56	O ₃	1
102	Mumbai	Satisfactory	67	CO, PM _{2.5} , SO ₂	14
103	Muzaffarnagar	Satisfactory	87	PM _{2.5}	1
104	Muzaffarpur	Good	50	O ₃ , CO	2
105	Mysuru	Good	43	PM ₁₀	1
106	Nagpur	Good	44	PM ₁₀	1
107	Naharlagun	Good	23	SO ₂	1
108	Narnaul	Good	29	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Good	31	CO	1
110	Navi Mumbai	Satisfactory	61	PM ₁₀	1
111	Noida	Satisfactory	79	CO, PM _{2.5} , PM ₁₀	3
112	Pali	Satisfactory	84	PM ₁₀	1
113	Panchkula	Satisfactory	63	PM _{2.5}	1
114	Panipat	Satisfactory	76	PM ₁₀	1
115	Patiala	Good	50	CO	1
116	Patna	Moderate	102	O ₃ , PM ₁₀ , PM _{2.5}	6
117	Pithampur	Satisfactory	64	PM ₁₀	1
118	Prayagraj	Satisfactory	58	SO ₂ , PM ₁₀	2
119	Puducherry	Satisfactory	63	PM _{2.5}	1
120	Pune	Satisfactory	91	NO ₂ , CO	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Satisfactory	97	PM ₁₀	1
122	Raichur	Good	47	CO	1
123	Rajamahendravaram	Good	47	PM ₁₀	1
124	Ramanagara	Good	38	PM ₁₀	1
125	Rohtak	Moderate	123	PM _{2.5}	1
126	Rupnagar	Moderate	107	PM ₁₀	1
127	Sagar	Satisfactory	52	CO	1
128	Samastipur	Satisfactory	93	CO	1
129	Sasaram	Satisfactory	56	PM ₁₀	1
130	Satna	Good	26	PM ₁₀	1
131	Shillong	Good	36	PM ₁₀	2
132	Shivamogga	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	35	PM ₁₀	1
134	Singrauli	Moderate	105	NO ₂	1
135	Sirsa	Satisfactory	90	O ₃	1
136	Siwan	Moderate	192	PM ₁₀	1
137	Solapur	Satisfactory	64	PM ₁₀	1
138	Sonipat	Moderate	127	PM ₁₀	1
139	Srinagar	Satisfactory	62	PM ₁₀	1
140	Talcher	Good	36	CO	1
141	Thiruvananthapuram	Satisfactory	60	PM _{2.5} , PM ₁₀	2
142	Thoothukudi	Good	41	PM ₁₀	1
143	Udaipur	Good	36	PM ₁₀	1
144	Varanasi	Good	45	NO ₂ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jul 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Good	47	NO ₂	1
146	Vijayapura	Good	49	PM ₁₀	1
147	Visakhapatnam	Moderate	104	PM ₁₀	1
148	Vrindavan	Good	43	SO ₂	1
149	Yadgir	Good	41	PM ₁₀	1
150	Yamunanagar	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bhilai, Bidar, Bilaspur, Chikkaballapur, Gadag, Gangtok, Gummidipoondi, Hapur, Hubballi, Jorapokhar, Kalyan, Karnal, Kolar, Maihar, Manesar, Manguraha, Munger, Nandesari, Palwal, Rajgir, Ratlam, Saharsa, Thane, Thrissur, Tirupati, Udipi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.