

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM _{2.5} , PM ₁₀	2
2	Agra	Good	33	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	95	PM ₁₀	1
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Good	43	со	1
8	Ambala	Satisfactory	94	PM _{2.5}	1
9	Amritsar	Satisfactory	79	NO ₂	1
10	Aurangabad (Bihar)	Poor	203	PM _{2.5}	1
11	Aurangabad (Maharashtra)	Satisfactory	53	со	1
12	Baddi	Moderate	101	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	42	PM ₁₀	1
14	Baghpat	Good	44	O ₃	1
15	Bahadurgarh	Satisfactory	88	PM ₁₀	1
16	Ballabgarh	Satisfactory	88	PM _{2.5}	1
17	Bareilly	Good	33	PM ₁₀	1
18	Bathinda	Satisfactory	59	PM ₁₀	1
19	Begusarai	Good	32	PM _{2.5}	1
20	Bengaluru	Satisfactory	79	PM ₁₀	8
21	Bhagalpur	Satisfactory	56	со	1
22	Bhiwadi	Satisfactory	88	PM ₁₀	1
23	Bhiwani	Satisfactory	66	0 ₃	1
24	Bhopal	Satisfactory	76	СО	1

Possible Health Impacts

Good **Minimal Impact** Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Notes: Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	251	PM _{2.5}	1
26	Bilaspur	Moderate	119	СО	1
27	Bulandshahr	Satisfactory	60	PM ₁₀	1
28	Buxar	Moderate	132	PM _{2.5}	1
29	Chamarajanagar	Good	36	PM ₁₀	1
30	Chandigarh	Good	48	О ₃ , РМ ₁₀	3
31	Chandrapur	Satisfactory	74	РМ _{2.5} , СО	2
32	Charkhi Dadri	Good	46	PM ₁₀	1
33	Chennai	Satisfactory	52	CO, PM ₁₀	7
34	Chhapra	Moderate	126	PM ₁₀	1
35	Chikkamagaluru	Good	36	PM ₁₀	1
36	Coimbatore	Good	40	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	20	со	1
38	Darbhanga	Good	45	со	1
39	Davanagere	Good	29	PM ₁₀	1
40	Dehradun	Good	28	СО	1
41	Delhi	Moderate	140	PM _{2.5}	34
42	Dewas	Satisfactory	62	PM ₁₀	1
43	Eloor	Good	49	PM ₁₀	1
44	Ernakulam	Good	35	NO ₂	1
45	Faridabad	Moderate	169	PM _{2.5}	2
46	Firozabad	Satisfactory	84	О ₃ , РМ ₁₀	2
47	Gandhinagar	Good	38	PM ₁₀	1
48	Gangtok	Good	14	0 ₃	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Poor	221	PM _{2.5}	1
50	Ghaziabad	Moderate	105	PM _{2.5} , PM ₁₀	4
51	Gorakhpur	Good	45	SO ₂	1
52	Greater Noida	Satisfactory	88	PM ₁₀	2
53	Gurugram	Poor	208	PM _{2.5} , PM ₁₀	2
54	Guwahati	Good	50	O ₃ , SO ₂	2
55	Gwalior	Good	35	СО	1
56	Hajipur	Satisfactory	51	PM _{2.5}	1
57	Haldia	Good	35	O ₃	1
58	Hassan	Good	45	SO ₂	1
59	Haveri	Good	37	СО	1
60	Hisar	Satisfactory	66	0 ₃	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Notes: Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Good	42	CO, PM _{2.5} , PM ₁₀	3
62	Hubballi	Satisfactory	62	PM ₁₀	1
63	Hyderabad	Satisfactory	59	PM ₁₀ , PM _{2.5}	12
64	Imphal	Satisfactory	65	О ₃ , РМ ₁₀	2
65	Indore	Satisfactory	84	PM ₁₀	1
66	Jabalpur	Good	46	СО	1
67	Jaipur	Good	48	CO, PM ₁₀	2
68	Jalandhar	Satisfactory	75	PM ₁₀	1
69	Jhansi	Good	24	PM ₁₀	1
70	Jind	Satisfactory	53	PM _{2.5}	1
71	Jodhpur	Satisfactory	76	PM ₁₀	1
72	Kalaburgi	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Notes: Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	86	PM ₁₀	1
74	Kannur	Satisfactory	62	PM ₁₀	1
75	Kanpur	Good	32	CO, PM ₁₀	4
76	Karnal	Good	37	PM _{2.5}	1
77	Katihar	Satisfactory	66	PM ₁₀	1
78	Katni	Good	35	PM ₁₀	1
79	Khanna	Satisfactory	64	PM ₁₀	1
80	Khurja	Satisfactory	74	PM _{2.5}	1
81	Kishanganj	Good	46	O ₃	1
82	Kochi	Satisfactory	90	PM _{2.5}	1
83	Kohima	Good	50	SO ₂	1
84	Kolkata	Good	42	PM ₁₀ , O ₃ , CO	7

Possible Health Impacts

Good **Minimal Impact** Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes:



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	62	PM ₁₀	1
86	Koppal	Good	21	PM ₁₀	1
87	Kota	Satisfactory	61	PM ₁₀	1
88	Kozhikode	Satisfactory	70	PM ₁₀	1
89	Kurukshetra	Good	48	O ₃	1
90	Lucknow	Satisfactory	57	NO ₂ , CO, PM _{2.5}	5
91	Ludhiana	Satisfactory	100	PM ₁₀	1
92	Madikeri	Good	31	PM ₁₀	1
93	Mandi Gobindgarh	Satisfactory	96	NO ₂	1
94	Mandideep	Satisfactory	59	0 ₃	1
95	Mandikhera	Moderate	103	со	1
96	Manesar	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Notes: Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	63	NO ₂	1
98	Meerut	Satisfactory	51	PM ₁₀	3
99	Moradabad	Good	49	CO, PM ₁₀ , O ₃	6
100	Motihari	Satisfactory	54	0 ₃	1
101	Mumbai	Satisfactory	63	CO, PM ₁₀ , SO ₂	11
102	Munger	Moderate	104	PM ₁₀	1
103	Muzaffarpur	Satisfactory	58	PM ₁₀ , O ₃ , CO	3
104	Mysuru	Satisfactory	56	PM ₁₀	1
105	Nagpur	Satisfactory	53	PM ₁₀	1
106	Nandesari	Moderate	106	со	1
107	Narnaul	Good	28	NO ₂	1
108	Navi Mumbai	Satisfactory	68	CO, PM ₁₀	3

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Moderate	109	CO, PM _{2.5}	3
110	Pali	Satisfactory	75	PM ₁₀	1
111	Palwal	Satisfactory	85	PM ₁₀	1
112	Panchkula	Good	38	PM _{2.5}	1
113	Patiala	Good	50	PM ₁₀	1
114	Patna	Satisfactory	84	PM ₁₀ , O ₃ , PM _{2.5}	6
115	Pithampur	Satisfactory	67	PM ₁₀	1
116	Prayagraj	Satisfactory	69	PM _{2.5} , SO ₂ , PM ₁₀	3
117	Puducherry	Good	30	со	1
118	Rajamahendravaram	Good	28	PM ₁₀	1
119	Rajgir	Good	38	PM _{2.5}	1
120	Ramanagara	Good	46	PM ₁₀	1

Notes:

Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Good	37	PM ₁₀	1
122	Rohtak	Good	47	NO ₂	1
123	Rupnagar	Good	32	PM ₁₀	1
124	Sagar	Good	50	со	1
125	Samastipur	Moderate	106	СО	1
126	Satna	Satisfactory	52	PM ₁₀	1
127	Shillong	Good	27	PM ₁₀	1
128	Shivamogga	Good	42	PM ₁₀	1
129	Singrauli	Moderate	106	NO ₂	1
130	Sirsa	Satisfactory	77	0 ₃	1
131	Siwan	Satisfactory	53	NO ₂	1
132	Solapur	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good **Minimal Impact** Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Notes: Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sonipat	Moderate	105	PM ₁₀	1
134	Srinagar	Good	49	PM ₁₀	1
135	Thane	Satisfactory	62	PM ₁₀	1
136	Thiruvananthapuram	Satisfactory	66	СО	1
137	Thoothukudi	Satisfactory	57	PM ₁₀	1
138	Tirupati	Good	49	PM ₁₀	1
139	Udaipur	Satisfactory	60	PM ₁₀	1
140	Ujjain	Satisfactory	71	PM ₁₀	1
141	Varanasi	Satisfactory	53	SO ₂ , PM ₁₀ , O ₃	3
142	Vatva	Satisfactory	67	PM ₁₀	1
143	Vijayapura	Good	40	PM ₁₀	1
144	Visakhapatnam	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good **Minimal Impact** Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Notes: Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vrindavan	Good	44	SO ₂	1
146	Yadgir	Good	34	PM ₁₀	1
147	Yamunanagar	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Araria, Arrah, Notes: Asansol, Bettiah, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Dharuhera, Durgapur, Fatehabad, Gadag, Gummidipoondi, Hapur, Jorapokhar, Kaithal, Kolar, Maihar, Manguraha, Muzaffarnagar, Naharlagun, Nashik, Panipat, Pune, Purnia, Raichur, Saharsa, Sasaram, Siliguri, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.