

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	42	O <sub>3</sub> , PM <sub>10</sub> , SO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	52	PM <sub>10</sub>	2
4	Aizawl	Good	28	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	71	PM <sub>10</sub>	1
6	Alwar	Satisfactory	55	PM <sub>10</sub>	1
7	Amaravati	Good	35	O <sub>3</sub>	1
8	Ambala	Satisfactory	90	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	85	O <sub>3</sub>	1
10	Ankleshwar	Good	38	PM <sub>10</sub>	1
11	Araria	Moderate	119	PM <sub>2.5</sub>	1
12	Arrah	Satisfactory	63	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	117	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	51	СО	1
15	Baddi	Satisfactory	79	PM <sub>10</sub>	1
16	Bagalkot	Good	46	PM <sub>10</sub>	1
17	Baghpat	Satisfactory	66	O <sub>3</sub>	1
18	Bahadurgarh	Good	45	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	86	PM <sub>10</sub>	1
20	Bareilly	Good	48	PM <sub>2.5</sub> , PM <sub>10</sub>	2
21	Belgaum	Good	47	со	1
22	Bengaluru	Satisfactory	62	PM <sub>10</sub>	4
23	Bettiah	Good	47	PM <sub>10</sub>	1
24	Bhagalpur	Satisfactory	85	NO <sub>2</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Good	49	PM <sub>10</sub>	1
26	Bhiwani	Satisfactory	61	PM <sub>10</sub>	1
27	Bhopal	Good	32	PM <sub>10</sub>	1
28	Bihar Sharif	Satisfactory	83	PM <sub>10</sub>	1
29	Bilaspur	Satisfactory	59	со	1
30	Bulandshahr	Good	42	PM <sub>10</sub>	1
31	Buxar	Moderate	124	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	59	O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	64	со	1
34	Charkhi Dadri	Good	38	PM <sub>10</sub>	1
35	Chennai	Satisfactory	57	O <sub>3</sub> , CO, PM <sub>10</sub>	9
36	Chhapra	Satisfactory	87	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	29	со	1
38	Chikkamagaluru	Good	36	PM <sub>10</sub>	1
39	Coimbatore	Good	34	со	1
40	Damoh	Good	22	со	1
41	Davanagere	Good	17	PM <sub>10</sub>	1
42	Dehradun	Good	32	PM <sub>10</sub>	1
43	Delhi	Satisfactory	72	O <sub>3</sub> , PM <sub>10</sub> , CO	33
44	Dewas	Satisfactory	52	PM <sub>10</sub>	1
45	Dharuhera	Satisfactory	54	PM <sub>10</sub>	1
46	Eloor	Satisfactory	62	PM <sub>10</sub>	1
47	Ernakulam	Good	34	со	1
48	Faridabad	Moderate	122	O <sub>3</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Good	48	PM <sub>10</sub>	1
50	Firozabad	Good	36	03	1
51	Gadag	Good	36	NO <sub>2</sub>	1
52	Gandhinagar	Good	28	PM <sub>10</sub>	1
53	Gaya	Satisfactory	87	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Ghaziabad	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	3
55	Gorakhpur	Good	48	SO <sub>2</sub>	1
56	Greater Noida	Satisfactory	58	со	2
57	Gummidipoondi	Good	21	PM <sub>2.5</sub>	1
58	Gurugram	Satisfactory	61	PM <sub>10</sub> , O <sub>3</sub>	3
59	Guwahati	Satisfactory	76	PM <sub>10</sub>	2
60	Gwalior	Satisfactory	56	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	105	PM <sub>10</sub>	1
62	Haldia	Satisfactory	64	PM <sub>10</sub>	1
63	Hapur	Satisfactory	61	со	1
64	Hassan	Satisfactory	61	SO <sub>2</sub>	1
65	Haveri	Satisfactory	52	со	1
66	Hisar	Satisfactory	67	03	1
67	Hosur	Satisfactory	61	PM <sub>10</sub>	1
68	Howrah	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	3
69	Hubballi	Satisfactory	54	со	1
70	Hyderabad	Satisfactory	54	CO, PM <sub>10</sub>	14
71	Imphal	Satisfactory	80	O <sub>3</sub> , PM <sub>10</sub>	2
72	Indore	Satisfactory	53	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jabalpur	Satisfactory	64	со	1
74	Jaipur	Good	41	PM <sub>10</sub> , CO	3
75	Jalandhar	Satisfactory	52	PM <sub>10</sub>	1
76	Jhansi	Good	46	PM <sub>10</sub>	1
77	Jind	Satisfactory	82	со	1
78	Jodhpur	Good	47	PM <sub>10</sub>	1
79	Kaithal	Good	40	PM <sub>10</sub>	1
80	Kalyan	Satisfactory	53	со	1
81	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
82	Kanpur	Good	33	PM <sub>10</sub> , O <sub>3</sub>	4
83	Karnal	Good	40	PM <sub>10</sub>	1
84	Katihar	Moderate	103	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Satisfactory	70	PM <sub>10</sub>	1
86	Khanna	Good	50	PM <sub>10</sub>	1
87	Khurja	Satisfactory	70	PM <sub>2.5</sub>	1
88	Kishanganj	Satisfactory	75	PM <sub>2.5</sub>	1
89	Kochi	Satisfactory	96	PM <sub>2.5</sub>	1
90	Kohima	Satisfactory	55	SO <sub>2</sub>	1
91	Kolkata	Satisfactory	89	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	6
92	Koppal	Satisfactory	81	03	1
93	Kota	Good	41	PM <sub>10</sub>	1
94	Kozhikode	Satisfactory	65	PM <sub>10</sub>	1
95	Kurukshetra	Good	45	PM <sub>10</sub>	1
96	Lucknow	Good	48	PM <sub>10</sub> , CO, O <sub>3</sub>	6

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ludhiana	Satisfactory	65	PM <sub>10</sub>	1
98	Madikeri	Good	25	03	1
99	Maihar	Good	46	со	1
100	Mandi Gobindgarh	Satisfactory	75	PM <sub>2.5</sub>	1
101	Mandideep	Good	34	PM <sub>10</sub>	1
102	Mandikhera	Good	25	PM <sub>10</sub>	1
103	Manesar	Satisfactory	52	PM <sub>10</sub>	1
104	Manglore	Good	49	со	1
105	Meerut	Satisfactory	99	PM <sub>10</sub> , CO	3
106	Moradabad	Satisfactory	72	PM <sub>10</sub> , CO	5
107	Motihari	Satisfactory	73	PM <sub>2.5</sub>	1
108	Mumbai	Satisfactory	55	SO <sub>2</sub> , CO, O <sub>3</sub>	14

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Satisfactory	72	PM <sub>10</sub>	1
110	Muzaffarpur	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	2
111	Mysuru	Satisfactory	53	PM <sub>10</sub>	1
112	Nagpur	Satisfactory	76	со	1
113	Nandesari	Moderate	112	со	1
114	Narnaul	Good	28	NO <sub>2</sub>	1
115	Navi Mumbai	Satisfactory	52	CO, NO <sub>2</sub> , PM <sub>10</sub>	3
116	Noida	Satisfactory	54	CO, PM <sub>10</sub>	4
117	Pali	Good	39	PM <sub>10</sub>	1
118	Palwal	Satisfactory	65	PM <sub>10</sub>	1
119	Panchkula	Good	30	PM <sub>2.5</sub>	1
120	Panipat	Satisfactory	61	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Good	46	PM <sub>2.5</sub>	1
122	Patna	Satisfactory	90	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	6
123	Pithampur	Good	43	PM <sub>10</sub>	1
124	Prayagraj	Satisfactory	66	SO <sub>2</sub> , PM <sub>10</sub>	2
125	Puducherry	Good	44	03	1
126	Purnia	Moderate	179	PM <sub>2.5</sub>	1
127	Raichur	Satisfactory	60	СО	1
128	Rajamahendravaram	Satisfactory	58	PM <sub>10</sub>	1
129	Rajgir	Moderate	105	со	1
130	Ramanagara	Good	37	O <sub>3</sub>	1
131	Ramanathapuram	Moderate	110	со	1
132	Ratlam	Good	24	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rohtak	Good	38	NO <sub>2</sub>	1
134	Rupnagar	Satisfactory	77	PM <sub>10</sub>	1
135	Sagar	Satisfactory	62	со	1
136	Saharsa	Moderate	130	PM <sub>10</sub>	1
137	Sasaram	Satisfactory	66	PM <sub>2.5</sub>	1
138	Satna	Good	35	PM <sub>10</sub>	1
139	Shillong	Good	30	PM <sub>10</sub>	2
140	Shivamogga	Good	42	PM <sub>10</sub>	1
141	Singrauli	Satisfactory	98	NO <sub>2</sub>	1
142	Sirsa	Satisfactory	53	O <sub>3</sub>	1
143	Siwan	Satisfactory	97	NO <sub>2</sub>	1
144	Solapur	Satisfactory	84	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sonipat	Satisfactory	82	PM <sub>10</sub>	1
146	Srinagar	Good	37	PM <sub>10</sub>	1
147	Talcher	Satisfactory	98	со	1
148	Thane	Good	47	03	1
149	Thiruvananthapuram	Satisfactory	52	CO, PM <sub>2.5</sub>	2
150	Thoothukudi	Good	44	PM <sub>10</sub>	1
151	Thrissur	Good	28	PM <sub>2.5</sub>	1
152	Tirupati	Satisfactory	51	PM <sub>10</sub>	1
153	Udaipur	Satisfactory	61	PM <sub>10</sub>	1
154	Ujjain	Satisfactory	61	PM <sub>10</sub>	1
155	Varanasi	Good	50	PM <sub>10</sub>	4
156	Vatva	Satisfactory	58	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vijayapura	Good	40	PM <sub>10</sub>	1
158	Visakhapatnam	Moderate	109	PM <sub>10</sub>	1
159	Vrindavan	Good	44	SO <sub>2</sub>	1
160	Yadgir	Good	33	со	1
161	Yamunanagar	Satisfactory	89	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bathinda, Begusarai, Bhilai, Bidar, Brajrajnagar, Chamarajanagar, Chengalpattu, Darbhanga, Durgapur, Gangtok, Jorapokhar, Kalaburgi, Kolar, Kollam, Manguraha, Munger, Naharlagun, Nashik, Pune, Samastipur, Siliguri, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.