

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	79	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	91	PM ₁₀ , PM _{2.5} , NO ₂	5
3	Ahmedabad	Moderate	121	NO ₂	1
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Moderate	106	PM ₁₀	1
6	Alwar	Satisfactory	68	PM ₁₀	1
7	Ambala	Moderate	156	PM _{2.5}	1
8	Amritsar	Satisfactory	77	PM ₁₀	1
9	Anantapur	Satisfactory	57	O ₃	1
10	Araria	Poor	217	PM _{2.5}	1
11	Arrah	Moderate	151	03	1
12	Asansol	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	157	PM ₁₀	1
14	Baddi	Poor	300	O ₃	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Moderate	141	PM _{2.5}	1
17	Bahadurgarh	Poor	271	PM _{2.5}	1
18	Ballabgarh	Satisfactory	80	со	1
19	Bareilly	Moderate	118	PM ₁₀	2
20	Bathinda	Satisfactory	68	PM ₁₀	1
21	Belgaum	Satisfactory	62	PM ₁₀	1
22	Bengaluru	Satisfactory	69	PM ₁₀ , PM _{2.5}	8
23	Bettiah	Poor	210	PM _{2.5}	1
24	Bhagalpur	Poor	221	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Poor	232	PM _{2.5}	1
26	Bhiwani	Moderate	106	PM ₁₀	1
27	Bhopal	Moderate	142	PM _{2.5} , PM ₁₀	2
28	Bihar Sharif	Moderate	178	PM _{2.5}	1
29	Bilaspur	Satisfactory	55	PM ₁₀	1
30	Bulandshahr	Poor	268	PM _{2.5}	1
31	Buxar	Poor	215	PM ₁₀	1
32	Chamarajanagar	Good	37	PM ₁₀	1
33	Chandigarh	Moderate	188	O ₃ , PM ₁₀	3
34	Chandrapur	Satisfactory	95	PM _{2.5}	1
35	Charkhi Dadri	Moderate	189	PM _{2.5}	1
36	Chennai	Satisfactory	65	CO, PM _{2.5} , SO ₂	8

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Poor	274	PM ₁₀	1
38	Chikkaballapur	Satisfactory	55	PM ₁₀	1
39	Chikkamagaluru	Good	39	PM ₁₀	1
40	Coimbatore	Satisfactory	63	PM _{2.5}	1
41	Damoh	Satisfactory	76	PM _{2.5}	1
42	Darbhanga	Poor	292	PM _{2.5}	1
43	Davanagere	Good	33	PM ₁₀	1
44	Delhi	Poor	262	PM ₁₀ , PM _{2.5}	35
45	Dewas	Moderate	132	PM ₁₀	1
46	Dharuhera	Poor	243	PM _{2.5}	1
47	Dindigul	Good	44	SO ₂	1
48	Durgapur	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	65	PM ₁₀	1
50	Ernakulam	Good	36	со	1
51	Faridabad	Very Poor	312	PM ₁₀ , PM _{2.5}	3
52	Fatehabad	Poor	215	PM _{2.5}	1
53	Firozabad	Satisfactory	60	NO ₂ , PM _{2.5}	2
54	Gadag	Good	34	O ₃	1
55	Gandhinagar	Satisfactory	84	PM ₁₀	1
56	Gangtok	Good	34	O ₃	1
57	Gaya	Moderate	173	PM ₁₀ , PM _{2.5}	3
58	Ghaziabad	Poor	300	PM _{2.5}	4
59	Gorakhpur	Poor	205	PM _{2.5}	1
60	Greater Noida	Poor	246	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Poor	242	PM ₁₀ , PM _{2.5}	4
62	Guwahati	Satisfactory	67	PM ₁₀ , PM _{2.5}	3
63	Gwalior	Moderate	110	PM ₁₀	1
64	Hajipur	Moderate	192	PM _{2.5}	1
65	Haldia	Moderate	104	PM ₁₀	1
66	Hapur	Moderate	117	PM _{2.5}	1
67	Hassan	Good	30	NO ₂	1
68	Haveri	Good	27	со	1
69	Hisar	Moderate	173	PM _{2.5}	1
70	Hosur	Good	37	PM ₁₀	1
71	Howrah	Moderate	133	PM _{2.5} , PM ₁₀	3
72	Hubballi	Satisfactory	64	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	75	PM _{2.5} , PM ₁₀	13
74	Imphal	Moderate	136	O ₃ , PM ₁₀	2
75	Indore	Moderate	113	PM ₁₀	1
76	Jabalpur	Moderate	108	PM ₁₀	1
77	Jaipur	Moderate	108	PM ₁₀ , PM _{2.5} , O ₃	3
78	Jalandhar	Moderate	122	PM ₁₀	1
79	Jhansi	Moderate	114	PM ₁₀	1
80	Jodhpur	Moderate	197	PM ₁₀	1
81	Kaithal	Moderate	182	O ₃	1
82	Kalaburgi	Satisfactory	69	PM _{2.5}	1
83	Kalyan	Satisfactory	97	PM ₁₀	1
84	Kannur	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Moderate	148	PM _{2.5}	4
86	Karnal	Satisfactory	96	PM ₁₀	1
87	Katihar	Poor	288	PM ₁₀	1
88	Katni	Moderate	168	PM _{2.5}	1
89	Khanna	Moderate	124	PM _{2.5}	1
90	Khurja	Moderate	161	PM ₁₀	1
91	Kishanganj	Moderate	118	PM _{2.5}	1
92	Kochi	Satisfactory	84	PM _{2.5}	1
93	Kolar	Satisfactory	76	PM ₁₀	1
94	Kolkata	Moderate	112	PM _{2.5} , PM ₁₀	7
95	Kollam	Good	46	PM _{2.5}	1
96	Kota	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kozhikode	Satisfactory	78	PM ₁₀	1
98	Kurukshetra	Satisfactory	81	PM _{2.5}	1
99	Lucknow	Moderate	164	PM _{2.5} , PM ₁₀	6
100	Ludhiana	Moderate	147	PM _{2.5}	1
101	Madikeri	Good	30	03	1
102	Maihar	Satisfactory	86	со	1
103	Mandi Gobindgarh	Satisfactory	90	PM ₁₀	1
104	Mandideep	Moderate	122	NO ₂	1
105	Mandikhera	Moderate	130	PM ₁₀	1
106	Manesar	Poor	208	PM _{2.5}	1
107	Meerut	Moderate	185	PM ₁₀ , PM _{2.5}	3
108	Moradabad	Moderate	114	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Motihari	Moderate	164	PM ₁₀	1
110	Mumbai	Satisfactory	94	PM ₁₀ , PM _{2.5} , CO	18
111	Munger	Poor	270	PM _{2.5}	1
112	Muzaffarnagar	Moderate	170	PM _{2.5}	1
113	Muzaffarpur	Moderate	192	PM _{2.5} , PM ₁₀	2
114	Mysuru	Satisfactory	63	PM ₁₀	1
115	Nagpur	Moderate	171	PM _{2.5}	1
116	Nandesari	Moderate	140	PM _{2.5}	1
117	Narnaul	Moderate	126	PM ₁₀	1
118	Nashik	Satisfactory	62	PM _{2.5}	1
119	Navi Mumbai	Moderate	156	PM _{2.5} , PM ₁₀	3
120	Noida	Poor	258	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pali	Satisfactory	96	PM _{2.5}	1
122	Palwal	Moderate	141	PM ₁₀	1
123	Panchkula	Satisfactory	63	PM _{2.5}	1
124	Panipat	Moderate	196	PM ₁₀	1
125	Patiala	Moderate	110	PM ₁₀	1
126	Patna	Poor	252	PM _{2.5}	4
127	Pithampur	Moderate	133	PM ₁₀	1
128	Prayagraj	Moderate	148	PM _{2.5} , PM ₁₀	3
129	Puducherry	Good	44	со	1
130	Pune	Good	44	PM _{2.5}	1
131	Purnia	Moderate	172	PM ₁₀	1
132	Rajamahendravaram	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rajgir	Moderate	141	PM _{2.5}	1
134	Ramanagara	Good	46	PM ₁₀	1
135	Ramanathapuram	Good	21	PM ₁₀	1
136	Ratlam	Moderate	110	PM ₁₀	1
137	Rohtak	Poor	201	PM _{2.5}	1
138	Rupnagar	Satisfactory	99	PM ₁₀	1
139	Sagar	Good	41	PM _{2.5}	1
140	Saharsa	Poor	246	PM _{2.5}	1
141	Sasaram	Satisfactory	97	03	1
142	Satna	Satisfactory	66	PM ₁₀	1
143	Shillong	Good	24	SO ₂	1
144	Shivamogga	Good	50	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Siliguri	Satisfactory	96	PM ₁₀	1
146	Singrauli	Poor	268	PM _{2.5}	1
147	Sirsa	Moderate	157	O ₃	1
148	Sivasagar	Good	30	PM ₁₀	1
149	Siwan	Poor	272	PM _{2.5}	1
150	Solapur	Satisfactory	63	PM ₁₀	1
151	Sonipat	Moderate	162	PM ₁₀	1
152	Srinagar	Satisfactory	58	NO ₂	1
153	Thane	Satisfactory	83	PM ₁₀	1
154	Thiruvananthapuram	Satisfactory	60	CO, PM ₁₀	2
155	Thoothukudi	Good	30	PM ₁₀	1
156	Thrissur	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Tirupati	Good	41	СО	1
158	Tiruppur	Satisfactory	96	PM _{2.5}	1
159	Udaipur	Moderate	124	PM ₁₀	1
160	Udupi	Satisfactory	78	со	1
161	Ujjain	Moderate	129	PM ₁₀	1
162	Varanasi	Moderate	158	PM _{2.5} , PM ₁₀	4
163	Vatva	Moderate	115	PM ₁₀	1
164	Vijayapura	Good	36	PM ₁₀	1
165	Visakhapatnam	Moderate	103	PM ₁₀	1
166	Vrindavan	Satisfactory	86	PM ₁₀	1
167	Yadgir	Good	41	PM _{2.5}	1
168	Yamunanagar	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Ankleshwar,
 Aurangabad (Maharashtra), Begusarai, Bhilai, Bidar, Brajrajnagar,
 Chengalpattu, Dehradun, Gummidipoondi, Jind, Jorapokhar, Kohima, Koppal,
 Manglore, Manguraha, Naharlagun, Ooty, Raichur, Salem, Samastipur, Talcher,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.