

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM _{2.5}	2
2	Agra	Poor	206	PM _{2.5}	5
3	Ahmedabad	Poor	206	PM ₁₀	1
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Moderate	126	PM ₁₀	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Satisfactory	78	PM ₁₀	1
8	Ambala	Poor	207	PM _{2.5}	1
9	Amritsar	Moderate	197	PM _{2.5}	1
10	Anantapur	Moderate	118	PM _{2.5}	1
11	Araria	Moderate	169	PM _{2.5}	1
12	Arrah	Moderate	160	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	113	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	120	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	136	PM _{2.5}	1
16	Baddi	Moderate	164	O ₃	1
17	Bagalkot	Good	43	PM ₁₀	1
18	Baghpat	Moderate	200	PM _{2.5}	1
19	Bahadurgarh	Poor	267	PM _{2.5}	1
20	Ballabgarh	Poor	225	PM _{2.5}	1
21	Bareilly	Moderate	186	PM _{2.5}	2
22	Begusarai	Very Poor	325	PM _{2.5}	1
23	Belgaum	Moderate	126	PM ₁₀	1
24	Bengaluru	Satisfactory	100	PM ₁₀ , O ₃ , PM _{2.5}	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Moderate	142	PM ₁₀	1
26	Bhagalpur	Moderate	152	PM _{2.5}	2
27	Bhiwadi	Poor	239	PM _{2.5}	1
28	Bhiwani	Poor	257	PM _{2.5}	1
29	Bhopal	Moderate	171	PM _{2.5} , PM ₁₀	2
30	Bidar	Satisfactory	58	со	1
31	Bihar Sharif	Moderate	128	PM _{2.5}	1
32	Bilaspur	Satisfactory	81	PM _{2.5}	1
33	Bulandshahr	Poor	299	PM _{2.5}	1
34	Buxar	Moderate	114	PM ₁₀	1
35	Chamarajanagar	Good	47	PM ₁₀	1
36	Chandigarh	Moderate	130	O ₃ , PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	132	PM ₁₀	1
38	Charkhi Dadri	Poor	295	PM _{2.5}	1
39	Chennai	Moderate	192	PM _{2.5}	9
40	Chhapra	Moderate	145	PM ₁₀	1
41	Chikkaballapur	Moderate	111	PM ₁₀	1
42	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
43	Davanagere	Satisfactory	83	PM ₁₀	1
44	Dehradun	Moderate	106	03	1
45	Delhi	Very Poor	312	PM ₁₀ , PM _{2.5}	35
46	Dewas	Moderate	134	PM ₁₀	1
47	Dharuhera	Poor	263	PM _{2.5}	1
48	Dindigul	Satisfactory	88	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Satisfactory	96	PM ₁₀	1
50	Eloor	Satisfactory	69	PM ₁₀	1
51	Ernakulam	Satisfactory	51	PM ₁₀	1
52	Faridabad	Poor	254	PM _{2.5}	4
53	Fatehabad	Moderate	195	PM _{2.5}	1
54	Firozabad	Moderate	125	PM _{2.5}	2
55	Gadag	Satisfactory	58	03	1
56	Gandhinagar	Moderate	142	PM _{2.5}	1
57	Gangtok	Good	30	03	1
58	Gaya	Moderate	107	PM ₁₀ , PM _{2.5}	3
59	Ghaziabad	Poor	300	PM _{2.5} , PM ₁₀	4
60	Gorakhpur	Satisfactory	86	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Poor	274	PM _{2.5}	2
62	Gurugram	Very Poor	322	PM _{2.5}	3
63	Guwahati	Good	47	PM _{2.5} , PM ₁₀	3
64	Gwalior	Poor	266	PM _{2.5}	1
65	Hajipur	Moderate	117	PM ₁₀	1
66	Haldia	Good	33	PM ₁₀	1
67	Hapur	Poor	229	PM _{2.5}	1
68	Hassan	Satisfactory	62	PM _{2.5}	1
69	Haveri	Satisfactory	89	PM ₁₀	1
70	Hisar	Poor	281	PM _{2.5}	1
71	Hosur	Satisfactory	92	PM ₁₀	1
72	Howrah	Satisfactory	69	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	79	PM ₁₀	1
74	Hyderabad	Satisfactory	81	PM _{2.5} , PM ₁₀	13
75	Imphal	Moderate	105	PM ₁₀	1
76	Indore	Moderate	175	PM ₁₀	1
77	Jabalpur	Moderate	148	PM ₁₀	1
78	Jaipur	Moderate	130	PM ₁₀ , PM _{2.5} , O ₃	3
79	Jalandhar	Moderate	152	PM _{2.5}	1
80	Jhansi	Poor	214	PM _{2.5}	1
81	Jind	Poor	276	PM _{2.5}	1
82	Jodhpur	Moderate	162	PM _{2.5}	1
83	Jorapokhar	Moderate	116	PM ₁₀	1
84	Kaithal	Poor	228	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	143	PM _{2.5}	1
86	Kannur	Satisfactory	66	PM ₁₀	1
87	Kanpur	Moderate	174	PM _{2.5}	4
88	Karnal	Moderate	173	PM _{2.5}	1
89	Katihar	Moderate	135	PM ₁₀	1
90	Katni	Moderate	165	PM _{2.5}	1
91	Khanna	Moderate	106	PM _{2.5}	1
92	Khurja	Poor	266	PM ₁₀	1
93	Kishanganj	Moderate	103	PM ₁₀	1
94	Kochi	Moderate	137	PM _{2.5}	1
95	Kohima	Moderate	116	SO ₂	1
96	Kolkata	Satisfactory	55	PM ₁₀ , NO ₂	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Good	49	PM ₁₀	1
98	Koppal	Moderate	102	O ₃	1
99	Kota	Moderate	180	PM _{2.5}	1
100	Kurukshetra	Poor	215	PM _{2.5}	1
101	Lucknow	Moderate	137	PM ₁₀ , PM _{2.5}	6
102	Ludhiana	Moderate	179	PM _{2.5}	1
103	Madikeri	Satisfactory	63	O ₃	1
104	Maihar	Good	43	PM ₁₀	1
105	Mandi Gobindgarh	Satisfactory	74	PM ₁₀	1
106	Mandideep	Moderate	132	PM ₁₀	1
107	Mandikhera	Moderate	131	PM ₁₀	1
108	Manesar	Poor	278	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Meerut	Moderate	180	PM _{2.5}	3
110	Moradabad	Moderate	106	PM _{2.5}	5
111	Motihari	Poor	201	PM _{2.5}	1
112	Mumbai	Moderate	136	PM ₁₀ , PM _{2.5}	18
113	Muzaffarnagar	Poor	215	PM _{2.5}	1
114	Muzaffarpur	Moderate	146	PM _{2.5} , PM ₁₀	3
115	Mysuru	Satisfactory	71	PM ₁₀	1
116	Nagpur	Moderate	106	O ₃	1
117	Nandesari	Moderate	170	PM _{2.5}	1
118	Narnaul	Moderate	167	PM _{2.5}	1
119	Nashik	Moderate	102	PM _{2.5}	1
120	Navi Mumbai	Moderate	192	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Noida	Very Poor	305	PM _{2.5} , PM ₁₀	4
122	Ooty	Satisfactory	52	PM ₁₀	1
123	Pali	Moderate	153	PM _{2.5}	1
124	Palwal	Moderate	148	PM ₁₀	1
125	Panchkula	Satisfactory	69	PM _{2.5}	1
126	Panipat	Moderate	193	PM ₁₀	1
127	Patiala	Moderate	150	PM _{2.5}	1
128	Patna	Moderate	153	PM _{2.5} , PM ₁₀	6
129	Pithampur	Moderate	111	PM ₁₀	1
130	Prayagraj	Moderate	121	PM _{2.5}	3
131	Puducherry	Poor	241	PM _{2.5}	1
132	Purnia	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rajamahendravaram	Satisfactory	77	PM ₁₀	1
134	Rajgir	Satisfactory	94	PM ₁₀	1
135	Ramanagara	Satisfactory	70	PM ₁₀	1
136	Ramanathapuram	Good	33	PM ₁₀	1
137	Ratlam	Moderate	138	PM ₁₀	1
138	Rohtak	Moderate	120	PM _{2.5}	1
139	Rupnagar	Moderate	136	PM _{2.5}	1
140	Sagar	Satisfactory	55	со	1
141	Saharsa	Poor	236	PM _{2.5}	1
142	Sasaram	Satisfactory	87	03	1
143	Satna	Good	42	03	1
144	Shillong	Good	19	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Shivamogga	Moderate	116	NO ₂	1
146	Siliguri	Satisfactory	78	PM ₁₀	1
147	Singrauli	Moderate	140	PM _{2.5}	1
148	Sirsa	Moderate	142	03	1
149	Sivasagar	Good	30	PM ₁₀	1
150	Siwan	Poor	202	PM _{2.5}	1
151	Sonipat	Moderate	166	PM ₁₀	1
152	Srinagar	Moderate	159	PM _{2.5}	1
153	Talcher	Satisfactory	95	PM ₁₀	1
154	Thane	Moderate	151	PM ₁₀	1
155	Thiruvananthapuram	Satisfactory	82	PM _{2.5}	2
156	Thoothukudi	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thrissur	Satisfactory	58	PM ₁₀	1
158	Tirupati	Satisfactory	76	PM ₁₀	1
159	Udaipur	Moderate	114	PM ₁₀	1
160	Udupi	Moderate	196	03	1
161	Ujjain	Moderate	149	PM _{2.5}	1
162	Varanasi	Moderate	106	PM _{2.5} , PM ₁₀	4
163	Vatva	Poor	208	PM _{2.5}	1
164	Vijayapura	Good	43	PM ₁₀	1
165	Visakhapatnam	Moderate	123	PM ₁₀	1
166	Vrindavan	Moderate	111	PM ₁₀	1
167	Yadgir	Satisfactory	66	PM ₁₀	1
168	Yamunanagar	Moderate	150	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Darbhanga, Gummidipoondi, Kalaburgi, Kolar, Kozhikode, Manglore, Manguraha, Munger, Naharlagun, Pune, Raichur, Salem, Samastipur, Solapur, Tiruppur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.