

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	15	PM <sub>10</sub>	1
2	Agra	Moderate	175	PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Poor	233	PM <sub>2.5</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Poor	223	PM <sub>2.5</sub>	1
6	Alwar	Moderate	134	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	150	PM <sub>2.5</sub>	1
8	Ambala	Poor	248	PM <sub>2.5</sub>	1
9	Amritsar	Poor	246	PM <sub>2.5</sub>	1
10	Anantapur	Moderate	191	PM <sub>2.5</sub>	1
11	Araria	Satisfactory	62	PM <sub>10</sub>	1
12	Arrah	Moderate	164	0 <sub>3</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	98	O <sub>3</sub>	1
14	Aurangabad	Moderate	106	PM <sub>10</sub>	1
15	Aurangabad	Poor	253	PM <sub>2.5</sub>	1
16	Baddi	Poor	206	PM <sub>2.5</sub>	1
17	Bagalkot	Satisfactory	54	PM <sub>10</sub>	1
18	Baghpat	Moderate	194	PM <sub>2.5</sub>	1
19	Bahadurgarh	Poor	268	PM <sub>2.5</sub>	1
20	Ballabgarh	Poor	289	PM <sub>2.5</sub>	1
21	Bareilly	Poor	266	PM <sub>2.5</sub>	2
22	Begusarai	Moderate	152	PM <sub>2.5</sub>	1
23	Belgaum	Poor	221	PM <sub>2.5</sub>	1
24	Bengaluru	Moderate	142	PM <sub>10</sub> , PM <sub>2.5</sub>	9

### Possible Health Impacts

Notes:

Good	Minimal Impact	
Satisfactory	y Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Moderate	197	PM <sub>2.5</sub>	1
26	Bhagalpur	Satisfactory	76	PM <sub>10</sub>	2
27	Bhiwadi	Moderate	194	PM <sub>2.5</sub>	1
28	Bhiwani	Poor	281	PM <sub>2.5</sub>	1
29	Bhopal	Poor	218	PM <sub>2.5</sub>	2
30	Bidar	Satisfactory	58	СО	1
31	Bihar Sharif	Moderate	121	PM <sub>2.5</sub>	1
32	Bilaspur	Satisfactory	82	PM <sub>2.5</sub>	1
33	Bulandshahr	Very Poor	331	PM <sub>2.5</sub>	1
34	Buxar	Moderate	154	PM <sub>10</sub>	1
35	Chamarajanagar	Satisfactory	52	PM <sub>10</sub>	1
36	Chandigarh	Moderate	175	PM <sub>2.5</sub>	3

### **Possible Health Impacts**

Notes:

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Poor	246	PM <sub>2.5</sub>	1
38	Charkhi Dadri	Poor	272	PM <sub>2.5</sub>	1
39	Chennai	Poor	228	PM <sub>2.5</sub> , PM <sub>10</sub>	8
40	Chhapra	Moderate	167	PM <sub>10</sub>	1
41	Chikkaballapur	Poor	203	PM <sub>10</sub>	1
42	Chikkamagaluru	Satisfactory	94	PM <sub>2.5</sub>	1
43	Coimbatore	Good	48	со	1
44	Darbhanga	Moderate	130	PM <sub>10</sub>	1
45	Davanagere	Satisfactory	91	PM <sub>10</sub>	1
46	Dehradun	Poor	205	PM <sub>2.5</sub>	1
47	Delhi	Very Poor	302	PM <sub>2.5</sub> , PM <sub>10</sub>	35
48	Dewas	Poor	206	PM <sub>10</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Satisfactory	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	317	PM <sub>2.5</sub>	1
50	Dindigul	Moderate	128	PM <sub>2.5</sub>	1
51	Durgapur	Satisfactory	60	PM <sub>10</sub>	1
52	Eloor	Satisfactory	71	PM <sub>10</sub>	1
53	Ernakulam	Good	43	PM <sub>10</sub>	1
54	Faridabad	Poor	289	PM <sub>2.5</sub>	4
55	Fatehabad	Poor	263	PM <sub>2.5</sub>	1
56	Firozabad	Moderate	198	PM <sub>2.5</sub>	2
57	Gadag	Satisfactory	56	O <sub>3</sub>	1
58	Gandhinagar	Moderate	190	PM <sub>2.5</sub>	1
59	Gangtok	Good	26	PM <sub>10</sub>	1
60	Gaya	Moderate	108	PM <sub>10</sub>	2

### **Possible Health Impacts**

Notes:

Good	Minimal Impact	
Satisfactory	/ Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	266	PM <sub>2.5</sub> , PM <sub>10</sub>	4
62	Gorakhpur	Poor	213	PM <sub>2.5</sub>	1
63	Greater Noida	Poor	272	PM <sub>2.5</sub>	2
64	Gurugram	Poor	292	PM <sub>2.5</sub>	4
65	Guwahati	Good	10	0 <sub>3</sub>	1
66	Gwalior	Poor	206	PM <sub>2.5</sub>	1
67	Hajipur	Moderate	127	PM <sub>10</sub>	1
68	Haldia	Good	38	PM <sub>10</sub>	1
69	Hapur	Moderate	155	PM <sub>2.5</sub>	1
70	Hassan	Satisfactory	70	PM <sub>2.5</sub>	1
71	Haveri	Satisfactory	80	PM <sub>10</sub>	1
72	Hisar	Poor	220	PM <sub>2.5</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Poor	232	PM <sub>2.5</sub>	1
74	Howrah	Good	50	PM <sub>10</sub> , O <sub>3</sub>	3
75	Hubballi	Moderate	153	PM <sub>2.5</sub>	1
76	Hyderabad	Moderate	160	PM <sub>2.5</sub> , PM <sub>10</sub>	13
77	Imphal	Satisfactory	58	SO <sub>2</sub>	1
78	Indore	Poor	204	PM <sub>10</sub>	1
79	Jabalpur	Poor	238	PM <sub>2.5</sub>	1
80	Jaipur	Poor	262	PM <sub>2.5</sub>	3
81	Jalandhar	Poor	266	PM <sub>2.5</sub>	1
82	Jhansi	Poor	211	PM <sub>2.5</sub>	1
83	Jind	Poor	280	PM <sub>2.5</sub>	1
84	Jodhpur	Very Poor	337	PM <sub>2.5</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Satisfactory	86	PM <sub>10</sub>	1
86	Kaithal	Poor	215	PM <sub>2.5</sub>	1
87	Kalyan	Moderate	163	PM <sub>2.5</sub>	1
88	Kannur	Satisfactory	66	PM <sub>10</sub>	1
89	Kanpur	Poor	222	PM <sub>2.5</sub>	4
90	Karnal	Poor	255	PM <sub>2.5</sub>	1
91	Katihar	Satisfactory	68	со	1
92	Katni	Poor	239	PM <sub>2.5</sub>	1
93	Khanna	Poor	209	PM <sub>2.5</sub>	1
94	Khurja	Poor	239	PM <sub>10</sub>	1
95	Kishanganj	Satisfactory	55	0 <sub>3</sub>	1
96	Kolar	Moderate	102	PM <sub>10</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Good	47	O <sub>3</sub> , NO <sub>2</sub> , PM <sub>10</sub>	7
98	Kollam	Moderate	114	PM <sub>10</sub>	1
99	Koppal	Moderate	116	O <sub>3</sub>	1
100	Kota	Poor	215	PM <sub>2.5</sub>	1
101	Kurukshetra	Very Poor	301	PM <sub>2.5</sub>	1
102	Lucknow	Poor	246	PM <sub>2.5</sub>	6
103	Ludhiana	Poor	300	PM <sub>2.5</sub>	1
104	Madikeri	Satisfactory	66	O <sub>3</sub>	1
105	Maihar	Satisfactory	52	PM <sub>10</sub>	1
106	Mandi Gobindgarh	Poor	211	PM <sub>10</sub>	1
107	Mandideep	Moderate	197	PM <sub>10</sub>	1
108	Mandikhera	Moderate	110	PM <sub>10</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Poor	261	PM <sub>2.5</sub>	1
110	Manguraha	Good	40	PM <sub>10</sub>	1
111	Meerut	Poor	277	PM <sub>2.5</sub> , PM <sub>10</sub>	3
112	Moradabad	Poor	294	PM <sub>2.5</sub>	6
113	Motihari	Moderate	183	PM <sub>2.5</sub>	1
114	Mumbai	Poor	213	PM <sub>2.5</sub> , PM <sub>10</sub>	18
115	Munger	Moderate	142	PM <sub>2.5</sub>	1
116	Muzaffarnagar	Poor	233	PM <sub>2.5</sub>	1
117	Muzaffarpur	Satisfactory	100	PM <sub>10</sub> , PM <sub>2.5</sub>	3
118	Mysuru	Satisfactory	73	PM <sub>10</sub>	1
119	Nagpur	Moderate	198	PM <sub>2.5</sub>	1
120	Narnaul	Moderate	176	PM <sub>2.5</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nashik	Moderate	143	PM <sub>10</sub>	1
122	Navi Mumbai	Poor	235	PM <sub>2.5</sub>	3
123	Noida	Poor	299	PM <sub>2.5</sub> , PM <sub>10</sub>	4
124	Ooty	Satisfactory	57	PM <sub>10</sub>	1
125	Pali	Poor	222	PM <sub>2.5</sub>	1
126	Palwal	Moderate	149	PM <sub>10</sub>	1
127	Panchkula	Moderate	131	PM <sub>2.5</sub>	1
128	Panipat	Moderate	193	PM <sub>10</sub>	1
129	Patiala	Poor	211	PM <sub>2.5</sub>	1
130	Patna	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	6
131	Pithampur	Moderate	119	PM <sub>10</sub>	1
132	Prayagraj	Moderate	139	PM <sub>2.5</sub>	3

### Possible Health Impacts

Notes:

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Puducherry	Poor	274	PM <sub>2.5</sub>	1
134	Pune	Moderate	122	PM <sub>2.5</sub>	1
135	Purnia	Satisfactory	92	PM <sub>2.5</sub>	1
136	Rajamahendravaram	Satisfactory	90	PM <sub>10</sub>	1
137	Rajgir	Moderate	105	PM <sub>2.5</sub>	1
138	Ramanagara	Satisfactory	88	PM <sub>2.5</sub>	1
139	Ramanathapuram	Moderate	196	PM <sub>2.5</sub>	1
140	Ratlam	Poor	236	PM <sub>2.5</sub>	1
141	Rohtak	Moderate	181	PM <sub>2.5</sub>	1
142	Sagar	Satisfactory	56	СО	1
143	Saharsa	Satisfactory	76	PM <sub>10</sub>	1
144	Salem	Moderate	181	PM <sub>2.5</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Samastipur	Moderate	133	PM <sub>10</sub>	1
146	Satna	Satisfactory	57	O <sub>3</sub>	1
147	Shivamogga	Satisfactory	66	O <sub>3</sub>	1
148	Siliguri	Good	41	PM <sub>10</sub>	1
149	Singrauli	Moderate	146	PM <sub>2.5</sub>	1
150	Sirsa	Moderate	185	PM <sub>10</sub>	1
151	Sivasagar	Good	9	PM <sub>2.5</sub>	1
152	Siwan	Poor	275	PM <sub>2.5</sub>	1
153	Solapur	Satisfactory	70	PM <sub>10</sub>	1
154	Sonipat	Poor	209	PM <sub>10</sub>	1
155	Talcher	Satisfactory	96	PM <sub>10</sub>	1
156	Thane	Moderate	192	PM <sub>10</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thiruvananthapuram	Satisfactory	79	PM <sub>2.5</sub>	2
158	Thoothukudi	Satisfactory	96	PM <sub>10</sub>	1
159	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
160	Tirupati	Satisfactory	60	PM <sub>10</sub>	1
161	Udaipur	Moderate	194	PM <sub>2.5</sub>	1
162	Udupi	Poor	219	0 <sub>3</sub>	1
163	Ujjain	Poor	224	PM <sub>2.5</sub>	1
164	Varanasi	Moderate	159	PM <sub>2.5</sub>	4
165	Vatva	Poor	272	PM <sub>2.5</sub>	1
166	Vijayapura	Satisfactory	52	PM <sub>10</sub>	1
167	Visakhapatnam	Poor	233	PM <sub>2.5</sub>	1
168	Vrindavan	Satisfactory	94	PM <sub>10</sub>	1

### Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available. # Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Yadgir	Satisfactory	72	PM <sub>10</sub>	1
170	Yamunanagar	Poor	226	PM <sub>10</sub>	1
171	vellore	Moderate	117	PM <sub>2.5</sub>	1

#### Possible Health Impacts

GoodMinimal ImpactSatisfactoryMinor breathing discomfort to sensitive peopleModerateBreathing discomfort to the people with lungs, asthma and heart diseasesPoorBreathing discomfort to most people on prolonged exposureVery PoorRespiratory illness on prolonged exposureSevereAffects healthy people and seriously impacts those with existing diseases

#### Notes:

\* AQI is not calculated for today's bulletin for Ankleshwar, Bathinda, Brajrajnagar, Chengalpattu, Damoh, Gummidipoondi, Kalaburgi, Kochi, Kohima, Kozhikode, Manglore, Naharlagun, Nandesari, Raichur, Rupnagar, Sasaram, Srinagar, Tiruppur, Vapi as data was not available.
# Some stations have data available at 3PM
\* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.