

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	136	PM <sub>2.5</sub>	2
2	Agra	Moderate	160	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	157	PM <sub>10</sub>	1
4	Aizawl	Good	27	PM <sub>10</sub>	1
5	Ajmer	Moderate	125	PM <sub>10</sub>	1
6	Alwar	Moderate	150	PM <sub>2.5</sub>	1
7	Amaravati	Satisfactory	82	PM <sub>10</sub>	1
8	Ambala	Poor	247	PM <sub>2.5</sub>	1
9	Amritsar	Poor	217	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	90	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	154	PM <sub>2.5</sub>	1
12	Araria	Poor	202	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	179	03	1
14	Asansol	Moderate	159	PM <sub>10</sub>	1
15	Aurangabad	Moderate	166	PM <sub>10</sub>	1
16	Aurangabad	Moderate	124	PM <sub>10</sub>	1
17	Baddi	Poor	204	03	1
18	Bagalkot	Good	39	PM <sub>10</sub>	1
19	Baghpat	Very Poor	306	PM <sub>2.5</sub>	1
20	Bahadurgarh	Very Poor	371	PM <sub>2.5</sub>	1
21	Ballabgarh	Moderate	134	PM <sub>10</sub>	1
22	Bareilly	Poor	222	PM <sub>2.5</sub>	2
23	Bathinda	Moderate	134	PM <sub>2.5</sub>	1
24	Begusarai	Very Poor	382	PM <sub>2.5</sub>	1

## Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	126	PM <sub>10</sub>	1
26	Bengaluru	Satisfactory	71	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
27	Bettiah	Poor	266	PM <sub>2.5</sub>	1
28	Bhagalpur	Poor	209	PM <sub>2.5</sub>	2
29	Bhilai	Good	35	PM <sub>10</sub>	1
30	Bhiwadi	Very Poor	358	PM <sub>10</sub>	1
31	Bhiwani	Very Poor	337	PM <sub>2.5</sub>	1
32	Bhopal	Moderate	186	PM <sub>2.5</sub> , PM <sub>10</sub>	2
33	Bidar	Satisfactory	58	со	1
34	Bihar Sharif	Poor	222	PM <sub>2.5</sub>	1
35	Bulandshahr	Very Poor	317	PM <sub>2.5</sub>	1
36	Buxar	Poor	235	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	46	PM <sub>10</sub>	1
38	Chandigarh	Poor	225	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
39	Chandrapur	Moderate	189	PM <sub>2.5</sub>	1
40	Charkhi Dadri	Very Poor	360	PM <sub>2.5</sub>	1
41	Chennai	Satisfactory	70	CO, PM <sub>10</sub>	7
42	Chhapra	Poor	291	PM <sub>10</sub>	1
43	Chikkaballapur	Satisfactory	89	PM <sub>10</sub>	1
44	Chikkamagaluru	Satisfactory	63	PM <sub>2.5</sub>	1
45	Coimbatore	Satisfactory	79	PM <sub>2.5</sub>	1
46	Damoh	Satisfactory	75	PM <sub>2.5</sub>	1
47	Darbhanga	Very Poor	303	PM <sub>2.5</sub>	1
48	Davanagere	Satisfactory	67	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	397	PM <sub>10</sub> , PM <sub>2.5</sub>	36
50	Dewas	Moderate	154	PM <sub>10</sub>	1
51	Dharuhera	Very Poor	366	PM <sub>2.5</sub>	1
52	Dindigul	Good	45	PM <sub>10</sub>	1
53	Durgapur	Moderate	121	PM <sub>2.5</sub>	1
54	Eloor	Satisfactory	65	PM <sub>10</sub>	1
55	Ernakulam	Good	46	PM <sub>10</sub>	1
56	Faridabad	Very Poor	400	PM <sub>10</sub> , PM <sub>2.5</sub>	4
57	Fatehabad	Very Poor	361	PM <sub>2.5</sub>	1
58	Firozabad	Moderate	118	PM <sub>2.5</sub>	2
59	Gadag	Satisfactory	53	03	1
60	Gandhinagar	Moderate	106	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	33	PM <sub>2.5</sub>	1
62	Gaya	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	3
63	Ghaziabad	Very Poor	367	PM <sub>10</sub> , PM <sub>2.5</sub>	4
64	Gorakhpur	Moderate	126	PM <sub>2.5</sub>	1
65	Greater Noida	Very Poor	385	PM <sub>2.5</sub> , PM <sub>10</sub>	2
66	Gummidipoondi	Satisfactory	86	PM <sub>10</sub>	1
67	Gurugram	Very Poor	375	PM <sub>2.5</sub>	4
68	Guwahati	Satisfactory	80	PM <sub>2.5</sub>	2
69	Gwalior	Poor	210	PM <sub>10</sub> , PM <sub>2.5</sub>	2
70	Hajipur	Poor	282	PM <sub>2.5</sub>	1
71	Haldia	Satisfactory	95	PM <sub>10</sub>	1
72	Hapur	Very Poor	312	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	80	PM <sub>2.5</sub>	1
74	Haveri	Satisfactory	86	PM <sub>10</sub>	1
75	Hisar	Very Poor	381	PM <sub>2.5</sub>	1
76	Howrah	Moderate	108	PM <sub>10</sub>	2
77	Hubballi	Satisfactory	76	PM <sub>10</sub>	1
78	Hyderabad	Satisfactory	69	PM <sub>2.5</sub> , PM <sub>10</sub>	13
79	Imphal	Moderate	134	O <sub>3</sub> , PM <sub>10</sub>	2
80	Indore	Moderate	162	PM <sub>10</sub>	1
81	Jabalpur	Moderate	179	PM <sub>2.5</sub>	1
82	Jaipur	Moderate	129	PM <sub>2.5</sub> , O <sub>3</sub>	3
83	Jalandhar	Poor	219	PM <sub>2.5</sub>	1
84	Jhansi	Moderate	158	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jind	Very Poor	340	PM <sub>2.5</sub>	1
86	Jodhpur	Moderate	119	PM <sub>2.5</sub>	1
87	Jorapokhar	Moderate	123	03	1
88	Kaithal	Very Poor	314	PM <sub>2.5</sub>	1
89	Kalaburgi	Satisfactory	69	PM <sub>2.5</sub>	1
90	Kalyan	Moderate	146	PM <sub>10</sub>	1
91	Kanchipuram	Satisfactory	55	SO <sub>2</sub>	1
92	Kannur	Satisfactory	65	PM <sub>10</sub>	1
93	Kanpur	Poor	249	PM <sub>2.5</sub>	3
94	Katihar	Poor	275	PM <sub>2.5</sub>	1
95	Katni	Poor	226	PM <sub>10</sub>	1
96	Khanna	Moderate	193	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Poor	269	PM <sub>10</sub>	1
98	Kishanganj	Moderate	165	PM <sub>10</sub>	1
99	Kochi	Moderate	180	PM <sub>2.5</sub>	1
100	Kohima	Moderate	116	SO <sub>2</sub>	1
101	Kolar	Satisfactory	68	PM <sub>10</sub>	1
102	Kolkata	Moderate	157	PM <sub>2.5</sub> , PM <sub>10</sub>	6
103	Kollam	Satisfactory	68	PM <sub>10</sub>	1
104	Koppal	Satisfactory	71	03	1
105	Kota	Moderate	105	PM <sub>10</sub>	1
106	Kurukshetra	Poor	270	PM <sub>2.5</sub>	1
107	Lucknow	Poor	222	PM <sub>2.5</sub> , PM <sub>10</sub>	6
108	Ludhiana	Moderate	163	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Good	47	PM <sub>2.5</sub>	1
110	Maihar	Satisfactory	55	PM <sub>10</sub>	1
111	Mandi Gobindgarh	Moderate	163	PM <sub>2.5</sub>	1
112	Mandideep	Poor	231	PM <sub>10</sub>	1
113	Mandikhera	Moderate	162	PM <sub>10</sub>	1
114	Manesar	Very Poor	381	PM <sub>2.5</sub>	1
115	Manglore	Good	45	PM <sub>10</sub>	1
116	Meerut	Poor	268	PM <sub>2.5</sub>	2
117	Moradabad	Poor	213	PM <sub>2.5</sub>	6
118	Motihari	Very Poor	351	PM <sub>2.5</sub>	1
119	Mumbai	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	19
120	Munger	Moderate	169	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Poor	269	PM <sub>2.5</sub>	1
122	Muzaffarpur	Moderate	182	PM <sub>10</sub> , PM <sub>2.5</sub>	2
123	Mysuru	Good	40	PM <sub>10</sub>	1
124	Nagpur	Moderate	161	PM <sub>2.5</sub>	1
125	Narnaul	Poor	207	PM <sub>2.5</sub>	1
126	Nashik	Moderate	101	PM <sub>10</sub>	1
127	Navi Mumbai	Moderate	160	PM <sub>2.5</sub> , PM <sub>10</sub>	2
128	Noida	Very Poor	381	PM <sub>10</sub> , PM <sub>2.5</sub>	4
129	Pali	Satisfactory	92	PM <sub>2.5</sub>	1
130	Palwal	Moderate	161	PM <sub>2.5</sub>	1
131	Panchkula	Moderate	124	PM <sub>2.5</sub>	1
132	Panipat	Moderate	194	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Poor	205	PM <sub>2.5</sub>	1
134	Patna	Poor	276	PM <sub>10</sub> , PM <sub>2.5</sub>	6
135	Pithampur	Moderate	164	PM <sub>10</sub>	1
136	Prayagraj	Poor	212	PM <sub>2.5</sub>	3
137	Purnia	Poor	253	PM <sub>2.5</sub>	1
138	Rajamahendravaram	Satisfactory	92	PM <sub>2.5</sub>	1
139	Rajgir	Moderate	155	PM <sub>2.5</sub>	1
140	Ramanagara	Satisfactory	58	PM <sub>10</sub>	1
141	Ramanathapuram	Satisfactory	52	PM <sub>10</sub>	1
142	Ratlam	Moderate	129	PM <sub>10</sub>	1
143	Rohtak	Poor	299	PM <sub>2.5</sub>	1
144	Rupnagar	Poor	246	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sagar	Satisfactory	89	O <sub>3</sub> , CO	2
146	Saharsa	Poor	281	PM <sub>2.5</sub>	1
147	Samastipur	Poor	281	PM <sub>2.5</sub>	1
148	Sasaram	Moderate	166	PM <sub>2.5</sub>	1
149	Satna	Satisfactory	59	03	1
150	Shillong	Good	20	SO <sub>2</sub>	1
151	Shivamogga	Satisfactory	54	PM <sub>10</sub>	1
152	Siliguri	Satisfactory	82	PM <sub>10</sub>	1
153	Singrauli	Poor	256	PM <sub>2.5</sub>	1
154	Sirsa	Very Poor	308	PM <sub>2.5</sub>	1
155	Sivasagar	Good	23	PM <sub>10</sub>	1
156	Siwan	Very Poor	329	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Solapur	Satisfactory	89	PM <sub>10</sub>	1
158	Sonipat	Very Poor	364	PM <sub>10</sub>	1
159	Srinagar	Moderate	197	PM <sub>2.5</sub>	1
160	Talcher	Moderate	163	PM <sub>2.5</sub>	1
161	Thane	Moderate	132	PM <sub>10</sub>	1
162	Thiruvananthapuram	Satisfactory	66	PM <sub>2.5</sub> , CO	2
163	Thoothukudi	Good	41	PM <sub>10</sub>	1
164	Tirupati	Satisfactory	65	PM <sub>2.5</sub>	1
165	Tiruppur	Moderate	114	PM <sub>10</sub>	1
166	Udaipur	Moderate	122	PM <sub>10</sub>	1
167	Udupi	Moderate	175	O <sub>3</sub>	1
168	Ujjain	Moderate	127	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	4
170	Vatva	Moderate	118	PM <sub>2.5</sub>	1
171	Vijayapura	Good	47	PM <sub>10</sub>	1
172	Visakhapatnam	Moderate	106	PM <sub>10</sub>	1
173	Vrindavan	Moderate	156	PM <sub>10</sub>	1
174	Yamunanagar	Poor	207	PM <sub>10</sub>	1
175	vellore	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bilaspur, Brajrajnagar, Chengalpattu, Dehradun, Hosur, Karnal, Korba, Kozhikode, Manguraha, Naharlagun, Nandesari, Ooty, Puducherry, Pune, Raichur, Raipur, Salem, Thrissur, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.