

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	121	PM <sub>2.5</sub>	2
2	Agra	Poor	204	PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	200	PM <sub>10</sub>	1
4	Aizawl	Good	22	PM <sub>10</sub>	1
5	Ajmer	Moderate	150	PM <sub>2.5</sub>	1
6	Alwar	Moderate	134	PM <sub>2.5</sub>	1
7	Amaravati	Satisfactory	95	PM <sub>10</sub>	1
8	Ambala	Poor	222	PM <sub>2.5</sub>	1
9	Amritsar	Poor	202	PM <sub>2.5</sub>	1
10	Anantapur	Moderate	109	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	174	PM <sub>2.5</sub>	1
12	Araria	Poor	211	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	163	O <sub>3</sub>	1
14	Asansol	Moderate	146	PM <sub>10</sub>	1
15	Aurangabad	Moderate	183	PM <sub>2.5</sub>	1
16	Aurangabad	Moderate	115	PM <sub>10</sub>	1
17	Baddi	Poor	243	03	1
18	Bagalkot	Good	39	PM <sub>10</sub>	1
19	Baghpat	Poor	282	PM <sub>2.5</sub>	1
20	Bahadurgarh	Very Poor	336	PM <sub>2.5</sub>	1
21	Ballabgarh	Moderate	157	PM <sub>10</sub>	1
22	Bareilly	Moderate	142	PM <sub>10</sub>	2
23	Begusarai	Very Poor	369	PM <sub>2.5</sub>	1
24	Belgaum	Moderate	120	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	74	PM <sub>2.5</sub> , PM <sub>10</sub>	9
26	Bettiah	Poor	214	PM <sub>2.5</sub>	1
27	Bhagalpur	Moderate	146	PM <sub>2.5</sub>	2
28	Bhiwadi	Poor	269	PM <sub>10</sub>	1
29	Bhiwani	Very Poor	310	PM <sub>2.5</sub>	1
30	Bhopal	Moderate	188	PM <sub>2.5</sub> , PM <sub>10</sub>	2
31	Bidar	Satisfactory	58	СО	1
32	Bihar Sharif	Poor	232	PM <sub>2.5</sub>	1
33	Bilaspur	Satisfactory	61	PM <sub>10</sub>	1
34	Bulandshahr	Poor	278	PM <sub>2.5</sub>	1
35	Buxar	Poor	225	PM <sub>10</sub>	1
36	Chamarajanagar	Good	39	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	178	PM <sub>2.5</sub> , PM <sub>10</sub>	3
38	Chandrapur	Moderate	188	PM <sub>2.5</sub>	1
39	Charkhi Dadri	Very Poor	324	PM <sub>2.5</sub>	1
40	Chennai	Satisfactory	74	PM <sub>2.5</sub> , PM <sub>10</sub>	8
41	Chhapra	Poor	273	PM <sub>2.5</sub>	1
42	Chikkaballapur	Satisfactory	87	PM <sub>10</sub>	1
43	Damoh	Moderate	104	PM <sub>2.5</sub>	1
44	Darbhanga	Poor	290	PM <sub>2.5</sub>	1
45	Davanagere	Satisfactory	77	PM <sub>10</sub>	1
46	Delhi	Very Poor	352	PM <sub>10</sub> , PM <sub>2.5</sub>	36
47	Dewas	Moderate	135	PM <sub>10</sub>	1
48	Dharuhera	Very Poor	360	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul, Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli, Srinagar, Thane, Tiruppur, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Satisfactory	89	PM <sub>10</sub>	1
50	Eloor	Satisfactory	53	PM <sub>10</sub>	1
51	Ernakulam	Satisfactory	51	PM <sub>10</sub>	1
52	Faridabad	Very Poor	383	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Firozabad	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	2
54	Gadag	Satisfactory	68	03	1
55	Gandhinagar	Satisfactory	96	PM <sub>10</sub>	1
56	Gangtok	Good	31	03	1
57	Gaya	Moderate	150	PM <sub>2.5</sub>	2
58	Ghaziabad	Very Poor	344	PM <sub>2.5</sub>	4
59	Gorakhpur	Moderate	168	PM <sub>2.5</sub>	1
60	Greater Noida	Very Poor	342	PM <sub>2.5</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bhilai, Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul, Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli, Srinagar, Thane, Tiruppur, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - $^{\star}$  The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Very Poor	327	PM <sub>2.5</sub>	4
62	Guwahati	Satisfactory	80	PM <sub>2.5</sub>	1
63	Gwalior	Very Poor	320	PM <sub>2.5</sub>	2
64	Hajipur	Poor	227	PM <sub>2.5</sub>	1
65	Haldia	Satisfactory	98	PM <sub>10</sub>	1
66	Hapur	Poor	284	PM <sub>2.5</sub>	1
67	Haveri	Satisfactory	93	PM <sub>10</sub>	1
68	Hisar	Very Poor	324	PM <sub>2.5</sub>	1
69	Howrah	Satisfactory	98	PM <sub>10</sub>	1
70	Hubballi	Satisfactory	69	PM <sub>10</sub>	1
71	Hyderabad	Satisfactory	78	PM <sub>2.5</sub> , PM <sub>10</sub>	13
72	Imphal	Moderate	136	O <sub>3</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Moderate	143	PM <sub>10</sub>	1
74	Jabalpur	Moderate	133	PM <sub>2.5</sub>	1
75	Jaipur	Moderate	169	PM <sub>2.5</sub> , O <sub>3</sub>	3
76	Jalandhar	Moderate	178	PM <sub>2.5</sub>	1
77	Jhansi	Poor	256	PM <sub>2.5</sub>	1
78	Jind	Poor	278	PM <sub>2.5</sub>	1
79	Jodhpur	Moderate	178	PM <sub>2.5</sub>	1
80	Kaithal	Poor	297	PM <sub>2.5</sub>	1
81	Kalaburgi	Satisfactory	79	PM <sub>2.5</sub>	1
82	Kalyan	Moderate	129	PM <sub>10</sub>	1
83	Kanchipuram	Satisfactory	55	SO <sub>2</sub>	1
84	Kannur	Satisfactory	66	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Very Poor	306	PM <sub>2.5</sub>	3
86	Karnal	Moderate	183	PM <sub>2.5</sub>	1
87	Katihar	Poor	224	PM <sub>2.5</sub>	1
88	Katni	Moderate	191	PM <sub>10</sub>	1
89	Khanna	Moderate	171	PM <sub>2.5</sub>	1
90	Khurja	Poor	278	PM <sub>2.5</sub>	1
91	Kishanganj	Moderate	123	PM <sub>10</sub>	1
92	Kohima	Moderate	117	SO <sub>2</sub>	1
93	Kolkata	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	6
94	Kollam	Satisfactory	56	PM <sub>10</sub>	1
95	Koppal	Moderate	111	PM <sub>2.5</sub>	1
96	Kota	Moderate	139	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kozhikode	Satisfactory	83	PM <sub>10</sub>	1
98	Kurukshetra	Poor	267	PM <sub>2.5</sub>	1
99	Lucknow	Poor	218	PM <sub>2.5</sub>	5
100	Ludhiana	Poor	284	PM <sub>2.5</sub>	1
101	Madikeri	Good	49	PM <sub>2.5</sub>	1
102	Maihar	Satisfactory	66	PM <sub>10</sub>	1
103	Mandi Gobindgarh	Moderate	156	PM <sub>10</sub>	1
104	Mandideep	Poor	204	PM <sub>10</sub>	1
105	Mandikhera	Moderate	143	PM <sub>10</sub>	1
106	Manesar	Very Poor	355	PM <sub>2.5</sub>	1
107	Manglore	Good	42	PM <sub>10</sub>	1
108	Manguraha	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Meerut	Poor	229	PM <sub>2.5</sub>	3
110	Moradabad	Moderate	131	PM <sub>2.5</sub> , PM <sub>10</sub>	6
111	Motihari	Very Poor	311	PM <sub>2.5</sub>	1
112	Mumbai	Moderate	127	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	18
113	Munger	Moderate	194	PM <sub>2.5</sub>	1
114	Muzaffarnagar	Moderate	190	PM <sub>2.5</sub>	1
115	Muzaffarpur	Moderate	195	PM <sub>2.5</sub> , PM <sub>10</sub>	3
116	Mysuru	Good	30	PM <sub>10</sub>	1
117	Nagpur	Moderate	150	PM <sub>2.5</sub>	1
118	Narnaul	Moderate	174	PM <sub>2.5</sub>	1
119	Nashik	Moderate	130	PM <sub>2.5</sub>	1
120	Navi Mumbai	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Noida	Very Poor	321	PM <sub>2.5</sub> , PM <sub>10</sub>	4
122	Pali	Moderate	113	PM <sub>2.5</sub>	1
123	Palwal	Moderate	132	PM <sub>10</sub>	1
124	Panchkula	Moderate	113	PM <sub>2.5</sub>	1
125	Panipat	Poor	254	PM <sub>10</sub>	1
126	Patiala	Moderate	173	PM <sub>2.5</sub>	1
127	Patna	Poor	268	PM <sub>2.5</sub>	6
128	Pithampur	Moderate	158	PM <sub>10</sub>	1
129	Prayagraj	Poor	203	PM <sub>2.5</sub>	3
130	Puducherry	Satisfactory	60	PM <sub>2.5</sub>	1
131	Purnia	Moderate	182	PM <sub>2.5</sub>	1
132	Rajamahendravaram	Moderate	124	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rajgir	Moderate	183	PM <sub>2.5</sub>	1
134	Ramanagara	Satisfactory	59	PM <sub>2.5</sub>	1
135	Ramanathapuram	Good	36	PM <sub>10</sub>	1
136	Ratlam	Moderate	138	PM <sub>10</sub>	1
137	Rohtak	Poor	282	PM <sub>2.5</sub>	1
138	Rupnagar	Moderate	124	PM <sub>10</sub>	1
139	Sagar	Moderate	124	O <sub>3</sub> , PM <sub>2.5</sub>	2
140	Saharsa	Moderate	200	PM <sub>2.5</sub>	1
141	Samastipur	Poor	264	PM <sub>2.5</sub>	1
142	Sasaram	Moderate	181	PM <sub>2.5</sub>	1
143	Satna	Satisfactory	58	PM <sub>10</sub>	1
144	Shillong	Good	24	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Shivamogga	Satisfactory	58	NO <sub>2</sub>	1
146	Siliguri	Satisfactory	83	PM <sub>10</sub>	1
147	Sirsa	Poor	245	PM <sub>2.5</sub>	1
148	Sivasagar	Good	23	PM <sub>10</sub>	1
149	Siwan	Poor	296	PM <sub>2.5</sub>	1
150	Solapur	Moderate	126	PM <sub>2.5</sub>	1
151	Sonipat	Poor	286	PM <sub>2.5</sub>	1
152	Talcher	Moderate	129	PM <sub>2.5</sub>	1
153	Thiruvananthapuram	Good	45	PM <sub>2.5</sub> , CO	2
154	Thoothukudi	Good	28	PM <sub>10</sub>	1
155	Thrissur	Satisfactory	61	PM <sub>10</sub>	1
156	Tirupati	Satisfactory	90	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Udaipur	Moderate	118	PM <sub>10</sub>	1
158	Udupi	Satisfactory	90	со	1
159	Ujjain	Moderate	128	PM <sub>10</sub>	1
160	Varanasi	Moderate	146	PM <sub>2.5</sub>	4
161	Vatva	Moderate	115	PM <sub>2.5</sub>	1
162	Vijayapura	Good	47	PM <sub>10</sub>	1
163	Visakhapatnam	Moderate	125	PM <sub>2.5</sub>	1
164	Vrindavan	Moderate	157	PM <sub>10</sub>	1
165	Yadgir	Satisfactory	71	PM <sub>10</sub>	1
166	Yamunanagar	Poor	213	PM <sub>2.5</sub>	1
167	vellore	Satisfactory	77	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Bhilai,
  Brajrajnagar, Chengalpattu, Chikkamagaluru, Coimbatore, Dehradun, Dindigul,
  Fatehabad, Gummidipoondi, Hassan, Hosur, Jorapokhar, Kochi, Kolar, Korba,
  Naharlagun, Nandesari, Ooty, Pune, Raichur, Raipur, Salem, Singrauli,
  Srinagar, Thane, Tiruppur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.